

150Mbps Wireless N Mini Pocket Router

TL-WR710N

◎ Features:

- 150Mbps Wireless Speed
- 2* RJ45 ports convenient for wired connection in wireless router mode
- Portable design, ideal for travel and home use
- Built-in power supply design, no need of external power adapter
- Support Wireless Router, Access Point, Repeater, Client, WISP Client Router modes
- USB port supports charging for smart phones and tablets
- USB port supports storage sharing, media server function
- IP based Bandwidth Control allows administrators to determine how much bandwidth is allotted to each PC
- Live Parental Controls allow parents or administrators to establish restricted access policies for children or staff
- Pre-encryption prevents unauthorized access from users outside of the network



◎ Description:

TP-LINK's 150Mbps Wireless N Mini Pocket Router TL-WR710N is an ideal solution to weak Wi-Fi or wired-only connection in your home or in a hotel room. It can instantly establish a secured Wi-Fi hotspot for all your Wi-Fi enabled devices. Featuring five working modes, TL-WR710N can bring you the highest mobility and flexibility in network connection. Moreover, the portable design with built-in power supply makes it ideal for travel use.

◎ Specifications:

HARDWARE FEATURES

Interface 1 10/100Mbps WAN/LAN Port, 1 10/100Mbps LAN Port
1 USB Port
1 Reset Button

Wireless Standards IEEE 802.11n, IEEE 802.11g, IEEE 802.11b

Antenna Type On-Board

WIRELESS FEATURES

Antenna 2.4-2.4835GHz

Signal Rate 11n: Up to 150Mbps(dynamic)
11g: Up to 54Mbps(dynamic)
11b: Up to 11Mbps(dynamic)

EIRP <20dBm (EIRP)

Reception Sensitivity 135M: -70dBm@10%PER
65M: -73dBm@10%PER
54M: -76dBm@10%PER

Wireless Modes Router, Access Point, Client, WISP Client Router, Repeater

Wireless Functions Enable/Disable Wireless Radio, WDS Bridge, WMM, Wireless Statistics

Wireless Security WEP, WPA/WPA2, WPA-PSK/WPA2-PSK

SOFTWARE FEATURES

WAN Type Dynamic IP/Static IP/PPPoE/PPTP/L2TP

DHCP Server, Client, DHCP Client List, Address Reservation

Quality of Service WMM, Bandwidth Control

Port Forwarding Virtual Server, Port Triggering, UPnP, DMZ

Dynamic DNS DynDns, Comexe, NO-IP

VPN Pass-Through PPTP, L2TP, IPSec (ESP Head)


Access Control Local Management Control, Host List, Access Schedule, Rule Management

Firewall Security DoS, SPI Firewall
IP Address Filter/MAC Address Filter/Domain Filter
IP and MAC Address Binding


Management Access Control
Local Management
Remote Management

OTHERS	
Certification	CE, FCC, RoHS
System Requirements	Microsoft Windows 8/7/Vista/XP/2000 or Mac OS, or Linux-based operating system.
Environment	Operating Temperature: 0°C~40°C (32°F~104°F) Storage Temperature: -40°C~70°C (-40°F~158°F) Operating Humidity: 10%~90% non-condensing Storage Humidity: 5%~90% non-condensing
Dimensions (W x D x H)	3.3 x 3.0 x 1.1 in. (85 x 75 x 28 mm)

Diagram:



◎ **Diagram:**



Package:

- 150Mbps Wireless N Mini Pocket Router
TL-WR710N
- Ethernet Cable
- Quick Installation Guide
- Resource CD

Related Products:

- ADSL2+ Modem
TD-8616
- 150Mbps Wireless N USB Adapter
TL-WN721N
- 150Mbps Wireless N PCI Adapter
TL-WN751ND
- 150Mbps Wireless N Router
TL-WN741N