

Multilayer Ceramic Capacitor




RoHS
Compliant



Features:

- For General Purpose
- Capacitor Dielectric Material : Multilayer Ceramic
- Termination : Radial Leaded
- Lead Pitch : 2.54mm



Dimensions : Millimetres

Specifications Table :

| Capacitance | Capacitance Tolerance | Sell UOM | Sell QOM | Rating Voltage | Part Number |
|-------------|-----------------------|-----------|----------|----------------|-----------------------|
| 1,000 pF | ±10% | Ea. | 1 | 100V DC | MC0805B102K101A2.54MM |
| 1,000 pF | ±10% | Ammo Pack | 2,500 | 100V DC | MC0805B102K101A2.54MM |
| 1,000 pF | ±10% | Ea. | 1 | 50V DC | MC0805B102K500A2.54MM |
| 1,000 pF | ±10% | Ammo Pack | 2,500 | 50V DC | MC0805B102K500A2.54MM |
| 0.01 µF | ±10% | Ea. | 1 | 50V DC | MC0805B103K500A2.54MM |
| 0.01 µF | ±10% | Ammo Pack | 2,500 | 50V DC | MC0805B103K500A2.54MM |
| 0.1 µF | ±10% | Ea. | 1 | 50V DC | MC0805B104K500A2.54MM |
| 0.1 µF | ±10% | Ammo Pack | 2,500 | 50V DC | MC0805B104K500A2.54MM |
| 1,200 pF | ±10% | Ea. | 1 | 100V DC | MC0805B122K101A2.54MM |
| 1,200 pF | ±10% | Ammo Pack | 2,500 | 100V DC | MC0805B122K101A2.54MM |
| 1,200 pF | ±10% | Ea. | 1 | 50V DC | MC0805B122K500A2.54MM |
| 1,200 pF | ±10% | Ammo Pack | 2,500 | 50V DC | MC0805B122K500A2.54MM |
| 0.012 µF | ±10% | Ea. | 1 | 100V DC | MC0805B123K101A2.54MM |
| 0.012 µF | ±10% | Ammo Pack | 2,500 | 100V DC | MC0805B123K101A2.54MM |
| 1,500 pF | ±10% | Ea. | 1 | 100V DC | MC0805B152K101A2.54MM |

Multilayer Ceramic Capacitor

| Capacitance | Capacitance Tolerance | Sell UOM | Sell QOM | Rating Voltage | Part Number |
|-------------|-----------------------|-----------|----------|----------------|-----------------------|
| 1,500 pF | ±10% | Ammo Pack | 2,500 | 100V DC | MC0805B152K101A2.54MM |
| 1,500 pF | ±10% | Ea. | 1 | 50V DC | MC0805B152K500A2.54MM |
| 1,500 pF | ±10% | Ammo Pack | 2,500 | 50V DC | MC0805B152K500A2.54MM |
| 0.015 µF | ±10% | Ea. | 1 | 50V DC | MC0805B153K500A2.54MM |
| 0.015 µF | ±10% | Ammo Pack | 2,500 | 50V DC | MC0805B153K500A2.54MM |
| 1,800 pF | ±10% | Ea. | 1 | 100V DC | MC0805B182K101A2.54MM |
| 1,800 pF | ±10% | Ammo Pack | 2,500 | 100V DC | MC0805B182K101A2.54MM |
| 1,800 pF | ±10% | Ea. | 1 | 50V DC | MC0805B182K500A2.54MM |
| 1,800 pF | ±10% | Ammo Pack | 2,500 | 50V DC | MC0805B182K500A2.54MM |
| 0.018 µF | ±10% | Ea. | 1 | 50V DC | MC0805B183K500A2.54MM |
| 0.018 µF | ±10% | Ammo Pack | 2,500 | 50V DC | MC0805B183K500A2.54MM |
| 220 pF | ±10% | Ea. | 1 | 100V DC | MC0805B221K101A2.54MM |
| 220 pF | ±10% | Ammo Pack | 2,500 | 100V DC | MC0805B221K101A2.54MM |
| 220 pF | ±10% | Ea. | 1 | 50V DC | MC0805B221K500A2.54MM |
| 220 pF | ±10% | Ammo Pack | 2,500 | 50V DC | MC0805B221K500A2.54MM |
| 2,200 pF | ±10% | Ea. | 1 | 100V DC | MC0805B222K101A2.54MM |
| 2,200 pF | ±10% | Ammo Pack | 2,500 | 100V DC | MC0805B222K101A2.54MM |
| 2,200 pF | ±10% | Ea. | 1 | 50V DC | MC0805B222K500A2.54MM |
| 2,200 pF | ±10% | Ammo Pack | 2,500 | 50V DC | MC0805B222K500A2.54MM |
| 0.022 µF | ±10% | Ea. | 1 | 50V DC | MC0805B223K500A2.54MM |
| 0.022 µF | ±10% | Ammo Pack | 2,500 | 50V DC | MC0805B223K500A2.54MM |
| 270 pF | ±10% | Ea. | 1 | 100V DC | MC0805B271K101A2.54MM |
| 270 pF | ±10% | Ammo Pack | 2,500 | 100V DC | MC0805B271K101A2.54MM |
| 2,700 pF | ±10% | Ea. | 1 | 100V DC | MC0805B272K101A2.54MM |
| 2,700 pF | ±10% | Ammo Pack | 2,500 | 100V DC | MC0805B272K101A2.54MM |
| 2,700 pF | ±10% | Ea. | 1 | 50V DC | MC0805B272K500A2.54MM |
| 2,700 pF | ±10% | Ammo Pack | 2,500 | 50V DC | MC0805B272K500A2.54MM |
| 330 pF | ±10% | Ea. | 1 | 100V DC | MC0805B331K101A2.54MM |
| 330 pF | ±10% | Ammo Pack | 2,500 | 100V DC | MC0805B331K101A2.54MM |
| 330 pF | ±10% | Ea. | 1 | 50V DC | MC0805B331K500A2.54MM |
| 330 pF | ±10% | Ammo Pack | 2,500 | 50V DC | MC0805B331K500A2.54MM |
| 3,300 pF | ±10% | Ea. | 1 | 100V DC | MC0805B332K101A2.54MM |
| 3,300 pF | ±10% | Ammo Pack | 2,500 | 100V DC | MC0805B332K101A2.54MM |
| 3,300 pF | ±10% | Ea. | 1 | 50V DC | MC0805B332K500A2.54MM |
| 3,300 pF | ±10% | Ammo Pack | 2,500 | 50V DC | MC0805B332K500A2.54MM |
| 0.033 µF | ±10% | Ea. | 1 | 50V DC | MC0805B333K500A2.54MM |
| 0.033 µF | ±10% | Ammo Pack | 2,500 | 50V DC | MC0805B333K500A2.54MM |

Multilayer Ceramic Capacitor

| Capacitance | Capacitance Tolerance | Sell UOM | Sell QOM | Rating Voltage | Part Number |
|-------------|-----------------------|-----------|----------|----------------|-----------------------|
| 390 pF | ±10% | Ea. | 1 | 50V DC | MC0805B391K500A2.54MM |
| 390 pF | ±10% | Ammo Pack | 2,500 | 50V DC | MC0805B391K500A2.54MM |
| 3,900 pF | ±10% | Ea. | 1 | 50V DC | MC0805B392K500A2.54MM |
| 3,900 pF | ±10% | Ammo Pack | 2,500 | 50V DC | MC0805B392K500A2.54MM |
| 470 pF | ±10% | Ea. | 1 | 100V DC | MC0805B471K101A2.54MM |
| 470 pF | ±10% | Ammo Pack | 2,500 | 100V DC | MC0805B471K101A2.54MM |
| 470 pF | ±10% | Ea. | 1 | 50V DC | MC0805B471K500A2.54MM |
| 470 pF | ±10% | Ammo Pack | 2500 | 50V DC | MC0805B471K500A2.54MM |
| 4,700 pF | ±10% | Ea. | 1 | 100V DC | MC0805B472K101A2.54MM |
| 4,700 pF | ±10% | Ammo Pack | 2,500 | 100V DC | MC0805B472K101A2.54MM |
| 4,700 pF | ±10% | Ea. | 1 | 50V DC | MC0805B472K500A2.54MM |
| 4,700 pF | ±10% | Ammo Pack | 2,500 | 50V DC | MC0805B472K500A2.54MM |
| 0.047 µF | ±10% | Ea. | 1 | 50V DC | MC0805B473K500A2.54MM |
| 0.047 µF | ±10% | Ammo Pack | 2,500 | 50V DC | MC0805B473K500A2.54MM |
| 560 pF | ±10% | Ea. | 1 | 50V DC | MC0805B561K500A2.54MM |
| 560 pF | ±10% | Ammo Pack | 2,500 | 50V DC | MC0805B561K500A2.54MM |
| 5,600 pF | ±10% | Ea. | 1 | 100V DC | MC0805B562K101A2.54MM |
| 5,600 pF | ±10% | Ammo Pack | 2,500 | 100V DC | MC0805B562K101A2.54MM |
| 5,600 pF | ±10% | Ea. | 1 | 50V DC | MC0805B562K500A2.54MM |
| 5,600 pF | ±10% | Ammo Pack | 2,500 | 50V DC | MC0805B562K500A2.54MM |
| 0.056 µF | ±10% | Ea. | 1 | 50V DC | MC0805B563K500A2.54MM |
| 0.056 µF | ±10% | Ammo Pack | 2,500 | 50V DC | MC0805B563K500A2.54MM |
| 680 pF | ±10% | Ea. | 1 | 100V DC | MC0805B681K101A2.54MM |
| 680 pF | ±10% | Ammo Pack | 2,500 | 100V DC | MC0805B681K101A2.54MM |
| 680 pF | ±10% | Ea. | 1 | 50V DC | MC0805B681K500A2.54MM |
| 680 pF | ±10% | Ammo Pack | 2,500 | 50V DC | MC0805B681K500A2.54MM |
| 6,800 pF | ±10% | Ea. | 1 | 50V DC | MC0805B682K500A2.54MM |
| 6,800 pF | ±10% | Ammo Pack | 2,500 | 50V DC | MC0805B682K500A2.54MM |
| 0.068 µF | ±10% | Ea. | 1 | 50V DC | MC0805B683K500A2.54MM |
| 0.068 µF | ±10% | Ammo Pack | 2,500 | 50V DC | MC0805B683K500A2.54MM |
| 820 pF | ±10% | Ea. | 1 | 100V DC | MC0805B821K101A2.54MM |
| 820 pF | ±10% | Ammo Pack | 2,500 | 100V DC | MC0805B821K101A2.54MM |
| 820 pF | ±10% | Ea. | 1 | 50V DC | MC0805B821K500A2.54MM |
| 820 pF | ±10% | Ammo Pack | 2,500 | 50V DC | MC0805B821K500A2.54MM |
| 8,200 pF | ±10% | Ea. | 1 | 100V DC | MC0805B822K101A2.54MM |
| 8,200 pF | ±10% | Ammo Pack | 2,500 | 100V DC | MC0805B822K101A2.54MM |
| 10 pF | ±5% | Ea. | 1 | 100V DC | MC0805N100J101A2.54MM |

Multilayer Ceramic Capacitor

| Capacitance | Capacitance Tolerance | Sell UOM | Sell QOM | Rating Voltage | Part Number |
|-------------|-----------------------|-----------|----------|----------------|-----------------------|
| 10 pF | ±5% | Ammo Pack | 2,500 | 100V DC | MC0805N100J101A2.54MM |
| 10 pF | ±5% | Ea. | 1 | 50V DC | MC0805N100J500A2.54MM |
| 10 pF | ±5% | Ammo Pack | 2,500 | 50V DC | MC0805N100J500A2.54MM |
| 100 pF | ±5% | Ea. | 1 | 100V DC | MC0805N101J101A2.54MM |
| 100 pF | ±5% | Ammo Pack | 2,500 | 100V DC | MC0805N101J101A2.54MM |
| 100 pF | ±5% | Ea. | 1 | 50V DC | MC0805N101J500A2.54MM |
| 100 pF | ±5% | Ammo Pack | 2,500 | 50V DC | MC0805N101J500A2.54MM |
| 1,000 pF | ±5% | Ea. | 1 | 100V DC | MC0805N102J101A2.54MM |
| 1,000 pF | ±5% | Ammo Pack | 2500 | 100V DC | MC0805N102J101A2.54MM |
| 1,000 pF | ±5% | Ea. | 1 | 50V DC | MC0805N102J500A2.54MM |
| 1,000 pF | ±5% | Ammo Pack | 2,500 | 50V DC | MC0805N102J500A2.54MM |
| 11 pF | ±5% | Ea. | 1 | 100V DC | MC0805N110J101A2.54MM |
| 11 pF | ±5% | Ammo Pack | 2,500 | 100V DC | MC0805N110J101A2.54MM |
| 12 pF | ±5% | Ea. | 1 | 100V DC | MC0805N120J101A2.54MM |
| 12 pF | ±5% | Ammo Pack | 2,500 | 100V DC | MC0805N120J101A2.54MM |
| 12 pF | ±5% | Ea. | 1 | 50V DC | MC0805N120J500A2.54MM |
| 12 pF | ±5% | Ammo Pack | 2,500 | 50V DC | MC0805N120J500A2.54MM |
| 120 pF | ±5% | Ea. | 1 | 100V DC | MC0805N121J101A2.54MM |
| 120 pF | ±5% | Ammo Pack | 2,500 | 100V DC | MC0805N121J101A2.54MM |
| 120 pF | ±5% | Ea. | 1 | 50V DC | MC0805N121J500A2.54MM |
| 120 pF | ±5% | Ammo Pack | 2,500 | 50V DC | MC0805N121J500A2.54MM |
| 1,200 pF | ±5% | Ea. | 1 | 50V DC | MC0805N122J500A2.54MM |
| 1,200 pF | ±5% | Ammo Pack | 2,500 | 50V DC | MC0805N122J500A2.54MM |
| 13 pF | ±5% | Ea. | 1 | 100V DC | MC0805N130J101A2.54MM |
| 13 pF | ±5% | Ammo Pack | 2,500 | 100V DC | MC0805N130J101A2.54MM |
| 13 pF | ±5% | Ea. | 1 | 50V DC | MC0805N130J500A2.54MM |
| 13 pF | ±5% | Ammo Pack | 2,500 | 50V DC | MC0805N130J500A2.54MM |
| 15 pF | ±5% | Ea. | 1 | 100V DC | MC0805N150J101A2.54MM |
| 15 pF | ±5% | Ammo Pack | 2,500 | 100V DC | MC0805N150J101A2.54MM |
| 15 pF | ±5% | Ea. | 1 | 50V DC | MC0805N150J500A2.54MM |
| 15 pF | ±5% | Ammo Pack | 2,500 | 50V DC | MC0805N150J500A2.54MM |
| 150 pF | ±5% | Ea. | 1 | 100V DC | MC0805N151J101A2.54MM |
| 150 pF | ±5% | Ammo Pack | 2,500 | 100V DC | MC0805N151J101A2.54MM |
| 150 pF | ±5% | Ea. | 1 | 50V DC | MC0805N151J500A2.54MM |
| 150 pF | ±5% | Ammo Pack | 2,500 | 50V DC | MC0805N151J500A2.54MM |
| 1,500 pF | ±5% | Ea. | 1 | 50V DC | MC0805N152J500A2.54MM |
| 1,500 pF | ±5% | Ammo Pack | 2,500 | 50V DC | MC0805N152J500A2.54MM |

Multilayer Ceramic Capacitor

| Capacitance | Capacitance Tolerance | Sell UOM | Sell QOM | Rating Voltage | Part Number |
|-------------|-----------------------|-----------|----------|----------------|-----------------------|
| 16 pF | ±5% | Ea. | 1 | 100V DC | MC0805N160J101A2.54MM |
| 16 pF | ±5% | Ammo Pack | 2,500 | 100V DC | MC0805N160J101A2.54MM |
| 18 pF | ±5% | Ea. | 1 | 100V DC | MC0805N180J101A2.54MM |
| 18 pF | ±5% | Ammo Pack | 2,500 | 100V DC | MC0805N180J101A2.54MM |
| 18 pF | ±5% | Ea. | 1 | 50V DC | MC0805N180J500A2.54MM |
| 18 pF | ±5% | Ammo Pack | 2,500 | 50V DC | MC0805N180J500A2.54MM |
| 180 pF | ±5% | Ea. | 1 | 100V DC | MC0805N181J101A2.54MM |
| 180 pF | ±5% | Ammo Pack | 2,500 | 100V DC | MC0805N181J101A2.54MM |
| 180 pF | ±5% | Ea. | 1 | 50V DC | MC0805N181J500A2.54MM |
| 180 pF | ±5% | Ammo Pack | 2,500 | 50V DC | MC0805N181J500A2.54MM |
| 1,800 pF | ±5% | Ea. | 1 | 50V DC | MC0805N182J500A2.54MM |
| 1,800 pF | ±5% | Ammo Pack | 2500 | 50V DC | MC0805N182J500A2.54MM |
| 1 pF | ±0.25pF | Ea. | 1 | 100V DC | MC0805N1R0C101A2.54MM |
| 1 pF | ±0.25pF | Ammo Pack | 2,500 | 100V DC | MC0805N1R0C101A2.54MM |
| 1 pF | ±0.25pF | Ea. | 1 | 50V DC | MC0805N1R0C500A2.54MM |
| 1 pF | ±0.25pF | Ammo Pack | 2,500 | 50V DC | MC0805N1R0C500A2.54MM |
| 1.2 pF | ±0.25pF | Ea. | 1 | 100V DC | MC0805N1R2C101A2.54MM |
| 1.2 pF | ±0.25pF | Ammo Pack | 2,500 | 100V DC | MC0805N1R2C101A2.54MM |
| 1.2 pF | ±0.25pF | Ea. | 1 | 50V DC | MC0805N1R2C500A2.54MM |
| 1.2 pF | ±0.25pF | Ammo Pack | 2,500 | 50V DC | MC0805N1R2C500A2.54MM |
| 1.5 pF | ±0.25pF | Ea. | 1 | 100V DC | MC0805N1R5C101A2.54MM |
| 1.5 pF | ±0.25pF | Ammo Pack | 2,500 | 100V DC | MC0805N1R5C101A2.54MM |
| 1.5 pF | ±0.25pF | Ea. | 1 | 50V DC | MC0805N1R5C500A2.54MM |
| 1.5 pF | ±0.25pF | Ammo Pack | 2,500 | 50V DC | MC0805N1R5C500A2.54MM |
| 1.8 pF | ±0.25pF | Ea. | 1 | 100V DC | MC0805N1R8C101A2.54MM |
| 1.8 pF | ±0.25pF | Ammo Pack | 2,500 | 100V DC | MC0805N1R8C101A2.54MM |
| 20 pF | ±5% | Ea. | 1 | 100V DC | MC0805N200J101A2.54MM |
| 20 pF | ±5% | Ammo Pack | 2,500 | 100V DC | MC0805N200J101A2.54MM |
| 20 pF | ±5% | Ea. | 1 | 50V DC | MC0805N200J500A2.54MM |
| 20 pF | ±5% | Ammo Pack | 2,500 | 50V DC | MC0805N200J500A2.54MM |
| 200 pF | ±5% | Ea. | 1 | 100V DC | MC0805N201J101A2.54MM |
| 200 pF | ±5% | Ammo Pack | 2,500 | 100V DC | MC0805N201J101A2.54MM |
| 22 pF | ±5% | Ea. | 1 | 100V DC | MC0805N220J101A2.54MM |
| 22 pF | ±5% | Ammo Pack | 2,500 | 100V DC | MC0805N220J101A2.54MM |
| 22 pF | ±5% | Ea. | 1 | 50V DC | MC0805N220J500A2.54MM |
| 22 pF | ±5% | Ammo Pack | 2,500 | 50V DC | MC0805N220J500A2.54MM |
| 220 pF | ±5% | Ea. | 1 | 100V DC | MC0805N221J101A2.54MM |

Multilayer Ceramic Capacitor

| Capacitance | Capacitance Tolerance | Sell UOM | Sell QOM | Rating Voltage | Part Number |
|-------------|-----------------------|-----------|----------|----------------|-----------------------|
| 220 pF | ±5% | Ammo Pack | 2,500 | 100V DC | MC0805N221J101A2.54MM |
| 220 pF | ±5% | Ea. | 1 | 50V DC | MC0805N221J500A2.54MM |
| 220 pF | ±5% | Ammo Pack | 2,500 | 50V DC | MC0805N221J500A2.54MM |
| 2,200 pF | ±5% | Ea. | 1 | 50V DC | MC0805N222J500A2.54MM |
| 2,200 pF | ±5% | Ammo Pack | 2,500 | 50V DC | MC0805N222J500A2.54MM |
| 24 pF | ±5% | Ea. | 1 | 100V DC | MC0805N240J101A2.54MM |
| 24 pF | ±5% | Ammo Pack | 2,500 | 100V DC | MC0805N240J101A2.54MM |
| 24 pF | ±5% | Ea. | 1 | 50V DC | MC0805N240J500A2.54MM |
| 24 pF | ±5% | Ammo Pack | 2,500 | 50V DC | MC0805N240J500A2.54MM |
| 27 pF | ±5% | Ea. | 1 | 100V DC | MC0805N270J101A2.54MM |
| 27 pF | ±5% | Ammo Pack | 2,500 | 100V DC | MC0805N270J101A2.54MM |
| 27 pF | ±5% | Ea. | 1 | 50V DC | MC0805N270J500A2.54MM |
| 27 pF | ±5% | Ammo Pack | 2,500 | 50V DC | MC0805N270J500A2.54MM |
| 270 pF | ±5% | Ea. | 1 | 100V DC | MC0805N271J101A2.54MM |
| 270 pF | ±5% | Ammo Pack | 2,500 | 100V DC | MC0805N271J101A2.54MM |
| 270 pF | ±5% | Ea. | 1 | 50V DC | MC0805N271J500A2.54MM |
| 270 pF | ±5% | Ammo Pack | 2,500 | 50V DC | MC0805N271J500A2.54MM |
| 2 pF | ±0.25pF | Ea. | 1 | 100V DC | MC0805N2R0C101A2.54MM |
| 2 pF | ±0.25pF | Ammo Pack | 2,500 | 100V DC | MC0805N2R0C101A2.54MM |
| 2 pF | ±0.25pF | Ea. | 1 | 50V DC | MC0805N2R0C500A2.54MM |
| 2 pF | ±0.25pF | Ammo Pack | 2,500 | 50V DC | MC0805N2R0C500A2.54MM |
| 2.2 pF | ±0.25pF | Ea. | 1 | 100V DC | MC0805N2R2C101A2.54MM |
| 2.2 pF | ±0.25pF | Ammo Pack | 2,500 | 100V DC | MC0805N2R2C101A2.54MM |
| 2.2 pF | ±0.25pF | Ea. | 1 | 50V DC | MC0805N2R2C500A2.54MM |
| 2.2 pF | ±0.25pF | Ammo Pack | 2,500 | 50V DC | MC0805N2R2C500A2.54MM |
| 2.7 pF | ±0.25pF | Ea. | 1 | 100V DC | MC0805N2R7C101A2.54MM |
| 2.7 pF | ±0.25pF | Ammo Pack | 2,500 | 100V DC | MC0805N2R7C101A2.54MM |
| 2.7 pF | ±0.25pF | Ea. | 1 | 50V DC | MC0805N2R7C500A2.54MM |
| 2.7 pF | ±0.25pF | Ammo Pack | 2,500 | 50V DC | MC0805N2R7C500A2.54MM |
| 30 pF | ±5% | Ea. | 1 | 100V DC | MC0805N300J101A2.54MM |
| 30 pF | ±5% | Ammo Pack | 2,500 | 100V DC | MC0805N300J101A2.54MM |
| 30 pF | ±5% | Ea. | 1 | 50V DC | MC0805N300J500A2.54MM |
| 30 pF | ±5% | Ammo Pack | 2,500 | 50V DC | MC0805N300J500A2.54MM |
| 300 pF | ±5% | Ea. | 1 | 100V DC | MC0805N301J101A2.54MM |
| 300 pF | ±5% | Ammo Pack | 2,500 | 100V DC | MC0805N301J101A2.54MM |
| 300 pF | ±5% | Ea. | 1 | 50V DC | MC0805N301J500A2.54MM |
| 300 pF | ±5% | Ammo Pack | 2,500 | 50V DC | MC0805N301J500A2.54MM |

Multilayer Ceramic Capacitor

| Capacitance | Capacitance Tolerance | Sell UOM | Sell QOM | Rating Voltage | Part Number |
|-------------|-----------------------|-----------|----------|----------------|-----------------------|
| 33 pF | ±5% | Ea. | 1 | 100V DC | MC0805N330J101A2.54MM |
| 33 pF | ±5% | Ammo Pack | 2,500 | 100V DC | MC0805N330J101A2.54MM |
| 300 pF | ±5% | Ea. | 1 | 50V DC | MC0805N330J500A2.54MM |
| 300 pF | ±5% | Ammo Pack | 2,500 | 50V DC | MC0805N330J500A2.54MM |
| 330 pF | ±5% | Ea. | 1 | 100V DC | MC0805N331J101A2.54MM |
| 330 pF | ±5% | Ammo Pack | 2,500 | 100V DC | MC0805N331J101A2.54MM |
| 330 pF | ±5% | Ea. | 1 | 50V DC | MC0805N331J500A2.54MM |
| 330 pF | ±5% | Ammo Pack | 2,500 | 50V DC | MC0805N331J500A2.54MM |
| 360 pF | ±5% | Ea. | 1 | 50V DC | MC0805N361J500A2.54MM |
| 360 pF | ±5% | Ammo Pack | 2,500 | 50V DC | MC0805N361J500A2.54MM |
| 39 pF | ±5% | Ea. | 1 | 100V DC | MC0805N390J101A2.54MM |
| 39 pF | ±5% | Ammo Pack | 2,500 | 100V DC | MC0805N390J101A2.54MM |
| 39 pF | ±5% | Ea. | 1 | 50V DC | MC0805N390J500A2.54MM |
| 39 pF | ±5% | Ammo Pack | 2,500 | 50V DC | MC0805N390J500A2.54MM |
| 390 pF | ±5% | Ea. | 1 | 100V DC | MC0805N391J101A2.54MM |
| 390 pF | ±5% | Ammo Pack | 2,500 | 100V DC | MC0805N391J101A2.54MM |
| 390 pF | ±5% | Ea. | 1 | 50V DC | MC0805N391J500A2.54MM |
| 390 pF | ±5% | Ammo Pack | 2,500 | 50V DC | MC0805N391J500A2.54MM |
| 3 pF | ±0.25pF | Ea. | 1 | 100V DC | MC0805N3R0C101A2.54MM |
| 3 pF | ±0.25pF | Ammo Pack | 2,500 | 100V DC | MC0805N3R0C101A2.54MM |
| 3 pF | ±0.25pF | Ea. | 1 | 50V DC | MC0805N3R0C500A2.54MM |
| 3 pF | ±0.25pF | Ammo Pack | 2,500 | 50V DC | MC0805N3R0C500A2.54MM |
| 3.3 pF | ±0.25pF | Ea. | 1 | 100V DC | MC0805N3R3C101A2.54MM |
| 3.3 pF | ±0.25pF | Ammo Pack | 2,500 | 100V DC | MC0805N3R3C101A2.54MM |
| 3.3 pF | ±0.25pF | Ea. | 1 | 50V DC | MC0805N3R3C500A2.54MM |
| 3.3 pF | ±0.25pF | Ammo Pack | 2,500 | 50V DC | MC0805N3R3C500A2.54MM |
| 3.6 pF | ±0.25pF | Ea. | 1 | 100V DC | MC0805N3R6C101A2.54MM |
| 3.6 pF | ±0.25pF | Ammo Pack | 2,500 | 100V DC | MC0805N3R6C101A2.54MM |
| 3.9 pF | ±0.25pF | Ea. | 1 | 100V DC | MC0805N3R9C101A2.54MM |
| 3.9 pF | ±0.25pF | Ammo Pack | 2,500 | 100V DC | MC0805N3R9C101A2.54MM |
| 3.9 pF | ±0.25pF | Ea. | 1 | 50V DC | MC0805N3R9C500A2.54MM |
| 3.9 pF | ±0.25pF | Ammo Pack | 2,500 | 50V DC | MC0805N3R9C500A2.54MM |
| 43 pF | ±5% | Ea. | 1 | 100V DC | MC0805N430J101A2.54MM |
| 43 pF | ±5% | Ammo Pack | 2,500 | 100V DC | MC0805N430J101A2.54MM |
| 43 pF | ±5% | Ea. | 1 | 50V DC | MC0805N430J500A2.54MM |
| 43 pF | ±5% | Ammo Pack | 2,500 | 50V DC | MC0805N430J500A2.54MM |
| 430 pF | ±5% | Ea. | 1 | 100V DC | MC0805N431J101A2.54MM |

Multilayer Ceramic Capacitor

| Capacitance | Capacitance Tolerance | Sell UOM | Sell QOM | Rating Voltage | Part Number |
|-------------|-----------------------|-----------|----------|----------------|-----------------------|
| 430 pF | ±5% | Ammo Pack | 2,500 | 100V DC | MC0805N431J101A2.54MM |
| 47 pF | ±5% | Ea. | 1 | 100V DC | MC0805N470J101A2.54MM |
| 47 pF | ±5% | Ammo Pack | 2,500 | 100V DC | MC0805N470J101A2.54MM |
| 47 pF | ±5% | Ea. | 1 | 50V DC | MC0805N470J500A2.54MM |
| 47 pF | ±5% | Ammo Pack | 2,500 | 50V DC | MC0805N470J500A2.54MM |
| 470 pF | ±5% | Ea. | 1 | 100V DC | MC0805N471J101A2.54MM |
| 470 pF | ±5% | Ammo Pack | 2,500 | 100V DC | MC0805N471J101A2.54MM |
| 470 pF | ±5% | Ea. | 1 | 50V DC | MC0805N471J500A2.54MM |
| 470 pF | ±5% | Ammo Pack | 2,500 | 50V DC | MC0805N471J500A2.54MM |
| 4 pF | ±0.25pF | Ea. | 1 | 50V DC | MC0805N4R0C500A2.54MM |
| 4 pF | ±0.25pF | Ammo Pack | 2,500 | 50V DC | MC0805N4R0C500A2.54MM |
| 4.7 pF | ±0.25pF | Ea. | 1 | 100V DC | MC0805N4R7C101A2.54MM |
| 4.7 pF | ±0.25pF | Ammo Pack | 2,500 | 100V DC | MC0805N4R7C101A2.54MM |
| 4.7 pF | ±0.25pF | Ea. | 1 | 50V DC | MC0805N4R7C500A2.54MM |
| 4.7 pF | ±0.25pF | Ammo Pack | 2,500 | 50V DC | MC0805N4R7C500A2.54MM |
| 51 pF | ±5% | Ea. | 1 | 50V DC | MC0805N510J500A2.54MM |
| 51 pF | ±5% | Ammo Pack | 2,500 | 50V DC | MC0805N510J500A2.54MM |
| 56 pF | ±5% | Ea. | 1 | 100V DC | MC0805N560J101A2.54MM |
| 56 pF | ±5% | Ammo Pack | 2,500 | 100V DC | MC0805N560J101A2.54MM |
| 56 pF | ±5% | Ea. | 1 | 50V DC | MC0805N560J500A2.54MM |
| 56 pF | ±5% | Ammo Pack | 2500 | 50V DC | MC0805N560J500A2.54MM |
| 560 pF | ±5% | Ea. | 1 | 100V DC | MC0805N561J101A2.54MM |
| 560 pF | ±5% | Ammo Pack | 2,500 | 100V DC | MC0805N561J101A2.54MM |
| 560 pF | ±5% | Ea. | 1 | 50V DC | MC0805N561J500A2.54MM |
| 560 pF | ±5% | Ammo Pack | 2,500 | 50V DC | MC0805N561J500A2.54MM |
| 5 pF | ±0.25 pF | Ea. | 1 | 100V DC | MC0805N5R0C101A2.54MM |
| 5 pF | ±0.25 pF | Ammo Pack | 2,500 | 100V DC | MC0805N5R0C101A2.54MM |
| 5.1 pF | ±0.25 pF | Ea. | 1 | 50V DC | MC0805N5R1C500A2.54MM |
| 5.1 pF | ±0.25 pF | Ammo Pack | 2,500 | 50V DC | MC0805N5R1C500A2.54MM |
| 5.6 pF | ±0.25 pF | Ea. | 1 | 100V DC | MC0805N5R6C101A2.54MM |
| 5.6 pF | ±0.25 pF | Ammo Pack | 2,500 | 100V DC | MC0805N5R6C101A2.54MM |
| 5.6 pF | ±0.25 pF | Ea. | 1 | 50V DC | MC0805N5R6C500A2.54MM |
| 5.6 pF | ±0.25 pF | Ammo Pack | 2,500 | 50V DC | MC0805N5R6C500A2.54MM |
| 68 pF | ±5% | Ea. | 1 | 50V DC | MC0805N680J500A2.54MM |
| 68 pF | ±5% | Ammo Pack | 2,500 | 50V DC | MC0805N680J500A2.54MM |
| 680 pF | ±5% | Ea. | 1 | 100V DC | MC0805N681J101A2.54MM |
| 680 pF | ±5% | Ammo Pack | 2,500 | 100V DC | MC0805N681J101A2.54MM |

Multilayer Ceramic Capacitor

| Capacitance | Capacitance Tolerance | Sell UOM | Sell QOM | Rating Voltage | Part Number |
|-------------|-----------------------|-----------|----------|----------------|-----------------------|
| 680 pF | ±5% | Ea. | 1 | 50V DC | MC0805N681J500A2.54MM |
| 680 pF | ±5% | Ammo Pack | 2,500 | 50V DC | MC0805N681J500A2.54MM |
| 6 pF | ±0.5pF | Ea. | 1 | 50V DC | MC0805N6R0D500A2.54MM |
| 6 pF | ±0.5pF | Ammo Pack | 2,500 | 50V DC | MC0805N6R0D500A2.54MM |
| 6.2 pF | ±0.25pF | Ea. | 1 | 100V DC | MC0805N6R2C101A2.54MM |
| 6.2 pF | ±0.25pF | Ammo Pack | 2,500 | 100V DC | MC0805N6R2C101A2.54MM |
| 6.8 pF | ±0.25pF | Ea. | 1 | 100V DC | MC0805N6R8C101A2.54MM |
| 6.8 pF | ±0.25pF | Ammo Pack | 2,500 | 100V DC | MC0805N6R8C101A2.54MM |
| 6.8 pF | ±0.25pF | Ea. | 1 | 50V DC | MC0805N6R8C500A2.54MM |
| 6.8 pF | ±0.25pF | Ammo Pack | 2,500 | 50V DC | MC0805N6R8C500A2.54MM |
| 75 pF | ±5% | Ea. | 1 | 100V DC | MC0805N750J101A2.54MM |
| 75 pF | ±5% | Ammo Pack | 2,500 | 100V DC | MC0805N750J101A2.54MM |
| 75 pF | ±5% | Ea. | 1 | 50V DC | MC0805N750J500A2.54MM |
| 75 pF | ±5% | Ammo Pack | 2,500 | 50V DC | MC0805N750J500A2.54MM |
| 7 pF | ±0.5pF | Ea. | 1 | 50V DC | MC0805N7R0D500A2.54MM |
| 7 pF | ±0.5pF | Ammo Pack | 2,500 | 50V DC | MC0805N7R0D500A2.54MM |
| 82 pF | ±5% | Ea. | 1 | 100V DC | MC0805N820J101A2.54MM |
| 82 pF | ±5% | Ammo Pack | 2,500 | 100V DC | MC0805N820J101A2.54MM |
| 82 pF | ±5% | Ea. | 1 | 50V DC | MC0805N820J500A2.54MM |
| 82 pF | ±5% | Ammo Pack | 2,500 | 50V DC | MC0805N820J500A2.54MM |
| 820 pF | ±5% | Ea. | 1 | 100V DC | MC0805N821J101A2.54MM |
| 820 pF | ±5% | Ammo Pack | 2,500 | 100V DC | MC0805N821J101A2.54MM |
| 820 pF | ±5% | Ea. | 1 | 50V DC | MC0805N821J500A2.54MM |
| 820 pF | ±5% | Ammo Pack | 2500 | 50V DC | MC0805N821J500A2.54MM |
| 8 pF | ±0.5% | Ea. | 1 | 50V DC | MC0805N8R0D500A2.54MM |
| 8 pF | ±0.5% | Ammo Pack | 2,500 | 50V DC | MC0805N8R0D500A2.54MM |
| 8.2 pF | ±0.25% | Ea. | 1 | 50V DC | MC0805N8R2C500A2.54MM |
| 8.2 pF | ±0.25% | Ammo Pack | 2,500 | 50V DC | MC0805N8R2C500A2.54MM |
| 91 pF | ±5% | Ea. | 1 | 100V DC | MC0805N910J101A2.54MM |
| 91 pF | ±5% | Ammo Pack | 2,500 | 100V DC | MC0805N910J101A2.54MM |
| 91 pF | ±5% | Ea. | 1 | 50V DC | MC0805N910J500A2.54MM |
| 91 pF | ±5% | Ammo Pack | 2,500 | 50V DC | MC0805N910J500A2.54MM |
| 9 pF | ±0.5pF | Ea. | 1 | 50V DC | MC0805N9R0D500A2.54MM |
| 9 pF | ±0.5pF | Ammo Pack | 2,500 | 50V DC | MC0805N9R0D500A2.54MM |
| 9.1 pF | ±0.25pF | Ea. | 1 | 50V DC | MC0805N9R1C500A2.54MM |
| 9.1 pF | ±0.25pF | Ammo Pack | 2,500 | 50V DC | MC0805N9R1C500A2.54MM |
| 0.01 µF | ±20% | Ea. | 1 | 100V DC | MC0805Y103M101A2.54MM |

Multilayer Ceramic Capacitor

| Capacitance | Capacitance Tolerance | Sell UOM | Sell QOM | Rating Voltage | Part Number |
|---------------|-----------------------|-----------|----------|----------------|-----------------------|
| 0.01 μ F | $\pm 20\%$ | Ammo Pack | 2,500 | 100V DC | MC0805Y103M101A2.54MM |
| 0.01 μ F | $\pm 20\%$ | Ea. | 1 | 50V DC | MC0805Y103M500A2.54MM |
| 0.01 μ F | $\pm 20\%$ | Ammo Pack | 2,500 | 50V DC | MC0805Y103M500A2.54MM |
| 0.1 μ F | $\pm 20\%$ | Ea. | 1 | 50V DC | MC0805Y104M500A2.54MM |
| 0.1 μ F | $\pm 20\%$ | Ammo Pack | 2,500 | 50V DC | MC0805Y104M500A2.54MM |
| 0.015 μ F | $\pm 20\%$ | Ea. | 1 | 100V DC | MC0805Y153M101A2.54MM |
| 0.015 μ F | $\pm 20\%$ | Ammo Pack | 2,500 | 100V DC | MC0805Y153M101A2.54MM |
| 0.022 μ F | $\pm 20\%$ | Ea. | 1 | 50V DC | MC0805Y223M500A2.54MM |
| 0.022 μ F | $\pm 20\%$ | Ammo Pack | 2,500 | 50V DC | MC0805Y223M500A2.54MM |
| 0.033 μ F | $\pm 20\%$ | Ea. | 1 | 50V DC | MC0805Y333M500A2.54MM |
| 0.033 μ F | $\pm 20\%$ | Ammo Pack | 2,500 | 50V DC | MC0805Y333M500A2.54MM |
| 4,700 pF | $\pm 5\%$ | Ea. | 1 | 50V DC | MC1206N472J500A2.54MM |
| 4,700 pF | $\pm 5\%$ | Ammo Pack | 2,500 | 50V DC | MC1206N472J500A2.54MM |

Important Notice : This data sheet and its contents (the "Information") belong to the members of the Premier Farnell group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. Multicomp is the registered trademark of the Group. © Premier Farnell plc 2012.