

Page 1 of 6

MSDS-E-G100L

Prep	pared to OSHA, ACC	, ANSI, WHMIS, NOHSC & 2001/58 EC Stanc	dards M	SDS Revision: 2	.1 MS	DS Revisio	on Date:	: 02/14/20)11
1.	1. PRODUCT IDENTIFICATION					L RESPO	ONSE (CARD:	03
1.1	Product Name:	DeoxIT [®] G100L, G-SERIES (for	merly Pr	oGold)	RESPONSE				
1.2	Chemical Name:	See ingredients listed in section 3	- /		TEAM PPE:				
1.3	Synonyms:	DeoxIT® Gold G100L				$\overline{\mathbf{T}}$			
1.4	Trade Names:	DeoxIT® Gold G100L (see list below)			WHMIS:	\bigcirc			
1.5	Product Use:	Conditioner, enhancer & protector for	contacts &	& connectors	HEALTH:				0
1.6	Manufacturer's Name:	CAIG Laboratories, Inc.			FLAMMABI	LITY:			0
1.7	Manufacturer's Address:	12200 Thatcher Court, Poway, CA 9206	64-6876		PHYSCIAL	HAZARD	S:		0
1.8	Business Phone:	+1 (800)-224-4123			PERSONAL	PROTEC	TION:		
1.9	Emergency Phone:	CHEMTREC +1 (703) 527-3	8887 / +	1 (800) 42	4-9300				
	DeoxIT® GOLD G100L, 7.4 ml (Part No. G100L-2DB) DeoxIT® GOLD G100L, 12 ml (Part No. G100L-12C) DeoxIT® GOLD G100L, 25 ml (Part No. G100L-25C) DeoxIT® GOLD PEN, 7 ml (Part No. G100P) DeoxIT® GOLD WIPES, (Part Nos. G50W, K-G1W-25, K-G1W-50, G1W) DeoxIT® GOLD G100L, 59 ml (Part No. G100L-2) DeoxIT® GOLD G100L, 236 ml (Part No. G100L-8) DeoxIT® GOLD G100L, 472 ml (Part No. G100L-16) DeoxIT® GOLD G100L, 944 ml (Part No. G100L-32) DeoxIT® GOLD G100L, 30 L (Part No. G100L-8G)								
		2. HAZARD		FICATION					
2.1	2.1 HAZARD IDENTIFICATION 2.1 Hazard Identification: 2.1 This product is NOT classified as a HAZARDOUS SUBSTANCE or as DANGEROUS GOODS according to the classification criteria of [NOHSC: 1088 (2004)] and ADG Code (Australia). DeoxIT® Gold G100L is non-volatile, non-hazardous and non-flammable.								
2.2	Routes of Entry:	Inhalation:	YES	Absorption:	YES	Inges	stion:	١	(ES
2.3	EYES: Non-irritating when used as directed. Can cause irritation, tearing, and temporary blurred vision. SKIN: Non-irritating when used as directed. Prolonged or repeated contact may cause temporary contact dermatitis (localized redness or rash). INGESTION: Not probable. Small amounts if swallowed may cause temporary gastrointestinal irritation. INHALATION: Unlikely route of exposure. Should vapor concentrations exceed recommended exposure levels, they are temporary irritating to the eyes, nose, throat, and the respiratory tract; may cause temporary headaches and dizziness.								
2.4	4 Symptoms of Overexposure: EYES: Non-irritating when used as directed. Can cause temporary irritation, tearing, and blurred vision. SKIN: Non-irritating when used as directed. Prolonged or repeated contact may cause temporary contact dermatitis (localized redness or rash). INGESTION: Not probable. Small amounts if swallowed may cause temporary gastrointestinal irritation. INHALATION: Unlikely route of exposure. Should vapor concentrations exceed recommended exposure levels, they are temporary irritating to the eyes, nose, throat, and the respiratory tract; may cause headaches and dizziness.								
2.5	Acute Health Effects: EYES: None reported when used as directed. Mild to moderate temporary irritation. SKIN: Unlikely when used as directed. Repeated exposure at site of contact may cause temporary contact dermatitis (localized redness or rash). INGESTION: Not probable. Small amount may cause temporary gastrointestinal irritation and central nervous system depression. INHALATION: Unlikely route of exposure. Should vapor concentrations exceed recommended exposure levels, they are temporary irritating to the eyes, nose, throat, and the respiratory tract; may cause headaches and dizziness.								
2.6	Chronic Health Effects: None reported by	the manufacturer.							
2.7	Target Organs:								
	Eyes and skin.								
NA =	Not Available; ND = No	ot Determined; NE = Not Established;NF = Not fou	und; C = Cei	ling Limit; See Sec	tion 16 for Addit	ional Defini	tions of Te	erms Used	

NOTE: all WHMIS required information is included. It is located in appropriate sections based on the ANSI Z400.1-1998 format.



Page 2 of 6

MSDS-E-G100L

Prep	ared to OSHA, ACC, ANS	ii, whmis, nohsc	C & 2001/58 EC	C Standards	MSDS R	evision: 2	1	MSDS R	Revision D	ate: 02/14	4/2011
		3 COM		N & INGRE			εΜΔΤΙά	2N			
									TS IN AIR	(ma/m3)	
						10	GIH	SORE LING	OSHA	(mg/m°)	OTHER
							STEL	PEL	STEL	IDLH	OTHER
	CHEMICAL NAME(S)	CAS No.	RTECS No.	EINECS No.	%	ppm	ppm	ppm	ppm	ppm	
Deox	IT® Gold G100L	Trade Secret	NA	NA	100	NE	NE	NE	NE	NE	
(form	erly ProGold)										
							•			•	
			4. FI	RST AID N	IEASU	RES					
4.1	First Aid: EYES: Flush eyes thoroughly with copious amounts of water for at least 15 minutes, holding eyelid(s) open to ensure complete flushing. If irritation persists, seek immediate medical attention. SKIN: Remove contaminated clothing and wash affected areas with soap and water. If irritation persists, seek prompt										
		cal attention. Do			-						
		ot induce vomitin ove victim to free		-	-		-	-		and cook	immodiato
		cal attention. If I						lementai	oxygen c	Ind seek	innealaie
4.2	Medical Conditions Aggravated						HEA	LTH			0
	None reported by the m	nanufacturer.						ммав	ΙΙΙΤΥ		0
								PHYSCIAL HAZARDS 0			
	- · · · · · · · · · · · · · · · · · ·							_			
				<u>/E EQU</u>	IPMEN	T A					
	EYES										
			5 FIRE	FIGHTING							
5.1	Flashpoint & Method:		J. TIKL			JUKES					
	> 280 °C (536 °F)										
5.2	Autoignition Temperature:										
5.0	NA		I	· · · · · · · · · · · · · · · · · · ·							
5.3 5.4	Flammability Limits:		Lower Explo	sive Limit (LEL)	:	ND	Uppe	r Explosive	<u>e Limit (UE</u>	L):	ND
5.4	Fire & Explosion Hazards: Carbon dioxide, carbon monoxide, hydrocarbons.										
5.5	Extinguishing Methods:	, , , , , , , , , , , , , , , , ,									
	CO ₂ , Alcohol foam, Dry Chemical, Water Fog										
5.6	5.6 Firefighting Procedures: Wear NIOSH/MSHA approved self-contained breathing apparatus and protective clothing. Use a water spray to cool containers involved in fire. Do not use direct water stream. Container storage areas exposed to direct flame contact should be cooled with large quantities of water as needed to prevent weakening of container structure. Keep containers cool until well after the fire is out to prevent rupture. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply, or any natural waterway.										
		1				VEVCII	DEC				
6.1	6. ACCIDENTAL RELEASE MEASURES										
	6.1 Spills: Ventilate if in enclosed area. Secure spill area, remove or minimize all sources of ignition, and maximize ventilation. Wipe and rinse with water. Deny entry to all unprotected individuals. Individuals involved in the cleanup must wear appropriate personal protective equipment.										



Page 3 of 6

MSDS-E-G100L

Prep	pared to OSHA, ACC, ANSI, WHA	AIS, NOHSC & 2001/58 EC Standards	MSDS Revision: 2.1	MSDS Revision Date: 02/14/2011				
		7. HANDLING & STORA	GE INFORMATION	N				
7.1	Work & Hygiene Practices: Wash hands thoroughly after u skin contact.	Work & Hygiene Practices: Wash hands thoroughly after using this product and before eating, drinking, or smoking. Remove soiled clothing to prevent prolonged						
7.2	Storage & Handling:							
		well-ventilated area. Do not store ne entrations, keep tightly closed when r		ible materials listed in section 10. Open e 2-3 years.				
7.3	Special Precautions: Empty containers may contain	n product residues.						
	8	EXPOSURE CONTROLS & I						
8.1	Ventilation & Engineering Controls:							
0.1	Use with adequate ventilatio	n (e.g., open doors and windows, l ink, safety shower, eye-wash station).). Ensure appropriate decontamination				
8.2	Respiratory Protection: None required, when used wit	h adequate ventilation.						
8.3	Eye Protection: Wear safety glasses with side s	shields (ANSI Z87) under normal use c	onditions.					
8.4	Hand Protection:							
	None required under normal or rubber or impervious plastic g	· · ·	se skin irritation in some s	sensitive individuals. In such cases, wear				
8.5	Body Protection: Use as necessary to prevent skin contact.							
		9. PHYSICAL & CHEM	ICAL PROPERTIES					
9.1	Density:	0.72						
9.2	Boiling Point:	> 240 °C (464 °F)						
9.3	Melting Point:	NA						
9.4	Evaporation Rate:	NA						
9.5	Vapor Pressure:	< 0.01 mm Hg @ 20 °C (68 °F)						
9.6	Molecular Weight:	NA						
9.7	Appearance & Color:	Light yellow/amber						
9.8	Odor Threshold:	Ethereal/hydrocarbon odor						
9.9	Solubility:	Not soluble in water						
9.10	Ph	NA						
9.11	Viscosity:	5.4 – 7.5 cSt @ 104 °F						
9.12	VOC (g/L):	None						
9.13	Other Information:	NA						
		10. STABILITY &	REACTIVITY					
10.1	Stability:	Stable under normal conditions of u	use (see section 7).					
10.2	Hazardous Decomposition Products:	Change in color signifies exposure unstable products. Discard solution		xceeding shelf life. Will not degrade to				
10.3	Hazardous Polymerization:	Will not occur.						
10.4	Conditions to Avoid:	Use or storage near open flames, s incompatible substances and heav) or other heat sources, and proximity to				
10.5	Incompatible Substances:	Strong oxidizers.						



Page 4 of 6

MSDS-E-G100L

MSDS Revision Date: 02/14/2011

Prepared to OSHA, ACC, ANSI, WHMIS, NOHSC & 2001/58 EC Standards MSDS Revision: 2.1

		11. TOXICOLOGICAL INFORMATION				
11.1	Toxicity Data:	This product has not been tested on animals to obtain toxicological data. There are toxicology data for the components of this product, which are found in the scientific literature. These data have not been presented in this document.				
11.2	Acute Toxicity:	See section 3.5				
11.3	Chronic Toxicity:	See section 3.6				
11.4	Suspected Carcinogen:	NE				
11.5	Reproductive Toxicity:	This product is not reported to produce reproductive toxicity in humans.				
	Mutagenicity:	This product is not reported to produce mutagenic effects in humans.				
	Embryotoxicity:	This product is not reported to produce embryotoxic effects in humans.				
	Teratogenicity:	This product is not reported to produce teratogenic effects in humans. This product is not reported to produce reproductive effects in humans.				
11.6	Reproductive Toxicity: Irritancy of Product:	See Section 3.3				
11.7	Biological Exposure Indices:					
11.8	Physician Recommendations:	NE Transformation with a sub-				
11.0	Thysician Recommendations.	Treat symptomatically.				
		12. ECOLOGICAL INFORMATION				
12.1	Environmental Stability:	This product will slowly volatile from soil. Components of this product organic compounds.	will slowly decompose into			
12.2	Effects on Plants & Animals:	There is no specific data available for this product.				
12.3	Effects on Aquatic Life: Releases of large volumes of this product are expected to be harmful or fatal to overexposed aquatic life.					
13. DISPOSAL CONSIDERATIONS						
13.1	Waste Disposal: Dispose of in accordance w	ith federal, state or local regulations.				
13.2	Special Considerations:					
		14. TRANSPORTATION INFORMATION				
		proper shipping name, hazard class & division, packing group) is shown for equipment to a specific data (1999) and the standard specific data (199	ach mode of transportation.			
14.1	49 CFR (GND):	may be required by 49 CFR, IATA/ICAO, IMDG and the CTDGR.				
14.1	NOT REGULATED					
14.2	IATA (AIR):					
	NOT REGULATED					
14.3	IMDG (OCN): NOT REGULATED					
14.4						
	NOT REGULATED					
14.5	ADR/RID (EU):					
14.4						
14.6	SCT (MEXICO):					
14.7	ADGR (AUS):					
14./	NOT REGULATED					



Page 5 of 6

MSDS-E-G100L

Prep	Prepared to OSHA, ACC, ANSI, WHMIS, NOHSC & 2001/58 EC Standards MSDS Revision: 2.1 MSDS Revision Date: 02/14/2011				
		15. REGULATORY			
15.1	SARA Reporting Requirements:	IS. REGULATORT			
13.1	NA				
15.2	SARA Threshold Planning Quantity:				
	NA				
15.3	TSCA Inventory Status:				
	All chemical substances of this product of	are listed on the TSCA inver	ntory or are otherwise exem	pt from inventory status.	
15.4	CERCLA Reportable Quantity (RQ):				
15.5	Other Federal Requirements:				
	NA				
15.6	Other Canadian Regulations				
	This product has been classified accordi (CPR) and the MSDS contains all of the in are listed on the DSL/NDSL. None of Substances List.	formation required by the	CPR. The components of thi	is product (T)	
15.7	State Regulatory Information:			•	
	The primary component of this produ Massachusetts Right to Know List of Che List 34 323 Appendix A; Wisconsin Haz Substances List.	micals; New Jersey Right t	o Know List 8:59 Appendix	A; Pennsylvania Hazardous Substances	
15.8	67/548/EEC (European Union) Requirements:				
	The primary component of this product is	not listed in Annex I of EU	Directive 67/548/EEC.	×	
16. OTHER INFORMATION					
16.1	Other Information:				
	NA				
16.2	Terms & Definitions:				
	See page last page of this MSDS.				
16.3	Disclaimer: This Material Safety Data Sheet is offer government regulations must be review knowledge, the information contained h are not guaranteed and no warranties relates only to the specific product(s). considered. Data may be changed from	red for applicability to this herein is reliable and accur of any type, either expre If this product(s) is cor	s product. To the best of s rate as of this date; howeve ssed or implied, are provid nbined with other materia	ShipMate's & CAIG Laboratories, Inc.'s r, accuracy, suitability or completeness ed. The information contained herein	
16.4	Prepared for: CAIG Laboratories, Inc. 12200 Thatcher Court Poway, CA 92064-6876 +1 (800) CAIG-123 (244-4123) phone +1 (858) 486-8398 fax http://www.caig.com/	CAIG ABORATORIES, INC.			
16.5	Prepared by: ShipMate, Inc. P.O. Box 787 Sisters, OR. 97759-0787 +1 (310) 370-3600 phone +1 (310) 370-5700 fax http://www.shipmate.com/	ShipMate Dangerous Goods Training & Consulting			



Page 6 of 6

MSDS-E-G100L

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 1.1

HEALTH

ICAL HAZARDS

*

**

MSDS Revision Date:

01/05/2011

DEFINITIONS OF TERMS

A large number of abbreviations and acronyms appear on a MSDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

|--|

EXPOSURE LIMITS IN AIR:

ACGIH	American Conference on Governmental Industrial Hygienists
TLV Threshold Limit Value	
OSHA	U.S. Occupational Safety and Health Administration
PEL Permissible Exposure Limit	
IDLH	Immediately Dangerous to Life and Health

FIRST AID MEASURES:


CPR	Cardiopulmonary resuscitation - method in which a person
	whose heart has stopped receives manual chest
	compressions and breathing to circulate blood and provide oxygen to the body.

HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS

HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	0 Minimal Hazard FLAMMABILITY			
1	Slight Hazard			
2	Moderate Hazard	PHYSICAL HAZARD		
3	Severe Hazard			
4	Extreme Hazard	PERSONAL PROTECTION		

PERSONAL PROTECTION RATINGS:



equipment is required for high concentrations or for large volume spills or releases of product.

OTHER STANDARD ABBREVIATIONS:

NA	Not Available
NR	No Results
NE	Not Established
NF	Not Found
ND	Not Determined
ML	Maximum Limit
SCBA	Self-Contained Breathing Apparatus


NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILITY LIMITS IN AIR:

Autoignition Temperature	Minimum temperature required to initiate combustion in air with no other source of ignition
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence
	of an ignition source
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence
	of an ignition source

HAZARD RATINGS:

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard
ACD	Acidic
ALK	Alkaline
COR	Corrosive
-W -	Use No Water
OX	Oxidizer



TOXICOLOGICAL INFORMATION:

LD 50	Lethal Dose (solids & liquids) which kills 50% of the exposed animals s					
LC 50	Lethal concentration (gases) which kills 50% of the exposed animal					
ppm	Concentration expressed in parts of material per million parts					
TD _{lo}	Lowest dose to cause a symptom					
TCLo	Lowest concentration to cause a symptom					
TD _{io} , LD _{io} , & LD _o or	Lowest dose (or concentration) to cause lethal or					
TC, TCo, LCio, & LCo	toxic effects					
IARC	International Agency for Research on Cancer					
NTP	National Toxicology Program					
RTECS	Registry of Toxic Effects of Chemical Substances					
BCF	Bioconcentration Factor					
TLm	Median threshold limit					
log Kow or log Koc	Coefficient of Oil/Water Distribution					

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System				
DOT	U.S. Department of Transportation				
TC	Transport Canada				
EPA	U.S. Environmental Protection Agency				
DSL	Canadian Domestic Substance List				
NDSL	SL Canadian Non-Domestic Substance List				
PSL	PSL Canadian Priority Substances List				
TSCA	CA U.S. Toxic Substance Control Act				
EU	European Union (European Union Directive 67/548/EEC)				

EC INFORMATION:

		×	¥		X	×	×
С	E	F	N	0	T+	Xi	Xn
Corrosive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irritant	Harmful