

Date Issued: 12/11/2002 MSDS No: 1830-5F Date Revised: 01/25/2008

Revision No: 4

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT DESCRIPTION: Oxygen-free, high conductive copper braid (Nude)

PRODUCT CODE: 1830 through 1835 Unfluxed Wick

MANUFACTURER

24 HR. EMERGENCY TELEPHONE NUMBERS

Techspray, L.P. CHEMTREC (US Transportation): (800) 424 - 9300 1001 N.W. 1st Street CANUTEC (Canadian Transportation): (613) 996 - 6666 Emergency Phone: (800) 858 - 4043

Amarillo TX 79107

Emergency Contact: Chemtrec

Product Stewardship: 1-800-858-4043 **Service Number:** 1-800-858-4043

2. HAZARDS IDENTIFICATION

HAZARD DESIGNATION

"Xi" - Irritant

R36/38 - Irritating to eyes and skin.

EMERGENCY OVERVIEW

PHYSICAL APPEARANCE: Nude copper braided wire

IMMEDIATE CONCERNS: No hazard in normal industrial use.

POTENTIAL HEALTH EFFECTS

EYES: Avoid contact with eyes; may cause redness, irritation and conjunctivitis.

SKIN: May cause skin irritation.

INGESTION: Not likely to be ingested.

INHALATION: Not a likely route of exposure.

SIGNS AND SYMPTOMS OF OVEREXPOSURE

EYES: Contact may cause eye irritation.

SKIN: May cause slight irritation.

INGESTION: Not a likely route of exposure.

INHALATION: No observable effects of overexposure. **ACUTE TOXICITY:** No hazard in normal industrial use.

CHRONIC EFFECTS: None Expected. **CARCINOGENICITY:** Not Established

MUTAGENICITY: Not Available

REPRODUCTIVE TOXICITY

REPRODUCTIVE EFFECTS: Not Established

TERATOGENIC EFFECTS: Not considered a developmental toxicant.



Date Issued: 12/11/2002 MSDS No: 1830-5F Date Revised: 01/25/2008

Revision No: 4

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	Wt.%
Untreated copper braid	0 - 100

4. FIRST AID MEASURES

EYES: Immediately flush eyes with plenty of water. Get medical attention, if irritation persists.

SKIN: Wash with soap and water. Get medical attention if irritation develops or persists.

INGESTION: Ingestion is unlikely because of the physical properties and is not expected to be

hazardous. Do not induce vomiting unless instructed to do so by a physician.

INHALATION: No specific treatment is necessary since this material is not likely to be hazardous by inhalation. If exposed to excessive levels of dusts or fumes, remove to fresh air and get medical attention if cough or other symptoms develop.

5. FIRE FIGHTING MEASURES

FLASHPOINT AND METHOD: Not Applicable

FLAMMABLE LIMITS: N/A to N/A

Notes: Not Applicable

AUTOIGNITION TEMPERATURE: Not Applicable

EXTINGUISHING MEDIA: As appropriate for combustibles in area.

HAZARDOUS COMBUSTION PRODUCTS: Smoke, fumes and oxides of carbon.

EXPLOSION HAZARDS: None

FIRE FIGHTING PROCEDURES: Use water spray to keep fire-exposed containers cool and to knock down vapors which may result from product decomposition.

FIRE FIGHTING EQUIPMENT: As in any fire, wear self-contained breathing apparatus pressure-

demand, (MSHA/NIOSH approved or equivalent) and full protective gear.

FIRE EXPLOSION: Not Approved

SENSITIVE TO STATIC DISCHARGE: None

SENSITIVITY TO IMPACT: None

HAZARDOUS DECOMPOSITION PRODUCTS: None Expected.

6. ACCIDENTAL RELEASE MEASURES

GENERAL PROCEDURES: Vacuum or sweep up material and place in a disposal container.



Date Issued: 12/11/2002 MSDS No: 1830-5F Date Revised: 01/25/2008

Revision No: 4

7. HANDLING AND STORAGE

GENERAL PROCEDURES: Wash thoroughly after handling. Use only in a well ventilated area. Store in a cool dry place.

HANDLING: Use with adequate ventilation.

STORAGE: Store in closed, properly labeled containers.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

ENGINEERING CONTROLS: Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits.

PERSONAL PROTECTIVE EQUIPMENT

EYES AND FACE: For normal conditions, wear safety glasses. Where there is reasonable probability of liquid contact, wear splash-proof goggles.

SKIN: The glove(s) listed below may provide protection against permeation. Gloves of other chemically resistant materials may not provide adequate protection. Viton, Solvex, Butyl, Buna, Neoprene.

RESPIRATORY: A respiratory protection program that meets OSHA 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions warrant a respirator's use.

WORK HYGIENIC PRACTICES: Wash hands before eating and wash before reuse.

OTHER USE PRECAUTIONS: Emergency shower and eyewash facility should be in close proximity.

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: Solid

ODOR: None

APPEARANCE: Nude copper braided wire.

COLOR: Dull to shiney gold color.

pH: Not Applicable

PERCENT VOLATILE: None

VAPOR PRESSURE: Not Applicable

VAPOR DENSITY: Not Applicable

BOILING POINT: (4703°F) (760 mmHg)

FREEZING POINT: Not Applicable

MELTING POINT: (1981°F)

FLASHPOINT AND METHOD: Not Applicable

EVAPORATION RATE: None



Date Issued: 12/11/2002 MSDS No: 1830-5F Date Revised: 01/25/2008

Revision No: 4

DENSITY: Not Applicable

SPECIFIC GRAVITY: Not Applicable

VISCOSITY: Not Applicable

MOLECULAR WEIGHT: Not Applicable

10. STABILITY AND REACTIVITY

STABLE: Yes

HAZARDOUS POLYMERIZATION: No

STABILITY: Stable.

POLYMERIZATION: Will not occur.

CONDITIONS TO AVOID: Oxidizing material. Chlorine. Fluorine. Prolonged moisture exposure.

HAZARDOUS DECOMPOSITION PRODUCTS: None Expected.

INCOMPATIBLE MATERIALS: Strong oxidants like liquid chlorine or concentrated oxygen.

11. TOXICOLOGICAL INFORMATION

EYE EFFECTS: May be mildly irritating to eyes.

SKIN EFFECTS: Causes irritation to skin.

12. ECOLOGICAL INFORMATION

ENVIRONMENTAL DATA: Not Available

ECOTOXICOLOGICAL INFORMATION: Not Available

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: Federal, State, and Local laws governing disposal of materials can differ. Ensure compliance with proper authorities before disposal.

GENERAL COMMENTS: Dispose of in a manner consistent with federal, state, and local regulations.

14. TRANSPORT INFORMATION

DOT (DEPARTMENT OF TRANSPORTATION)

PROPER SHIPPING NAME: Not restricted

TECHNICAL NAME: Not restricted

UN/NA NUMBER: N/A
PACKING GROUP: N/A



Date Issued: 12/11/2002 MSDS No: 1830-5F Date Revised: 01/25/2008

Revision No: 4

ROAD AND RAIL (ADR/RID)

HAZARD CLASS: No classification

AIR (ICAO/IATA)

SHIPPING NAME: Not restricted
TECHNICAL NAME: Not restricted

UN/NA NUMBER: N/A
PACKING GROUP: N/A

VESSEL (IMO/IMDG)

SHIPPING NAME: Not restricted
TECHNICAL NAME: Not restricted

UN/NA NUMBER: N/A
PACKING GROUP: N/A

CANADA TRANSPORT OF DANGEROUS GOODS

SHIPPING NAME: Not restricted
TECHNICAL NAME: Not restricted

UN/NA NUMBER: N/A
PACKING GROUP: N/A

15. REGULATORY INFORMATION

UNITED STATES

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)

FIRE: No PRESSURE GENERATING: No REACTIVITY: No 313 REPORTABLE INGREDIENTS: Copper (CAS No. 7440-50-8)

TSCA (TOXIC SUBSTANCE CONTROL ACT)

Chemical Name	CAS
Untreated copper braid	

TSCA REGULATORY: All chemicals in this product are listed on the TSCA Inventory.

TSCA STATUS: All components of this product are either listed or exempt from listing in the TSCA inventory.

CALIFORNIA PROPOSITION 65: This product does not contain any chemicals known to the State of California to cause cancer.

RCRA STATUS: None

OSHA HAZARD COMM. RULE: Contents of this MSDS comply with the OSHA Hazard Communication Standard 29 CFR 1910.1200.

CANADA

WHMIS (WORKPLACE HAZARDOUS MATERIALS INFORMATION SYSTEM): This MSDS has been



Date Issued: 12/11/2002 MSDS No: 1830-5F Date Revised: 01/25/2008

Revision No: 4

prepared according to the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all of the information required by the CPR.

DOMESTIC SUBSTANCE LIST (INVENTORY): All components of this product are listed on the Canadian DSL.

EUROPEAN COMMUNITY

EEC LABEL SYMBOL AND CLASSIFICATION



"Xi" - Irritant R36/38 - Irritating to eyes and skin.

2

0

16. OTHER INFORMATION

APPROVED BY: Pierce A. Pillon **TITLE:** Chemist

REVISION SUMMARY: Revision #: 4 This MSDS replaces the December 20, 2004 MSDS. Any changes in information are as follows: In Section 16 General Statements


HMIS RATING HEALTH:

PHYSICAL HAZARD:

FLAMMABILITY:

PERSONAL PROTECTION:

NFPA CODES



DATA SOURCES: Code of Federal Regulations (CFR) The Sigma-Aldrich Library of Regulatory and Safety Data OSHA Hazard Communication Standard (29CFR1910.1200) Various Federal, State and Local Regulations

GENERAL STATEMENTS: This MSDS was reviewed on 25 January 2008.

MANUFACTURER DISCLAIMER: To the best of our knowledge, the information contained herein is accurate. However, neither Tech Spray, L.P., or any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards which exist.