

Page 1 of 6

MSDS-E-CCS503

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58/EC & 1272/2008/EC Standards MSDS Revision: 2.0 MSDS Revision Date: 08/22/2012

1. PRODUCT IDENTIFICATION Product Name: DeoxIT® Brand SCREEN CLEANER, (P/N CCS-503), Trigger Pump, 22 oz. 12 See ingredients listed in section 3 Synonyms: **DeoxIT® Screen Cleaner** 1.4 Trade Names: NA 1.5 Product Use: **Electronics Cleaner** 1.6 Manufacturer's Name: CAIG Laboratories, Inc. 1.7 Manufacturer's Address: 12200 Thatcher Court, Poway, CA 92064-6876 USA 1.8 **Emergency Phone:** CHEMTREC: +1 (703) 527-3887 / +1 (800) 424-3887 Business Phone: 1.9 +1 (800)-224-4123 2. HAZARD IDENTIFICATION Hazard Identification: This product is classified as a HAZARDOUS SUBSTANCE but not as DANGEROUS GOODS according to the classification criteria of NOHSC: 1008(2004) and ADG Code (Australia). In case of eye contact, rinse immediately with water. Keep out of reach of children. Use only as directed. Hazard Statements (H): None. Precautionary Statements (P): P102 - Keep out of reach of children. P270 - Do not eat, drink, or smoke when using this product. P305+P351+P338 – IF IN EYES - Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. Routes of Entry: 2.2 Inhalation: YES Absorption: Ingestion: NO 2.3 Effects of Exposure: EYES: Non-irritating when used as directed. Can cause irritation, tearing, and blurred vision. SKIN: Non-irritating when used as directed. Can cause minor irritation and dry flaking skin. INGESTION: Not probable. Small amounts if swallowed may cause gastrointestinal irritation. INHALATION: Can cause mild nasal irritation. Symptoms of Overexposure EYES: Non-irritating when used as directed. Can cause irritation, tearing, and blurred vision. Non-irritating when used as directed. Can cause minor irritation dry flaking skin. SKIN: INGESTION: Small amounts, if swallowed, may cause gastrointestinal irritation. Non-irritating when used as directed. Can cause mild nasal irritation. INHALATION: Acute Health Effects: EYES: Mild to moderate irritation to eyes. SKIN: Mild irritation and dermatitis (rash), dry flaky skin. Prolonged contact will remove body oils. INGESTION: Not probable. Small amounts if swallowed may cause gastrointestinal irritation. Can cause mild nasal irritation. INHALATION: Chronic Health Effects: None reported by the manufacturer. 2.7 None reported by the manufacturer.

NA = Not Available; ND = Not Determined; NE = Not Established; C = Ceiling Limit; See Section 16 for Additional Definitions of Terms Used NOTE: all WHMIS required information is included. It is located in appropriate sections based on the ANSI Z400.1-2010 format.



equipment.

SAFETY DATA SHEET

Page 2 of 6

MSDS-E-CCS503

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58/EC & 1272/2008/EC Standards MSDS Revision: 2.0

MSDS Revision Date: 08/22/2012

| | | | | | | EXPOSURE LIMITS IN AIR (mg/m³) | | | | | | | | | |
|--------------------------|---|--|-------------------------------|---|------------------|--------------------------------|---------------|------------|------------------------------|---------------------|---|--------------|------------|------------|-------------|
| | | | | | | | ACGIH | | | NOHSC | | | OSHA | | |
| | | | | | | | pp | om | | ppm | | | ppm | | ОТНЕ |
| | CUENICALNIAN | T(C) | CASNa | DTFCC No. | FINECS No. | 0/ | T1\/ | CTFI | ES- | ES- | ES- | DEI | CTFI | 15111 | |
| ΑΤ | CHEMICAL NAM | | CAS No. 7732-18-5 | RTECS No. ZC0110000 | 231-791-2 | % 40.100 | TLV NA | STEL NA | TWA NA | STEL NA | PEAK NA | PEL NA | STEL NA | IDLH NA | |
| | | | | | | 60-100 | | 1 | | | | | | | |
| OI | PRIETARY MIXTURE | ļ! | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | |
| | | | | | 4. FIRS | T AID | | | | | | | | | |
| 1 | First Aid: | | | | | | | | | | | | | | |
| | EYES | | | with copious ersists, seek im | | | | 15 mii | nutes, I | nolding | g eyeli | d(s) op | oen to | ensure | comp |
| | SKIN | _ | = | ed clothing. W | | | | ater If | irritatio | on per | sists se | ek pro | ompt n | nedica | ıl atten |
| | | | | nated clothing | | | | | | л. рс | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | on pro | | | |
| | INGESTION | | | ing! Call a p | | | | | | | | | | | |
| | | medical aspiration | | f vomiting oc | curs spontan | eously, l | keep v | victim's | head | lowe | red (fo | rward |) to re | duce | the ris |
| | INHALATION | - | | sh air at once | If breathing | a is diffic | ult pro | vide s | uppler | nental | oxvae | n If | breath | ina ha | s stopr |
| | | | artificial resp | iration. Seek | | | | | | | | | | | |
| | Nadical Conditions Agreement of his Disposition | | | | | | | | | | | | | 1 | |
| 2 | None reported by the manufacturer. | | | | | | | | | | | | | | |
| 2 | | | facturer. | | | | | | | | BILIT | V | | | |
| .2 | | | facturer. | | | | | | FLΑΛ | ۸МА | | | | | 0 |
| .2 | | | facturer. | | | | | | | ۸МА | | | D\$ | | |
| 2 | | | rfacturer. | | | | | | FLΑΛ | MA SICA | L HA | ZAR | | | 0 |
| 2 | | | facturer. | | | | | | FLAA PHYS PRO | MA SICA | L HA | ZAR | | | 0 |
| 2 | | | facturer. | | | | | | FLAN PHYS | MA SICA | L HA | ZAR | | | 0 |
| | | | facturer. | 5. FIF | REFIGHTIN | G ME | ASUR | | FLAA PHYS PRO | MA SICA | L HA | ZAR | | | 0 |
| | None reported is | by the manu | facturer. | 5. FIF | REFIGHTIN | G ME | ASUR | | FLAA PHYS PRO | MA SICA | L HA | ZAR | | | 0 |
| .1 | None reported is Flashpoint & Method: ND | by the manu | facturer. | 5. FIF | REFIGHTIN | G ME | ASUR | | FLAA PHYS PRO | MA SICA | L HA | ZAR | | | 0 |
| 1 | None reported is | by the manu | facturer. | 5. FIF | REFIGHTIN | G ME | ASUR | | FLAA PHYS PRO | MA SICA | L HA | ZAR | | | 0 |
| 1 2 | Rone reported in Flashpoint & Method: ND Autoignition Tempero | by the manu | facturer. | | | | ASUR | RES | FLAN PHYS PROT EYES | MMA SICA IECT | L HA | ZARI EQUI | PME | | 0 0 A |
| .1 .2 .3 | Flashpoint & Method: ND Autoignition Tempera | by the manu | facturer. | | REFIGHTIN | | | RES | FLAA PHYS PRO | MMA SICA IECT | L HA | ZARI EQUI | PME | NT | 0 0 A |
| .1 .2 .3 .4 | Flashpoint & Method: ND Autoignition Tempera ND Flammability Limits: Fire & Explosion Haza Use media app | oy the manu | | Lower Explo | | | | RES | FLAN PHYS PROT EYES | MMA SICA IECT | L HA | ZARI EQUI | PME | NT | 0 0 A |
| .1 2 3 4 | Flashpoint & Method: ND Autoignition Tempera ND Flammability Limits: Fire & Explosion Hazar Use media app Extinguishing Method | rds: ropriate for s | surrounding | Lower Explo | sive Limit (LEL) | | | RES | FLAN PHYS PROT EYES | MMA SICA IECT | L HA | ZARI EQUI | PME | NT | 0 0 A |
| 1 2 3 4 5 | Flashpoint & Method: ND Autoignition Tempera ND Flammability Limits: Fire & Explosion Haza Use media app Extinguishing Method CO2, use media | rds: ropriate for sis: a appropriate | surrounding | Lower Explo | sive Limit (LEL) | | | RES | FLAN PHYS PROT EYES | MMA SICA IECT | L HA | ZARI EQUI | PME | NT | 0 0 A |
| 1 2 3 4 5 | Flashpoint & Method: ND Autoignition Tempera ND Flammability Limits: Fire & Explosion Haza Use media app Extinguishing Method CO2, use media Firefighting Procedure | rds: ropriate for sis: a appropriate | surrounding e for surround | Lower Explomaterials. | sive Limit (LEL) | : | NA | RES | PHYS PROTEYES | MMA SICA IECT | L HA | ZAR | PME | NT | 0 0 A |
| i.1 i.2 i.4 i.5 | Flashpoint & Method: ND Autoignition Tempera ND Flammability Limits: Fire & Explosion Haza Use media app Extinguishing Method CO2, use media | rds: ropriate for start appropriate es: SHA approvedilution from | surrounding e for surround | Lower Explomaterials. ding materials ained breathin | sive Limit (LEL) | and pro | NA NA tective | RES | PHYS PROTEYES Upper | Explos | L HA | ZAR QUI | PME | NT | 0 0 A |

water. Deny entry to all unprotected individuals. Individuals involved in the cleanup must wear appropriate personal protective



Page3 of 6

MSDS-E-CCS503

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58/EC & 1272/2008/EC Standards

MSDS Revision: 2.0

MSDS Revision Date: 08/22/2012

| | | 7 HANDING A CTODACT INFORMATION |
|------|---|---|
| 7.1 | Work & Hygiene Practices: | 7. HANDLING & STORAGE INFORMATION |
| 7.1 | · - | after using this product and before eating, drinking, or smoking. |
| 7.2 | | I, dry, well-ventilated area. Do not store near or with any incompatible materials listed in section 10. Open concentrations, keep tightly closed when not in use. Avoid temperatures greater than 110°F. |
| 7.3 | Special Precautions: Direct inhalation of vapo | or above recommended exposure limit may be harmful. Keep out of reach of children. |
| | | 8. EXPOSURE CONTROLS & PERSONAL PROTECTION |
| 8.1 | | ols: necessary to maintain exposures to within applicable limits. Ensure appropriate decontamination equipment is ety shower, eye-wash station). |
| 8.2 | Respiratory Protection: Local exhaust ventilatio limits. | n or other engineering controls may be required to control airborne levels below the recommended exposure |
| 8.3 | Eye Protection: If splashing is anticipated | d, splash goggles and a face-shield are recommended. |
| 8.4 | Hand Protection: Where contact is likely, g | gloves are recommended. Do not wear rings, watches, or jewelry that could entrap the material against the skin. |
| 8.5 | Body Protection: None required under not | rmal use. Avoid prolonged contact with skin. |
| | | 9. PHYSICAL & CHEMICAL PROPERTIES |
| 9.1 | Density: | 1-1.014 at 21°C (70.0°F) |
| 9.2 | Boiling Point: | NA NA |
| 9.3 | Melting Point: | NA NA |
| 9.4 | Evaporation Rate: | NA NA |
| 9.5 | Vapor Pressure: | NA NA |
| 9.6 | Molecular Weight: | NA NA |
| 9.7 | Appearance & Color: | Milky white liquid |
| 9.8 | Odor Threshold: | Odorless |
| 9.9 | Solubility: | Soluble |
| 9.10 | Ph | 7-8 |
| 9.11 | Viscosity: | NA |
| 9.12 | Other Information: | NA |
| | | 10. STABILITY & REACTIVITY |
| 10.1 | Stability: Stable | |
| 10.2 | Hazardous Decomposition Pro- | |
| 10.3 | Hazardous Polymerization: Will not occur. | |
| 10.4 | Evaporation may chan | open flames, sparks, high heat (>110 °F) or other heat sources, and proximity to incompatible substances. ge concentrations. |
| 10.5 | Incompatible Substances: Oxidizing agents | |



Page 4 of 6

MSDS-E-CCS503

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58/EC & 1272/2008/EC Standards MSDS Revision Date: 08/22/2012 11. TOXICOLOGICAL INFORMATION 11.1 Toxicity Data: This product has not been tested on animals to obtain toxicological data. 11.2 Acute Toxicity: See section 2.5 11.3 Chronic Toxicity: See section 2.6 11.4 Suspected Carcinogen: This product is not a suspected carcinogen in humans. 11.5 Reproductive Toxicity: This product is not reported to produce reproductive toxicity in humans. Mutagenicity: This product is not reported to produce mutagenic effects in humans. Embryotoxicity: This product is not reported to produce embryotoxic effects in humans. Teratogenicity: This product is not reported to produce teratogenic effects in humans. Reproductive Toxicity: This product is not reported to produce reproductive effects in humans. 11.6 Irritancy of Product: See Section 2.3 11.7 Biological Exposure Indices: NE 11.8 Physician Recommendations: Treat symptomatically. 12. ECOLOGICAL INFORMATION Environmental Stability: This product will slowly volatilize from soil. Components of this product will slowly decompose into organic compounds. 12.2 Effects on Plants & Animals: There is no specific data available for this product. 12.3 Effects on Aquatic Life: This material should be kept out of sewage and drainage systems and all bodies of water. 13. DISPOSAL CONSIDERATIONS Waste Disposal: 13.1 Dispose of in accordance with federal, state or local regulations. 13.2 Special Considerations: Dispose of in accordance with federal, state or local regulations 14. TRANSPORTATION INFORMATION The basic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG and the CTDGR. 49 CFR (GND): **NOT REGULATED** 14.2 IATA (AIR): **NOT REGULATED** 14.3 IMDG (OCN): **NOT REGULATED** 14.4 TDGR (Canadian GND): **NOT REGULATED** 14.5 ADR/RID (EU): NOT REGULATED 14.6 SCT (MEXICO): **NOT REGULATED** 14.7 ADGR (AUS): **NOT REGULATED**



Page 5 of 6

MSDS-E-CCS503

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58/EC & 1272/2008/EC Standards MSDS Revision: 2.0 MSDS Revision Date: 08/22/2012 15. REGULATORY INFORMATION 15.1 SARA Reporting Requirements: NA SARA Threshold Planning Quantity: 15.2 None of the chemicals in this product have a TPQ. 15.3 TSCA Inventory Status: All chemical substances of this product are listed on the TSCA inventory or are otherwise exempt from inventory status. 15.4 CFRCI A Reportable Quantity (RQ): NA 15.5 Other Federal Requirements: Clean Air Act: None of the chemicals in this product are listed as Hazardous Substances under the CAA. This material does not contain any Class 1 Ozone depletors. This material does not contain any Class 2 Ozone depletors. None of the chemicals in this product are listed as Hazardous Substances under the CWA. None of the chemicals in this product are listed as Priority Pollutants under the CWA. None of the chemicals in this product are listed as Toxic Pollutants under the CWA. None of the chemicals in this product are considered highly hazardous by OSHA. Other Canadian Regulations: This product has been classified according to the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. 15.7 State Regulatory Information: None of the components of this product are listed on any of the following state criteria lists: California OSHA/California Proposition 65 (CA); Massachusetts Right to Know List of Chemicals (MA); New Jersey Right to Know List 8:59 Appendix A (NJ); Pennsylvania Hazardous Substances List 34 323 Appendix A (PA); Wisconsin Hazardous Substances List NR 605.09 (WI); Minnesota Hazardous Substances List (MN); and Florida Toxic Substances List (FL). 15.8 67/548/EEC (European Union) Requirements: The primary components of this product are not listed in Annex I of EU Directive 67/548/EEC. Hazard Statements (H): None. Precautionary Statements (P): P102 - Keep out of reach of children. P270 - Do not eat, drink, or smoke when using this product. P305+P351+P338 – IF IN EYES - Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. 16. OTHER INFORMATION Other Information: NA 16.2 Terms & Definitions: Please see last page of this MSDS. 16.3 This Material Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & CAIG Laboratories, Inc.'s knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition. Prepared for: CAIG Laboratories, Inc. 12200 Thatcher Court Poway, CA 92064-6876 Tel: +1 (800) CAIG-123 (244-4123) Fax: +1 (858) 486-8398 fax http://www.caig.com/ 16.5 Prepared by: ShipMate Inc P.O. Box 787 780 Buckaroo Trail Suite D Sisters, OR 97759 Tel: +1 (310) 370-3600 Fax: +1 (310) 370-5700 http://www.shipmate.com



Page 6 of 6

MSDS-E-CCS503

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58/EC & 1272/2008/EC Standards

MSDS Revision: 2.0

MSDS Revision Date: 08/22/2012

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a MSDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

| CAS No. Chemical Abstract Service Number |
|--|
|--|

EXPOSURE LIMITS IN AIR:

| ACGIH | ACGIH American Conference on Governmental Industrial Hygienists | | | |
|---------------------------|---|--|--|--|
| TLV Threshold Limit Value | | | | |
| OSHA | U.S. Occupational Safety and Health Administration | | | |
| PEL | Permissible Exposure Limit | | | |
| IDIH | Immediately Dangerous to Life and Health | | | |

FIRST AID MEASURES:

| HK21 AID MEASURES: | | | | | | | | |
|--------------------|---|--|--|--|--|--|--|--|
| CPR | Cardiopulmonary resuscitation - method in which a person whose heart has stopped receives manual chest compressions and breathing | | | | | | | |
| | to circulate blood and provide oxygen to the body. | | | | | | | |


HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS


HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

| 0 | Minimal Hazard | |
|-----------------|-----------------|--|
| 1 Slight Hazard | | |
| 2 | Moderate Hazard | |
| 3 Severe Hazard | | |
| 4 | Extreme Hazard | |



PERSONAL PROTECTION RATINGS:







OTHER STANDARD ABBREVIATIONS:


| NA | Not Available |
|---------------|------------------------------------|
| NR No Results | |
| NE | Not Established |
| ND | Not Determined |
| ML | Maximum Limit |
| SCBA | Self-Contained Breathing Apparatus |

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

| FLAMMABILITY LIMITS IN AIR: | | | | | |
|---|--------------------------|--|--|--|--|
| Autoignition Minimum temperature required to initiate combustion in air with no | | | | | |
| Temperature | other source of ignition | | | | |
| LEL Lower Explosive Limit - lowest percent of vapor in air, by volume, t | | | | | |
| will explode or ignite in the presence of an ignition source | | | | | |
| UEL Upper Explosive Limit - highest percent of vapor in air, by volur | | | | | |
| that will explode or ignite in the presence of an ignition source | | | | | |

HAZARD RATINGS:

| 0 | Minimal Hazard |
|---------|-----------------|
| 1 | Slight Hazard |
| 2 | Moderate Hazard |
| 3 | Severe Hazard |
| 4 | Extreme Hazard |
| ACD | Acidic |
| ALK | Alkaline |
| COR | Corrosive |
| ₩ | Use No Water |
| OX | Oxidizer |
| TREFOIL | Radioactive |



TOXICOLOGICAL INFORMATION:

| LD ₅₀ | Lethal Dose (solids & liquids) which kills 50% of the exposed animals s |
|--|---|
| LC ₅₀ | Lethal concentration (gases) which kills 50% of the exposed animal |
| ppm | Concentration expressed in parts of material per million parts |
| TD _{Io} | Lowest dose to cause a symptom |
| TCLo | Lowest concentration to cause a symptom |
| TD _{Io} , LD _{Io} , & LD _o or | Lowest dose (or concentration) to cause lethal or toxic |
| TC, TCo, LCio, & LCo | effects |
| IARC | International Agency for Research on Cancer |
| NTP | National Toxicology Program |
| RTECS | Registry of Toxic Effects of Chemical Substances |
| BCF | Bioconcentration Factor |
| TLm | Median threshold limit |
| log Kow or log Koc | Coefficient of Oil/Water Distribution |

REGULATORY INFORMATION:

| WHMIS | Canadian Workplace Hazardous Material Information System |
|-------|--|
| DOT | U.S. Department of Transportation |
| TC | Transport Canada |
| EPA | U.S. Environmental Protection Agency |
| DSL | Canadian Domestic Substance List |
| NDSL | Canadian Non-Domestic Substance List |
| PSL | Canadian Priority Substances List |
| TSCA | U.S. Toxic Substance Control Act |
| EU | European Union (European Union Directive 67/548/EEC) |
| WGK | Wassergefährdungsklassen (German Water Hazard Class) |

WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

| \oslash | | (8) | | (T) | ® | | R |
|------------|-----------|-----------|-------|-------------|------------|-----------|----------|
| Α | В | С | D1 | D2 | D3 | E | F |
| Compressed | Flammable | Oxidizing | Toxic | Irritation | Infectious | Corrosive | Reactive |

EC (67/548/EEC) INFORMATION:

| I A | | | * | | | × | × |
|----------|-------------|-----------|---------|-----------|-------|----------|---------|
| С | E | F | N | 0 | T+ | Xi | Xn |
| Corrosiv | e Explosive | Flammable | Harmful | Oxidizing | Toxic | Irritant | Harmful |

CLP/GHS (1272/2008/EC) PICTOGRAMS:

| | | | \Diamond | | | | | *** |
|-----------|-----------|----------|-------------|-----------|-------|-----------------------|------------------|-------------|
| GHS01 | GHS02 | GHS03 | GHS04 | GHS05 | GHS06 | GHS07 | GHS08 | GHS09 |
| Explosive | Flammable | Oxidizer | Pressurized | Corrosive | Toxic | Harmful Irritating | Health Hazard | Environment |