Finished Product



Date Issued: 12/20/2002 **MSDS No:** 1613-A

Date Revised: 01/04/2013

Revision No: 7

Label and Adhesive Remover

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Label and Adhesive Remover

PRODUCT DESCRIPTION: Label & Adhesive Remover

PRODUCT CODE: 1613/CAN/EUR-6S

ACTIVE INGREDIENT(S): d-Limonene; Mixed Aliphatic Hydrocarbons

MANUFACTURER

24 HR. EMERGENCY TELEPHONE NUMBERS

Techspray, L.P. 1001 N.W. 1st Street P.O. Box 949 Amarillo, TX 79107

CHEMTREC CCN#21858 (US Transportation):(800) 424 - 9300 **CANUTEC** (Canadian Transportation): (613) 996 - 6666

Emergency Phone : (800) 858 - 4043

Emergency Contact: Chemtrec **Emergency Phone:** 1-800-858-4043 **Service Number:** 1-800-858-4043

2. HAZARDS IDENTIFICATION

HAZARD DESIGNATION

"Xi" - Irritant

R36/37/38 - Irritating to eyes, respiratory system and skin.

R10 - Flammable.

EMERGENCY OVERVIEW

PHYSICAL APPEARANCE: Clear to amber, sticky resin.

POTENTIAL HEALTH EFFECTS

EYES: Liquid contact can cause irritation, which may be severe. **SKIN:** Prolonged or repeated contact may cause skin irritation.

INGESTION: Harmful if swallowed.

INHALATION: Prolonged or excessive inhalation may cause respiratory tract irritation.

SIGNS AND SYMPTOMS OF OVEREXPOSURE

EYES: Contact may cause eye irritation.

SKIN: May cause slight irritation.

INGESTION: Not a likely route of exposure.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	Wt.%	CAS
d-Limonene	25 - 35	5989-27-5
Mixed Aliphatic Hydrocarbons	65 - 75	64742-48-9
Carbon dioxide	1 - 4	124-38-9

4. FIRST AID MEASURES

Finished Product



Date Issued: 12/20/2002 MSDS No: 1613-A Date Revised: 01/04/2013

Revision No: 7

Label and Adhesive Remover

EYES: Immediately flush eyes with plenty of water. Get medical attention, if irritation persists.

SKIN: Wash with soap and water. Get medical attention if irritation develops or persists.

INGESTION: Ingestion is unlikely because of the physical properties and is not expected to be hazardous. Do not induce vomiting unless instructed to do so by a physician.

INHALATION: Remove to fresh air.

5. FIRE FIGHTING MEASURES

FLASHPOINT AND METHOD: (115°F) CC FLAMMABLE LIMITS: 0.7% to 3.1%

GENERAL HAZARD: Combustible Liquid. Can form explosive mixtures at temperatures at or above the flash

point.

HAZARDOUS COMBUSTION PRODUCTS: Smoke, fumes and oxides of carbon.

6. ACCIDENTAL RELEASE MEASURES

SMALL SPILL: Avoid run off into storm sewers and ditches which lead to waterways.

LARGE SPILL: -Implement cleanup procedures. -If in public area, keep public away and advise authorities. - Recover by pumping (use an explosion proof or hand pump) or with a suitable absorbent.

ENVIRONMENTAL PRECAUTIONS

WATER SPILL: This material is a water pollutant and should be prevented from contaminating soil or from entering sewage and drainage systems and bodies of water.

RELEASE NOTES: Spills and releases may have to be reported to Federal and/or local authorities.

SPECIAL PROTECTIVE EQUIPMENT: Only personnel equipped with proper respiratory and skin/eye protection should be permitted in area. See Section 8 for details.

7. HANDLING AND STORAGE

GENERAL PROCEDURES: Keep container closed when not in use.

HANDLING: Avoid prolonged or repeated contact with skin.

STORAGE: Keep away from sources of ignition.

STORAGE TEMPERATURE: Minimum to (120°F) Maximum

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Finished Product



Date Issued: 12/20/2002 MSDS No: 1613-A Date Revised: 01/04/2013

Revision No: 7

Label and Adhesive Remover

EXPOSURE GUIDELINES

OSHA HAZARDOUS COMPONENTS (29 CFR1910.1200)							
		EXPOSURE LIMITS					
		OSHA PEL ACGIH TLV			SupplierOEL		
Chemical Name		ppm	mg/m³	ppm	mg/m³	ppm	mg/m³
d-Limonene	TWA	[1]	[1]	[1]	[1]	[1]	[1]
Mixed Aliphatic Hydrocarbons	TWA	1900 mg/m3					
OCHA TABLE COMMENTS.							-

OSHA TABLE COMMENTS:

1. NL = Not Listed

PERSONAL PROTECTIVE EQUIPMENT

EYES AND FACE: For normal conditions, wear safety glasses. Where there is reasonable probability of liquid contact, wear splash-proof goggles.

SKIN: The glove(s) listed below may provide protection against permeation. Gloves of other chemically resistant materials may not provide adequate protection. Viton, Solvex, Butyl, Buna, Neoprene.

9. PHYSICAL AND CHEMICAL PROPERTIES

Chemical Name	Flash Point (°C)	Boiling Point (°C)	Solubility in Water	Specific Gravity
d-Limonene	115	154.4	INSOLUBLE	0.841
Mixed Aliphatic Hydrocarbons		169	NEGLIGIBLE	0.76

PHYSICAL STATE: Liquid **ODOR:** Strong, fruity odor. **COLOR:** Clear to Light yellow

pH: Not Applicable

PERCENT VOLATILE: 30

BOILING POINT: (325°F) to (332°F)
FLASHPOINT AND METHOD: (115°F) CC
SPECIFIC GRAVITY: 0.763 to 0.7930 @ 25°C
(VOC): 750.000 to 800 g/L (non-exempt VOC)

10. STABILITY AND REACTIVITY

STABLE: Yes

HAZARDOUS POLYMERIZATION: No STABILITY: Stable under normal conditions.

HAZARDOUS DECOMPOSITION PRODUCTS: Oxides of Carbon (CO and CO2) may form when heated to

decomposition.

Finished Product



Date Issued: 12/20/2002 MSDS No: 1613-A

Date Revised: 01/04/2013

Revision No: 7

Label and Adhesive Remover

11. TOXICOLOGICAL INFORMATION

ACUTE

Chemical Name	ORAL LD ₅₀ (rat)	DERMAL LD ₅₀ (rabbit)
d-Limonene	> 5 g/kg	> 5 g/kg

EYE EFFECTS: May be mildly irritating to eyes.

CARCINOGENICITY

Chemical Name	NTP	IARC	OSHA
	Status	Status	Status
d-Limonene	NOT	NOT	NOT
	LISTED	LISTED	LISTED
Mixed Aliphatic Hydrocarbons	NOT	NOT	NOT
	LISTED	LISTED	LISTED

12. ECOLOGICAL INFORMATION

ENVIRONMENTAL DATA: There is limited information available on the environmental fate and effects of this material. The primary environmental concern for release is the impact on aquatic and terrestrial species. Due care should be taken to avoid the accidental release of this material into the environment.

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: Federal, State, and Local laws governing disposal of materials can differ. Ensure compliance with proper authorities before disposal.

14. TRANSPORT INFORMATION

DOT (DEPARTMENT OF TRANSPORTATION)

PROPER SHIPPING NAME: CONSUMER COMMODITY ORM-D

TECHNICAL NAME: Terpene Hydrocarbons N.O.S.

PRIMARY HAZARD CLASS/DIVISION: No classification

ROAD AND RAIL (ADR/RID)
KEMLER NUMBER: UN1950

HAZARD CLASS: 2.2

AIR (ICAO/IATA)

SHIPPING NAME: CONSUMER COMMODITY ID8000

UN/NA NUMBER: ID8000

PRIMARY HAZARD CLASS/DIVISION: 9

PACKING GROUP: NA VESSEL (IMO/IMDG)

Finished Product



Date Issued: 12/20/2002 MSDS No: 1613-A

Date Revised: 01/04/2013

Revision No: 7

Label and Adhesive Remover

SHIPPING NAME: AEROSOLS IN LIMITED QUANTITIES OF CLASS 2

UN/NA NUMBER: 1950

PRIMARY HAZARD CLASS/DIVISION: 2.2

PACKING GROUP: NA

15. REGULATORY INFORMATION

UNITED STATES

TSCA (TOXIC SUBSTANCE CONTROL ACT)

Chemical Name	CAS
d-Limonene	5989-27-5

TSCA STATUS: All components of this product are either listed or exempt from listing in the TSCA inventory.

CANADA

WHMIS CLASS: Class A, B5, D2B (Aerosol, Flammable Aerosol, Toxic Materials)

DOMESTIC SUBSTANCE LIST (INVENTORY): All components of this product are listed on the Canadian DSL.

EUROPEAN COMMUNITY

EEC LABEL SYMBOL AND CLASSIFICATION



"Xi" - Irritant

R36/37/38 - Irritating to eyes, respiratory system and skin.

R10 - Flammable.

16. OTHER INFORMATION

APPROVED BY: Pierce A. Pillon **TITLE:** Chemist

PREPARED BY: Steve Cook

REVISION SUMMARY: This MSDS replaces the 01/13/2010 MSDS.



MANUFACTURER DISCLAIMER: To the best of our knowledge, the information contained herein is accurate. However, neither Tech Spray, L.P., or any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot quarantee that these are the only hazards which exist.

Finished Product



Date Issued: 12/20/2002 MSDS No: 1613-A Date Revised: 01/04/2013

Revision No: 7

Label and Adhesive Remover