

Prepared to OSHA, ACC, ANSI, WHMIS, NOHSC & 2001/58 EC Standards

MATERIAL SAFETY DATA SHEET

MSDS Revision: 2.1

Page 1 of 6

MSDS Revision Date: 02/14/2011

MSDS-E-D100P

١.	PRODUCT IDEN	NTIFICATION				CHEMICA	L RESPO	ONSE C	CARD:	03
.1	Product Name:	DeoxIT® Pen	, D100P, D-SER	RIES		RESPONSE				
.2	Chemical Name:	See ingredients list				TEAM PPE:				
3	Synonyms:	DeoxIT® D100L					(
4	Trade Names:	DeoxIT® D100L (see	e list below)			WHMIS:				
.5	Product Use:	Clean, deoxidize	& improve electrical	contacts &	connectors	HEALTH:				0
.6	Manufacturer's Name:	CAIG Laboratorie	s, Inc.			FLAMMABILITY:			0	
.7	Manufacturer's Address:	12200 Thatcher Co	ourt, Poway, CA 9206	4-6876		PHYSICAL H	IAZARD	S:		0
.8	Business Phone:	+1 (800)-224-4123				PERSONAL	PROTEC	TION:		
.9	Emergency Phone:	CHEMTREC	+1 (703) 527-3	887 / +	1 (800) 42	4-9300				
.10	Other Product Names:		1 (100) 011	7	<u> </u>					
		l								
			2. HAZARD	IDENTI	<u>FICATION</u>					
.1			RDOUS SUBSTANCE or DeoxIT® D100L is nor					ication cı	riteria of	[NOHSC
		DG Code (Australia). DeoxIT® D100L is non-volatile, non-hazardous and non-flammable.								
2.2		•	Inhalation: sed as directed. Can				blurred vi			YES dermatitis
	Effects of Exposure: EYES: SKIN: (INGESTION: INHALATION: Inhalation:	Non-irritating when u localized redness or Not probable. Small o Inlikely route of ex emporary irritating to	sed as directed. Can used as directed. Pro	cause irrito olonged of may caus por conce	ation, tearing, or r repeated co e temporary g entrations exc	and temporary entact may ca astrointestinal i eed recomme	blurred vi use temp rritation. ended ex	ision. porary co	ontact o	dermatitis
	Effects of Exposure: EYES: SKIN: INGESTION: INHALATION: Symptoms of Overexposure: EYES: SKIN: INGESTION: INGESTION: INGESTION: INGESTION: INHALATION: INHALATION: INHALATION: INHALATION: INHALATION: INHALATION: INHALATION:	Non-irritating when used to calized redness or lost probable. Small of the probable of expension of the probable of the probable of the probable. Small of the probable. Small of the probable	sed as directed. Can used as directed. Pro rash). amounts if swallowed posure. Should va to the eyes, nose, the used as directed. Can used as directed. Pro	cause irrito colonged of may caus por conce nroat, and cause tem colonged of may caus por conce	ation, tearing, or repeated core temporary gentrations exceptions exceptions are repeated core temporary gentrations exceptions exceptions exceptions.	and temporary ontact may ca astrointestinal in eed recomme y tract; may contact may ca astrointestinal in eed recomme	blurred viuse temperation. Inded example temperation. Inded example temperation. Inded example temperation.	ision. Exposure mporary ision. Exposure corary corary	ontact of levels, headac	dermatitis they are thes and
3	Effects of Exposure: EYES: SKIN: INGESTION: INHALATION: EYES: Symptoms of Overexposure EYES: SKIN: INGESTION: INHALATION: INHALATION: INHALATION: INHALATION: INHALATION: INGESTION: INHALATION: INH	Non-irritating when us localized redness or lot probable. Small of Inlikely route of exemporary irritating the localized redness or loc	sed as directed. Can used as directed. Progrash). amounts if swallowed oposure. Should various the eyes, nose, the eyes, nose, the sed as directed. Can used as directed. Progrash). amounts if swallowed uposure. Should various the eyes, nose, throw used as directed. Miles directed. Repeat	cause irrito colonged of may caus por conce nroat, and cause tem colonged of may caus por conce at, and the d to moder ed exposu emporary concentration	etemporary gentrations exceptions	and temporary can astrointestinal in eed recomment on tearing, and ontact may can astrointestinal in eed recomment of may can astrointestinal in eed recomment of may can can astrointestinal in eed recomment of may can commended experiment on the commended experiment of the commende	blurred viuse temperatured viuse temperatured expenses temperatured expenses temperatured exposure l	ision. porary comporary ision. porary comporary compo	ontact of levels, izziness.	dermatitis they are ches and dermatitis they are
.4	Effects of Exposure: EYES: SKIN: INGESTION: INHALATION: EYES: Symptoms of Overexposure EYES: SKIN: INGESTION: INHALATION: INHALATION: INHALATION: INHALATION: INHALATION: INGESTION: INHALATION: INH	Non-irritating when us localized redness or lot probable. Small of Inlikely route of exemporary irritating the localized redness or loc	sed as directed. Can used as directed. Progrash). amounts if swallowed on the eyes, nose, the eyes, nose, the eyes as directed. Can used as directed. Progrash). amounts if swallowed used as directed. Progrash of the eyes, nose, throat used as directed. Miles directed. Repeat rash). amount may cause to source. Should vapor cosurce. Should vapor cosurce. Should vapor cosurce. Should vapor cosurce.	cause irrito colonged of may caus por conce nroat, and cause tem colonged of may caus por conce at, and the d to moder ed exposu emporary concentration	etemporary gentrations exceptions	and temporary can astrointestinal in eed recomment on tearing, and ontact may can astrointestinal in eed recomment of may can astrointestinal in eed recomment of may can can astrointestinal in eed recomment of may can commended experiment on the commended experiment of the commende	blurred viuse temperatured viuse temperatured expenses temperatured expenses temperatured exposure l	ision. porary comporary ision. porary comporary compo	ontact of levels, izziness.	dermatiti they are thes and dermatiti they are dermatiti
	Effects of Exposure: EYES: SKIN: INGESTION: INHALATION: EYES: Symptoms of Overexposure EYES: SKIN: INGESTION: INHALATION: INHALATION: INHALATION: INHALATION: INHALATION: INGESTION: INHALATION: INGESTION: INHALATION: INHALATION: INHALATION: INHALATION: INHALATION: INGESTION: INHALATION: INHALATION: INHALATION: INHALATION: INHALATION: INHALATION: INGESTION: INHALATION: INHALATIO	Non-irritating when us localized redness or lot probable. Small of Inlikely route of exemporary irritating the localized redness or loc	sed as directed. Can used as directed. Progrash). amounts if swallowed on the eyes, nose, the eyes, nose, the eyes as directed. Can used as directed. Progrash). amounts if swallowed used as directed. Progrash of the eyes, nose, throat used as directed. Miles directed. Repeat rash). amount may cause to source. Should vapor cosurce. Should vapor cosurce. Should vapor cosurce. Should vapor cosurce.	cause irrito colonged of may caus por conce nroat, and cause tem colonged of may caus por conce at, and the d to moder ed exposu emporary concentration	etemporary gentrations exceptions	and temporary can astrointestinal in eed recomment on tearing, and ontact may can astrointestinal in eed recomment of may can astrointestinal in eed recomment of may can can astrointestinal in eed recomment of may can commended experiment on the commended experiment of the commende	blurred viuse temperatured viuse temperatured expenses temperatured expenses temperatured exposure l	ision. porary comporary ision. porary comporary compo	ontact of levels, izziness.	dermatitis they are thes and dermatitis they are



equipment.

MATERIAL SAFETY DATA SHEET

Page 2 of 6

MSDS-E-D100P

Prepared to OSHA, ACC, ANSI, WHMIS, NOHSC & 2001/58 EC Standards MSDS Revision: 2.1 MSDS Revision Date: 02/14/2011 3. COMPOSITION & INGREDIENT INFORMATION EXPOSURE LIMITS IN AIR (mg/m3) **ACGIH OSHA OTHER** PEL STEL **IDLH** TLV STEL ppm CHEMICAL NAME(S) CAS No. RTECS No. **EINECS No.** ppm ppm ppm ppm DeoxIT® D100L Trade Secret NA 100 NE NE NE NE NE 4. FIRST AID MEASURES 4.1 First Aid: EYES: Flush eyes thoroughly with copious amounts of water for at least 15 minutes, holding eyelid(s) open to ensure complete flushing. If irritation persists, seek immediate medical attention. Remove contaminated clothing and wash affected areas with soap and water. If irritation persists, seek prompt SKIN: medical attention. Do not wear contaminated clothing until after it has been properly cleaned. INGESTION: Do not induce vomiting! Drink plenty of water. If irritation persists, contact a physician. Remove victim to fresh air at once. If breathing is difficult, administer supplemental oxygen and seek immediate INHALATION: medical attention. If breathing stops, perform artificial respiration. 4.2 Medical Conditions Aggravated by Exposure: HEALTH 0 None reported by the manufacturer. **FLAMMABILITY** 0 PHYSICAL HAZARDS 0 PROTECTIVE EQUIPMENT Α **EYES** 5. FIREFIGHTING MEASURES Flashpoint & Method: > 250 °C (482 °F) 5.2 Autoignition Temperature: NA 5.3 Flammability Limits: Lower Explosive Limit (LEL): ND Upper Explosive Limit (UEL): ND Fire & Explosion Hazards: Carbon dioxide, carbon monoxide, hydrocarbons. 5.5 Extinguishing Methods: CO₂, Alcohol foam, Dry Chemical, Water Fog Firefighting Procedures 5.6 Wear NIOSH/MSHA approved self-contained breathing apparatus and protective clothing. Use a water spray to cool containers involved in fire. Do not use direct water stream. Container storage areas exposed to direct flame contact should be cooled with large quantities of water as needed to prevent weakening of container structure. Keep containers cool until well after the fire is out to prevent rupture. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply, or any natural waterway. 6. ACCIDENTAL RELEASE MEASURES Ventilate if in enclosed area. Secure spill area, remove or minimize all sources of ignition, and maximize ventilation. Wipe and rinse

with water. Deny entry to all unprotected individuals. Individuals involved in the cleanup must wear appropriate personal protective



Page 3 of 6

MSDS-E-D100P

Pren	ared to OSHA, ACC, ANSI, WHM	MIS, NOHSC & 2001/58 EC Standards MSDS Revision: 2.1 MSDS Revision Date: 02/14/2011
1100	<u> </u>	Middle a 2001/00 Ee diamadid Middle Revision. 2.1
		7. HANDLING & STORAGE INFORMATION
7.1	Work & Hygiene Practices: Wash hands thoroughly after uskin contact.	sing this product and before eating, drinking, or smoking. Remove soiled clothing to prevent prolonged
7.2		well-ventilated area. Do not store near or with any incompatible materials listed in section 10. Open entrations, keep tightly closed when not in use. Normal shelf life 2-3 years.
7.3	Special Precautions: Empty containers may contain	product residues.
	8.	EXPOSURE CONTROLS & PERSONAL PROTECTION
8.1		n (e.g., open doors and windows, local exhaust ventilation). Ensure appropriate decontamination ink, safety shower, eye-wash station).
8.2	Respiratory Protection: None required, when used with	n adequate ventilation.
8.3	Eye Protection: Wear safety glasses with side s	hields (ANSI Z87) under normal use conditions.
8.4	Hand Protection: None required under normal crubber or impervious plastic gl	conditions of use. However, may cause skin irritation in some sensitive individuals. In such cases, wear oves.
8.5	Body Protection: Use as necessary to prevent si	cin contact.
		9. PHYSICAL & CHEMICAL PROPERTIES
9.1	Density:	0.72
9.2	Boiling Point:	> 220 °C (428 °F)
9.3	Melting Point:	NA NA
9.4	Evaporation Rate:	NA
9.5	Vapor Pressure:	< 0.01 mm Hg @ 20 °C (68 °F)
9.6	Molecular Weight:	NA NA
9.7	Appearance & Color:	Light red
9.8	Odor Threshold:	Ethereal/hydrocarbon odor
9.9	Solubility:	Not soluble in water
9.10	Ph	NA NA
9.11	Viscosity:	5.4 – 7.5 cSt @ 104 °F
9.12	VOC (g/L):	None
9.13	Other Information:	NA
		10. STABILITY & REACTIVITY
10.1	Stability:	Stable under normal conditions of use (see section 7).
10.2	Hazardous Decomposition Products:	Change in color signifies exposure to ultraviolet light or exceeding shelf life. Will not degrade to unstable products. Discard solution.
10.3	Hazardous Polymerization:	Will not occur.
10.4	Conditions to Avoid:	Use or storage near open flames, sparks, high heat (>100 °F) or other heat sources, and proximity to incompatible substances and heavily trafficked areas.
10.5	Incompatible Substances:	Strong oxidizers.



Page 4 of 6

MSDS-E-D100P

Prep	ared to OSHA, ACC, ANSI, WH	IMIS, NOHSC & 2001/58 EC Standards MSDS Revision: 2.1 MSDS Revision Date: 02/14/2011		
		11. TOXICOLOGICAL INFORMATION		
11.1	Toxicity Data:	This product has not been tested on animals to obtain toxicological data. There are toxicology data		
		for the components of this product, which are found in the scientific literature. These data have not		
		been presented in this document.		
11.2	Acute Toxicity:	See section 3.5		
11.3	Chronic Toxicity:	See section 3.6		
11.4	Suspected Carcinogen:	NE		
11.5	Reproductive Toxicity:	This product is not reported to produce reproductive toxicity in humans.		
	Mutagenicity:	This product is not reported to produce mutagenic effects in humans.		
	Embryotoxicity:	This product is not reported to produce embryotoxic effects in humans.		
	Teratogenicity:	This product is not reported to produce teratogenic effects in humans. This product is not reported to produce reproductive effects in humans.		
11.6	Reproductive Toxicity: Irritancy of Product:	See Section 3.3		
11.7	Biological Exposure Indices:			
		NE		
11.8	Physician Recommendations:	Treat symptomatically.		
		12. ECOLOGICAL INFORMATION		
12.1	Environmental Stability:	This product will slowly volatile from soil. Components of this product will slowly decompose into organic compounds.		
12.2	Effects on Plants & Animals:			
12.3	Effects on Aquatic Life:	There is no specific data available for this product.		
12.5	Ellecis of Aqualic Life.	Releases of large volumes of this product are expected to be harmful or fatal to overexposed aquatic life.		
		III C.		
		13. DISPOSAL CONSIDERATIONS		
13.1	Waste Disposal:			
		th federal, state or local regulations.		
13.2	Special Considerations:			
	NA .			
		14. TRANSPORTATION INFORMATION		
The h	pasic description (ID Number	proper shipping name, hazard class & division, packing group) is shown for each mode of transportation.		
		may be required by 49 CFR, IATA/ICAO, IMDG and the CTDGR.		
14.1	49 CFR (GND):			
	NOT REGULATED			
14.2	IATA (AIR):			
	NOT REGULATED			
14.3	IMDG (OCN): NOT REGULATED			
14.4	TDGR (Canadian GND):			
	NOT REGULATED			
14.5	ADR/RID (EU):			
	NOT REGULATED			
14.6	SCT (MEXICO):			
	NO REGULADO			
14.7	ADGR (AUS):			
	NOT REGULATED			



Page 5 of 6

MSDS-E-D100P

Prepared to OSHA, ACC, ANSI, WHMIS, NOHSC & 2001/58 EC Standards MSDS Revision Date: 02/14/2011 MSDS Revision: 2.1 15. REGULATORY INFORMATION 15.1 SARA Reporting Requirements: NA 15.2 SARA Threshold Planning Quantity: NA 15.3 TSCA Inventory Status: All chemical substances of this product are listed on the TSCA inventory or are otherwise exempt from inventory status. 15.4 CERCLA Reportable Quantity (RQ): 15.5 Other Federal Requirements: NA 15.6 Other Canadian Regulations This product has been classified according to the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. 15.7 State Regulatory Information: The primary component of this product is not listed on the following state lists: California OSHA; California Proposition 65; Massachusetts Right to Know List of Chemicals; New Jersey Right to Know List 8:59 Appendix A; Pennsylvania Hazardous Substances List 34 323 Appendix A; Wisconsin Hazardous Substances List NR 605.09; Minnesota Hazardous Substances List; and Florida Toxic Substances List. 15.8 67/548/EEC (European Union) Requirements: The primary component of this product is not listed in Annex I of EU Directive 67/548/EEC. 16. OTHER INFORMATION 16.1 Other Information: 16.2 Terms & Definitions: See page last page of this MSDS. 16.3 Disclaimer: This Material Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & CAIG Laboratories, Inc.'s knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition. Prepared for: 164 CAIG Laboratories, Inc. 12200 Thatcher Court Poway, CA 92064-6876 +1 (800) CAIG-123 (244-4123) phone +1 (858) 486-8398 fax http://www.caig.com/ Prepared by: ShipMate, Inc. P.O. Box 787 Sisters, OR, 97759-0787 +1 (310) 370-3600 phone +1 (310) 370-5700 fax http://www.shipmate.com/



Page 6 of 6

MSDS-E-D100P

Prepared to OSHA, ACC, ANSI, WHMIS, NOHSC & 2001/58 EC Standards MSDS Revision: 2.1

MSDS Revision Date: 02/14/2011

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a MSDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No	Chemical Abstract Service Number

EXPOSURE LIMITS IN AIR:

ACGIH	American Conference on Governmental Industrial Hygienists
TLV Threshold Limit Value	
OSHA U.S. Occupational Safety and Health Administration	
PEL Permissible Exposure Limit	
IDLH	Immediately Dangerous to Life and Health

FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person
	whose heart has stopped receives manual chest
	compressions and breathing to circulate blood and provide
	oxygen to the body.


HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS


HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard



PERSONAL PROTECTION RATINGS:







OTHER STANDARD ABBREVIATIONS:

NA	Not Available
NR	No Results
NE	Not Established
ND	Not Determined
ML	Maximum Limit
SCBA	Self-Contained Breathing Apparatus


NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILITY LIMITS IN AIR:

Autoignition Temperature	Minimum temperature required to initiate combustion in air with no other source of ignition
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source

HAZARD RATINGS:

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard
ACD	Acidic
ALK	Alkaline
COR	Corrosive
w —	Use No Water
OX	Oxidizer



TOXICOLOGICAL INFORMATION:

LD 50	Lethal Dose (solids & liquids) which kills 50% of the exposed animals s
LC 50	Lethal concentration (gases) which kills 50% of the exposed animal
ppm	Concentration expressed in parts of material per million parts
TD _{Io}	Lowest dose to cause a symptom
TCLo	Lowest concentration to cause a symptom
TD _{io} , LD _{io} , & LD _o or	Lowest dose (or concentration) to cause lethal or
TC, TCo, LCio, & LCo	toxic effects
IARC	International Agency for Research on Cancer
NTP	National Toxicology Program
RTECS	Registry of Toxic Effects of Chemical Substances
BCF	Bioconcentration Factor
TLm	Median threshold limit
log Kow or log Koc	Coefficient of Oil/Water Distribution

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System	
DOT	U.S. Department of Transportation	
TC	Transport Canada	
EPA	U.S. Environmental Protection Agency	
DSL	Canadian Domestic Substance List	
NDSL	Canadian Non-Domestic Substance List	
PSL	Canadian Priority Substances List	
TSCA	U.S. Toxic Substance Control Act	
EU	European Union (European Union Directive 67/548/EEC)	

EC INFORMATION:

		*	*		X	×	×
С	E	F	N	0	T+	Xi	Xn
Corrosive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irritant	Harmful