

# SAFETY DATA SHEET

## TYRE DRESSING 5LTR

**1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING**

PRODUCT NAME TYRE DRESSING 5LTR  
 PRODUCT NO. XUK953  
 SUPPLIER James Briggs a division of ITW Ltd.  
 Salmon Fields  
 Royton, Oldham, Lancashire,  
 England OL2 6HZ  
 0161 627 0101  
 0161 627 0971  
 sds@jamesbriggs.co.uk

**2 HAZARDS IDENTIFICATION**

Not regarded as a health or environmental hazard under current legislation.  
 CLASSIFICATION (1999/45) Not classified.

**3 COMPOSITION/INFORMATION ON INGREDIENTS**

Name	EC No.	CAS-No.	Content %	Classification (67/548/EEC)
ALCOHOL ETHOXYLATE			1-5%	Xi;R36.
PROPAN-2-OL	200-661-7	67-63-0	5-10%	F;R11 Xi;R36 R67
TURPENTINE, OIL	232-350-7	8006-64-2	< 1%	R10 Xn;R20/21/22,R65 R43 Xi;R36/38 N;R51/53

The Full Text for all R-Phrases is Displayed in Section 16

**4 FIRST-AID MEASURES**

**INHALATION**  
 Move the exposed person to fresh air at once. Get medical attention if any discomfort continues.

**INGESTION**  
 NEVER MAKE AN UNCONSCIOUS PERSON VOMIT OR DRINK FLUIDS! Rinse mouth thoroughly. Drink plenty of water. Get medical attention if any discomfort continues.

**SKIN CONTACT**  
 Remove affected person from source of contamination. Get medical attention if irritation persists after washing.

**EYE CONTACT**  
 Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

**5 FIRE-FIGHTING MEASURES**

**EXTINGUISHING MEDIA**  
 This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials.

**6 ACCIDENTAL RELEASE MEASURES**

**SPILL CLEAN UP METHODS**  
 Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Flush with plenty of water to clean spillage area. Do not contaminate water sources or sewer.

**7 HANDLING AND STORAGE**

**USAGE PRECAUTIONS**  
 Avoid spilling, skin and eye contact.

**STORAGE PRECAUTIONS**  
 Store in tightly closed original container in a dry, cool and well-ventilated place. Keep in original container.

**8 EXPOSURE CONTROLS/PERSONAL PROTECTION**

**TYRE DRESSING 5LTR**

Name	STD	TWA - 8 Hrs		STEL - 15 Min		Notes
PROPAN-2-OL	WEL	400 ppm	999 mg/m3	500 ppm	1250 mg/m3	
TURPENTINE, OIL	WEL	100 ppm	566 mg/m3	150 ppm	850 mg/m3	

WEL = Workplace Exposure Limit.

**PROTECTIVE EQUIPMENT**



**ENGINEERING MEASURES**

Provide adequate general and local exhaust ventilation.

**HAND PROTECTION**

For prolonged or repeated skin contact use suitable protective gloves.

**EYE PROTECTION**

Wear approved chemical safety goggles where eye exposure is reasonably probable.

**OTHER PROTECTION**

Wear appropriate clothing to prevent any possibility of skin contact.

**HYGIENE MEASURES**

DO NOT SMOKE IN WORK AREA! Wash hands at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes wet or contaminated. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.

**9 PHYSICAL AND CHEMICAL PROPERTIES**

APPEARANCE	Liquid
COLOUR	Typical
ODOUR	Characteristic.

**10 STABILITY AND REACTIVITY**

**STABILITY**

Stable under normal temperature conditions.

**CONDITIONS TO AVOID**

Avoid excessive heat for prolonged periods of time.

**HAZARDOUS DECOMPOSITION PRODUCTS**

Fire creates: Carbon monoxide (CO). Carbon dioxide (CO2).

**11 TOXICOLOGICAL INFORMATION**

**INHALATION**

Gas or vapour may irritate respiratory system.

**INGESTION**

Gastrointestinal symptoms, including upset stomach.

**SKIN CONTACT**

Prolonged contact may cause dryness of the skin.

**EYE CONTACT**

Irritating to eyes.

**HEALTH WARNINGS**

No specific health warnings noted.

**ROUTE OF ENTRY**

Ingestion. Inhalation. Skin and/or eye contact.

**12 ECOLOGICAL INFORMATION**

**ECOTOXICITY**

Not regarded as dangerous for the environment.

**TYRE DRESSING 5LTR**

**13 DISPOSAL CONSIDERATIONS**

DISPOSAL METHODS

Dispose of waste and residues in accordance with local authority requirements.

**14 TRANSPORT INFORMATION**

	No transport warning sign required.
RAIL TRANSPORT NOTES	Not classified.
SEA TRANSPORT NOTES	Not classified.
AIR TRANSPORT NOTES	Not classified.
ENVIRONMENTALLY HAZARDOUS SUBSTANCE/MARINE POLLUTANT	No.

**15 REGULATORY INFORMATION**

RISK PHRASES	NC	Not classified.
SAFETY PHRASES	P13	Safety data sheet available for professional user on request.

UK REGULATORY REFERENCES

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2002.  
 The Control of Substances Hazardous to Health Regulations 2002.

STATUTORY INSTRUMENTS

The Control of Substances Hazardous to Health Regulations 2002.  
 The Chemicals (Hazard Information and Packaging for Supply) Regulations 2002.

APPROVED CODE OF PRACTICE

Classification and Labelling of Substances and Preparations Dangerous for Supply.

GUIDANCE NOTES

Workplace Exposure Limits EH40.  
 Introduction to Local Exhaust Ventilation HS(G)37.  
 CHIP for everyone HSG(108).

**16 OTHER INFORMATION**

INFORMATION SOURCES

Dangerous Properties of Industrial Materials Report, N.Sax et.al.

REVISION DATE 14/11/2011

REV. NO./REPL. SDS GENERATED 2

RISK PHRASES IN FULL

R10	Flammable.
R20/21/22	Harmful by inhalation, in contact with skin and if swallowed.
R65	Harmful: may cause lung damage if swallowed.
R11	Highly flammable
R36/38	Irritating to eyes and skin.
R36	Irritating to eyes.
R43	May cause sensitisation by skin contact.
NC	Not classified.
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R67	Vapours may cause drowsiness and dizziness.