




Thermocouple Extension & Compensating Cable PVC Insulated & Screened (to IEC-584)



- ◆ PVC insulated & screened
- ◆ Twisted cores & screened construction for reduced electrical noise
- ◆ Conductors PVC insulated and twisted together, aluminium Mylar® tape screen & drain wire, overall PVC sheath
- ◆ General purpose cable both waterproof and flexible
- ◆ Thermocouple extension types for K, J, T & compensating type VX (KCB) for type K thermocouple
- ◆ Stranded 7/0.2mm conductors
- ◆ Available in 50 & 100 metre lengths
- ◆ Tolerance Class 2
- ◆ Insulation rating -10°C to 105°C
- ◆ Colour code (cores & jacket) to IEC-584-3

T/C Type	Cores	Jacket	Reel Length	Manufacturers Part No.	Farnell Order Code
<i>Extension:</i>					
KX	+Green/-White	Green	10 metres	XF-099-FAR	708-6131
KX	+Green/-White	Green	50 metres	XF-100-FAR	708-6143
KX	+Green/-White	Green	100 metres	XF-412-FAR	859-8487
JX	+Black/-White	Black	100 metres	XF-413-FAR	859-8495
TX	+Brown/-White	Brown	100 metres	XF-810-FAR	242-0293
<i>Compensating:</i>					
VX (KCB)	+Green/-White	Green	25 metres	XF-101-FAR	708-6155

About Labfacility

Formed in 1971, Labfacility specialize in the field of Temperature and Process Measurement.

We are the largest UK manufacturer of both temperature sensors and thermocouple connectors

Quality & Service

Quality and Service are key elements in the continued growth of Labfacility.

Technical support is always freely available from our experienced technical sales teams and the company has ISO9001 accreditation.

Contact Details

Email
sales@labfacility.com

Website
www.labfacility.com