

Printing date 16.04.2014 Version number 1 Revision: 16.04.2014

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- Trade name: Flux adhésif en gel sans nettoyage avec poussoir, seringue 10 cc F42202

 Adhesive flows without cleaning gel with push syringe 10 cc F42202
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against commercial and / or industrial use
- · Application of the substance / the preparation : Reagent
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

CIF

240 rue Hélène Boucher

78530 BUC

Tél: 01.39.66.96.83 – Fax 01.33.66.97.78 E-mail: cif@cif.fr – Web: www.cif.fr

· 1.4 Emergency telephone number:

France (ORFILA 24h/24) - Tel: +33 (0)1 45 42 59 59

Ireland - Tel: 00 353 1 8092568 - 00 353 1 8379964 (24h/24)

EU Tel: 112

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008:



Acute Tox. 4 H332 Harmful if inhaled.

Skin Irrit. 2 H315 Causes skin irritation.

· Classification according to Directive 67/548/EEC or Directive 1999/45/EC:



Xn; Harmful

R20/21: Harmful by inhalation and in contact with skin.



Xi; Irritant

R38: Irritating to skin.

· Information concerning particular hazards for human and environment:

The product has to be labelled in the latest valid version according to the calculation procedure of the "General Classification guideline for preparations of the EU".

· Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

- · 2.2 Label elements
- · Labelling according to EU guidelines:

The product has been marked in accordance with EU Directives / respective national laws. 2008/58/CE (30eme ATP); 2009/2/CE (31eme ATP); 2006/8/CE

(Contd. on page 2)



Printing date 16.04.2014 Version number 1 Revision: 16.04.2014

Trade name: Flux adhésif en gel sans nettoyage avec poussoir, seringue 10 cc F42202 Adhesive flows without cleaning gel with push syringe 10 cc F42202

(Contd. of page 1)

· Code letter and hazard designation of product:



Xn Harmful

· Hazard-determining components of labelling:

xylene

· Risk phrases:

20/21 Harmful by inhalation and in contact with skin.

38 Irritating to skin.

· Safety phrases:

24 Avoid contact with skin.

26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

36/37/39 Wear suitable protective clothing, gloves and eye/face protection.

This material and its container must be disposed of as hazardous waste.

61 Avoid release to the environment. Refer to special instructions/safety data sheets.

· 2.3 Other hazards

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterization: Mixtures
- · Description: Mixture: consisting of the following components.

· Dangerous components:		
CAS: 1330-20-7	xylene	25-50%
EINECS: 215-535-7	X Xn R20/21; X Xi R38	
Index number: 601-022-00-9	L	
RTECS: ZE 2100000	♦ Flam. Liq. 3, H226; ♦ Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315	
CAS: 122-99-6	2-Phenoxyethanol	2.5-10%
EINECS: 204-589-7	X Xn R22; X Xi R36	
	① Acute Tox. 4, H302; Eye Irrit. 2, H319	
RTECS: KM 0350000		
Reg.nr.: 01-2119488943-21		

· Additional information: For the wording of the listed risk phrases, refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After excessive inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

(Contd. on page 3)



Printing date 16.04.2014 Version number 1 Revision: 16.04.2014

Trade name: Flux adhésif en gel sans nettoyage avec poussoir, seringue 10 cc F42202 Adhesive flows without cleaning gel with push syringe 10 cc F42202

(Contd. of page 2)

In case of unconsciousness place patient in a stable laying down side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: If symptoms persist consult a doctor.
- · 4.2 Most important symptoms and effects, both acute and delayed:

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed:

No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- 5.2 Special hazards arising from the substance or mixture: No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment:

No special measures required.

Mouth respiratory protective device.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures: Not required.
- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· 6.4 Reference to other sections :

See Section 7 for information on safe handling.

See Section 8 for information on personal protective equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling:

Thorough dedusting.

Ensure good ventilation/exhaustion at the workplace.

- · Information about fire and explosion protection: No special measures required.
- $\cdot \, 7.2 \ Conditions \ for \ safe \ storage, \ including \ any \ incompatibilities$
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.
- \cdot 7.3 Specific end use(s): No further relevant information available.

SECTION 8: Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see section 7.

(Contd. on page 4)



Printing date 16.04.2014 Version number 1 Revision: 16.04.2014

Trade name: Flux adhésif en gel sans nettoyage avec poussoir, seringue 10 cc F42202 Adhesive flows without cleaning gel with push syringe 10 cc F42202

(Contd. of page 3)

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:				
1330-20-7 xylene (25-50%)				
WEL (Great Britain)	Short-term value: 441 mg/m³, 100 ppm Long-term value: 220 mg/m³, 50 ppm Sk; BMGV			
IOELV (EU)	Short-term value: 442 mg/m³, 100 ppm Long-term value: 221 mg/m³, 50 ppm Skin			
MAK (Switzerland)	Short-term value: 870 mg/m^3 , 200 ppm Long-term value: 435 mg/m^3 , 100 ppm H Ol B;			
122-99-6 2-Phenoxy	ethanol (2.5-10%)			
MAK (Switzerland)	MAK (Switzerland) Short-term value: 220 mg/m³, 40 ppm Long-term value: 110 mg/m³, 20 ppm H SSc;			
· Ingredients with biol	logical limit values:			

1330-20-7 xylene (25-50%)

BMGV (Great Britain) 650 mmol/mol creatinine

Medium: urine

Sampling time: post shift

Parameter: methyl hippuric acid

BAT (Switzerland) 1.5 g/g Kreatinin

Medium: U

Sampling time: c,b

Parameter: Methyl-Hippursäure

1.5 mg/l Medium: B Sampling time: b Parameter: Xylol

· Additional information:

As a basis for the production of this document, the most current valid lists were used.

- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from food, beverages and petfood.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid all contact with the skin.

Avoid contact with the eyes and skin.

· Respiratory protection:



In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

(Contd. on page 5)



Printing date 16.04.2014 Version number 1 Revision: 16.04.2014

Trade name: Flux adhésif en gel sans nettoyage avec poussoir, seringue 10 cc F42202 Adhesive flows without cleaning gel with push syringe 10 cc F42202

(Contd. of page 4)

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Gloves material:

The selection of suitable gloves does not only depend on the material, but also on further marks of quality which may vary from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked before use.

· Eye protection: Not required.

SECTION 9: Physical and chemical properties

 9.1 Information on basic physical an General Information 	а спетісаі ргорегиеѕ
· Appearance:	
Form:	Pasty
Colour:	Amber coloured
· Odour:	Characteristic
· Odour threshold:	Not determined.
· pH-value:	Not applicable.
· Change in condition	
Melting point/Melting range:	65 °C
Boiling point/Boiling range:	Undetermined.
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Not determined.
· Ignition temperature:	Not applicable.
· Decomposition temperature:	Not determined.
· Self-igniting:	Product is not self igniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapour pressure at 20 °C:	6.7 hPa
· Density:	Not determined.
· Relative density:	Not determined.
· Vapour density:	Not applicable.
· Evaporation rate :	Not applicable.
· Solubility in / Miscibility with	
water:	Insoluble.

(Contd. on page 6)



Printing date 16.04.2014 Version number 1 Revision: 16.04.2014

Trade name: Flux adhésif en gel sans nettoyage avec poussoir, seringue 10 cc F42202 Adhesive flows without cleaning gel with push syringe 10 cc F42202

(Contd. of page 5)

· Viscosity:

Dynamic: Not applicable. **Kinematic:** Not applicable.

· Solvent content:

VOC (EC) 0.00 %

• 9.2 Other information: No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions: No dangerous reactions known.
- · 10.4 Conditions to avoid: No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity:

	LD/LC50	values	rolovant	forc	laccific	rtion :
•	LD/LU30	values	retevant	ior c	uassiiica	uuon:

1330-20-7 xylene

Oral LD50 4300 mg/kg (rat)
Dermal LD50 2000 mg/kg (rabbit)

- · Primary irritant effect:
- · On the skin: Irritant to skin and mucous membranes.
- · On the eyes: No irritant effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following hasards according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Harmful Irritant

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability: No further relevant information available.
- · 12.3 Bioaccumulative potential: No further relevant information available.
- · 12.4 Mobility in soil: No further relevant information available.

(Contd. on page 7)



Printing date 16.04.2014 Version number 1 Revision: 16.04.2014

Trade name: Flux adhésif en gel sans nettoyage avec poussoir, seringue 10 cc F42202 Adhesive flows without cleaning gel with push syringe 10 cc F42202

(Contd. of page 6)

- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water



Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects: No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation:



Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

· 14.1 UN-Number	
· ADR, ADN, IMDG, IATA	Not classified as hazardous for transport
· 14.2 UN proper shipping name	
· ADR, ADN, IMDG, IATA	Not classified as hazardous for transport
· 14.3 Transport hazard class(es)	
· ADR, ADN, IMDG, IATA	
· Class	Not classified as hazardous for transport
· 14.4 Packing group	
· ADR, IMDG, IATA	Not classified as hazardous for transport
· 14.5 Environmental hazards:	
· Marine pollutant:	No
· 14.6 Special precautions for user	Not applicable.
· 14.7 Transport in bulk according to Annex II	of
MARPOL73/78 and the IBC Code	Not applicable.

– GI



Printing date 16.04.2014 Version number 1 Revision: 16.04.2014

Trade name: Flux adhésif en gel sans nettoyage avec poussoir, seringue 10 cc F42202 Adhesive flows without cleaning gel with push syringe 10 cc F42202

(Contd. of page 7)

SECTION 15: Regulatory information

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

- H226 Flammable liquid and vapour.
- H302 Harmful if swallowed.
- H312 Harmful in contact with skin.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.
- R10 Flammable.
- R20/21 Harmful by inhalation and in contact with skin.
- R22 Harmful if swallowed.
- R36 Irritating to eyes.
- R38 Irritating to skin.

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International

Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

GB