

Printing date 16.04.2014 Version number 1 Revision: 16.04.2014

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- Trade name: Flux d'étamage Aqueux Réf : BS150 Aqueous flow tinning Ref : BS150
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the preparation : Preparation
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

CIF

240 rue Hélène Boucher

78530 BUC

Tél: 01.39.66.96.83 – Fax 01.33.66.97.78 E-mail: cif@cif.fr – Web: www.cif.fr

· 1.4 Emergency telephone number:

France (ORFILA 24h/24) - Tel: +33 (0)1 45 42 59 59

Ireland - Tel: 00 353 1 8092568 - 00 353 1 8379964 (24h/24)

EU Tel: 112

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008:



Met. Corr.1 H290 May be corrosive to metals.

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

· Classification according to Directive 67/548/EEC or Directive 1999/45/EC:



C; Corrosive

R34: Causes burns.

· Information concerning particular hazards for human and environment:

The product has to be labelled in the latest valid version according to the calculation procedure of the "General Classification guideline for preparations of the EU".

· Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

- · 2.2 Label elements
- · Labelling according to EU guidelines:

The product has been marked in accordance with EU Directives / respective national laws. 2008/58/CE (30eme ATP); 2009/2/CE (31eme ATP); 2006/8/CE

· Code letter and hazard designation of product:



C Corrosive

· **Risk phrases:** 34 Causes burns.



Printing date 16.04.2014 Version number 1 Revision: 16.04.2014

Trade name: Flux d'étamage Aqueux Réf : BS150 Aqueous flow tinning Ref : BS150

(Contd. of page 1)

· Safety phrases:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

36/37/39 Wear suitable protective clothing, gloves and eye/face protection.

In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

This material and its container must be disposed of as hazardous waste.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable. · **vPvB**: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterization: Mixtures
- · Description: Mixture: consisting of the following components.

· Dangerous components:

CAS: 7647-01-0 EINECS: 231-595-7

Index number: 017-002-00-2 RTECS: MW 9620000

Reg.nr.: 01-2119484862-27-xxxx

hydrogen chloride C R34; Xi R37

🔷 Skin Corr. 1B, H314; 🔷 STOT SE 3, H335

2.5-10%

Additional information: For the wording of the listed risk phrases, refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After excessive inhalation:

In case of unconsciousness place patient in a stable laying down side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.
- · 4.2 Most important symptoms and effects, both acute and delayed:

No further relevant information available.

 \cdot 4.3 Indication of any immediate medical attention and special treatment needed :

No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · 5.2 Special hazards arising from the substance or mixture: No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

GB •



Printing date 16.04.2014 Version number 1 Revision: 16.04.2014

Trade name: Flux d'étamage Aqueux Réf : BS150 Aqueous flow tinning Ref : BS150

(Contd. of page 2)

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures :

Wear protective equipment. Keep unprotected persons away.

· 6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· 6.4 Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protective equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling:

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.
- \cdot 7.3 *Specific end use*(s): *No further relevant information available.*

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see section 7.
- · 8.1 Control parameters

· Ingredients with	limit values that red	quire monitoring at t	he workplace:
--------------------	-----------------------	-----------------------	---------------

7647-01-0 hydrogen chloride (2.5-10%)

WEL (Great Britain) Short-term value: 8 mg/m³, 5 ppm

Long-term value: 2 mg/m³, 1 ppm

(gas and aerosol mists)

IOELV (EU) Short-term value: 15 mg/m³, 10 ppm

Long-term value: 8 mg/m³, 5 ppm

MAK (Switzerland) Short-term value: 6 mg/m³, 4 ppm

SSc;

Long-term value: 3 mg/m³, 2 ppm

· Additional information:

As a basis for the production of this document, the most current valid lists were used.

(Contd. on page 4)



Printing date 16.04.2014 Version number 1 Revision: 16.04.2014

Trade name: Flux d'étamage Aqueux Réf : BS150 Aqueous flow tinning Ref : BS150

(Contd. of page 3)

- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from food, beverages and petfood.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· Respiratory protection:



In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Protection of hands:



Protective gloves

· Gloves material:

_

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Eye protection:



Tightly sealed goggles

SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Liquid Colour: Pink

· Odour: Characteristic
· Odour threshold: Not determined.

· pH-value at 20 °C: < 2

· Change in condition

Melting point/Melting range: Undetermined.
Boiling point/Boiling range: 100 °C

· Flash point: Not applicable.

· Flammability (solid, gaseous): Not applicable.

· Ignition temperature: Not applicable.

Decomposition temperature: Not determined.
 Self-igniting: Product is not self igniting.

(Contd. on page 5)



Printing date 16.04.2014 Version number 1 Revision: 16.04.2014

Trade name: Flux d'étamage Aqueux Réf : BS150 Aqueous flow tinning Ref : BS150

		(Contd. of pag
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapour pressure:	Not determined.	
Density at 20 °C:	1.04 g/cm³	
Relative density:	Not determined.	
Vapour density:	Not determined.	
Evaporation rate:	Not determined.	
Solubility in / Miscibility with		
water:	Fully miscible.	
Segregation coefficient (n-octanol/water):	Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	0.0 %	
Water:	>80 %	
Solids content:	<10 %	
9.2 Other information :	No further relevant information available.	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions: No dangerous reactions known.
- · 10.4 Conditions to avoid: No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · On the skin: Caustic effect on skin and mucous membranes.
- · On the eyes: Strong caustic effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following hasards according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Corrosive

(Contd. on page 6)



Printing date 16.04.2014 Version number 1 Revision: 16.04.2014

Trade name: Flux d'étamage Aqueux Réf : BS150 Aqueous flow tinning Ref : BS150

(Contd. of page 5)

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability: No further relevant information available.
- \cdot 12.3 Bioaccumulative potential: No further relevant information available.
- · 12.4 Mobility in soil: No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralized.

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects: No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation:



Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- $\cdot \textit{Recommendation:} \ Disposal \ must \ be \ made \ according \ to \ of \! ficial \ regulations.$
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information			
· 14.1 UN-Number			
· ADR, IMDG, IATA	UN3265		
· 14.2 UN proper shipping name			
$\cdot ADR$	3265 CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.		
	(HYDROCHLORIC ACID)		
· IMDG, IATA	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O. (HYDROCHLORIC ACID)		

(Contd. on page 7)



Printing date 16.04.2014 Version number 1 Revision: 16.04.2014

Trade name: Flux d'étamage Aqueux Réf : BS150 Aqueous flow tinning Ref : BS150

(Contd. of page 6)

· 14.3 Transport hazard class(es)

 $\cdot ADR$



· Class 8 (C3) Corrosive substances.

· Label

· IMDG, IATA



· Class 8 Corrosive substances.

· Label 8

· 14.4 Packing group

· ADR, IMDG, IATA

· 14.5 Environmental hazards:

· Marine pollutant: No

• 14.6 Special precautions for user Warning: Corrosive substances.

Danger code (Kemler):
 EMS Number:
 Segregation groups
 Acids

· 14.7 Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

· Transport/Additional information:

 $\cdot ADR$

Limited quantities (LQ)
 Transport category
 Tunnel restriction code
 E

· UN "Model Regulation": UN3265, CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (HYDROCHLORIC ACID), 8, III

SECTION 15: Regulatory information

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H314 Causes severe skin burns and eye damage.

(Contd. on page 8)





Printing date 16.04.2014 Version number 1 Revision: 16.04.2014

Trade name: Flux d'étamage Aqueux Réf : BS150 Aqueous flow tinning Ref : BS150

(Contd. of page 7)

H335 May cause respiratory irritation.

R34 Causes burns.

R37 Irritating to respiratory system.

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

GB