

SAFETY DATA SHEET PIPE SEALANT

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name PIPE SEALANT
Product No. 205

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Anearobic pipe sealing resin

1.3. Details of the supplier of the safety data sheet

Supplier ORAPI APPLIED LIMITED,
SPRING ROAD,
SMETHWICK,
WEST MIDLANDS, B66 1PT, ENGLAND
Tel: 0121-525-4000
Fax: 0121-525-4919
Lee Baughan
lee.baughan@orapiapplied.com

1.4. Emergency telephone number

0121 525 4000 (09:00 - 17:00 hrs)

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Classification (1999/45/EEC) Xi;R36/37. R43.

Human health

Irritating to eyes. Splashes in the eyes may cause redness and irritation. In high concentrations, vapours may be irritating to the respiratory system. The product contains a sensitising substance which may provoke an allergic reaction among sensitive individuals.

2.2. Label elements

Contains 2-HYDROXYPROPYL METHACRYLATE

Labelling



Irritant

Risk Phrases

R36/37

Irritating to eyes and respiratory system.

R43

May cause sensitisation by skin contact.

Safety Phrases

S24/25

Avoid contact with skin and eyes.

S26

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S37

Wear suitable gloves.

2.3. Other hazards

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

CUMENE HYDROPEROXIDE

1-5%

CAS-No.: 80-15-9

EC No.: 201-254-7

PIPE SEALANT

Classification (EC 1272/2008) Org. Perox. E - H242 Acute Tox. 4 - H302 Acute Tox. 4 - H312 Acute Tox. 3 - H331 Skin Corr. 1B - H314 STOT SE 3 - H335 STOT RE 2 - H373 Aquatic Chronic 2 - H411	Classification (67/548/EEC) O;R7 T;R23 C;R34 Xn;R21/22,R48/20/22 N;R51/53
--	--

2-HYDROXYPROPYL METHACRYLATE	1-5%
CAS-No.: 27813-02-1	EC No.:
Classification (EC 1272/2008) Eye Irrit. 2 - H319 Skin Sens. 1 - H317	Classification (67/548/EEC) Xi;R36. R43.

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

Inhalation

Remove victim immediately from source of exposure. Move into fresh air and keep at rest. Get medical attention if any discomfort continues.

Ingestion

Immediately rinse mouth and drink plenty of water. Keep person under observation. If person becomes uncomfortable seek hospital and bring these instructions.

Skin contact

Wash off promptly and flush contaminated skin with water. Promptly remove clothing if soaked through and flush skin with water. Get medical attention if irritation persists after washing.

Eye contact

Immediately flush with plenty of water for up to 15 minutes. Remove any contact lenses and open eyes wide apart. Get medical attention if any discomfort continues.

4.2. Most important symptoms and effects, both acute and delayed

4.3. Indication of any immediate medical attention and special treatment needed

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media

This product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide or dry powder. Do not use water as an extinguisher.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products

In case of fire, toxic gases (CO, CO₂, NO_x) may be formed.

Unusual Fire & Explosion Hazards

No unusual fire or explosion hazards noted.

5.3. Advice for firefighters

Special Fire Fighting Procedures

Avoid breathing fire vapours. Ventilate closed spaces before entering them.

Protective equipment for fire-fighters

Self contained breathing apparatus and full protective clothing must be worn in case of fire.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Avoid inhalation of vapours and contact with skin and eyes.

6.2. Environmental precautions

Do not discharge onto the ground or into water courses.

PIPE SEALANT

6.3. Methods and material for containment and cleaning up

Ventilate well. Absorb spillage with non-combustible, absorbent material. Transfer to a container for disposal.

6.4. Reference to other sections

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Avoid contact with skin and eyes.

7.2. Conditions for safe storage, including any incompatibilities

Keep in original container. Keep containers tightly closed. Unsuitable containers: common metals (iron, aluminium, copper). Do not store near heat sources or expose to high temperatures.

Storage Class

Chemical storage.

7.3. Specific end use(s)

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

8.2. Exposure controls

Protective equipment



Engineering measures

Provide adequate ventilation. Observe Occupational Exposure Limits and minimise the risk of inhalation of vapours.

Respiratory equipment

If ventilation is insufficient, suitable respiratory protection must be provided.

Hand protection

Chemical resistant gloves required for prolonged or repeated contact. Use protective gloves made of: Neoprene.

Eye protection

Wear approved safety goggles.

Hygiene measures

Wash hands at the end of each work shift and before eating, smoking and using the toilet.

Skin protection

Wear apron or protective clothing in case of contact.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance	Paste
Colour	White.
Odour	Sweetish.
Solubility	Insoluble in water Soluble in: Hydrocarbons.
Relative density	1.17
Vapour pressure	<0.1 mmHg 20°C
pH-Value, Conc. Solution	~5
Viscosity	~300000 cps
Flash point	>100°C Cd OC (Cleveland open cup).

9.2. Other information

PIPE SEALANT

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

10.2. Chemical stability

Stable under normal temperature conditions and recommended use.

10.3. Possibility of hazardous reactions

Hazardous Polymerisation

May polymerise.

Polymerisation Description

Avoid heat.

10.4. Conditions to avoid

Avoid contact with strong oxidisers. May attack light-alloy metals and liberate hydrogen gas. In contact with metals generates hydrogen gas, which together with air can form explosive mixtures.

10.5. Incompatible materials

Materials To Avoid

Strong oxidising substances. Chemically active metals.

10.6. Hazardous decomposition products

During fire, toxic gases (CO, CO₂) are formed. When heated, vapours/gases hazardous to health may be formed.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Inhalation

Irritating to respiratory system. May cause irritation to the respiratory system.

Ingestion

May cause discomfort if swallowed. May cause stomach pain or vomiting. Liquid irritates mucous membranes and may cause abdominal pain if swallowed.

Skin contact

May cause sensitisation by skin contact. Risk of sensitisation or allergic reactions among sensitive individuals.

Eye contact

Irritating to eyes. Irritation of eyes and mucous membranes. Extreme irritation of eyes and mucous membranes, including burning and tearing.

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity

The product is not expected to be hazardous to the environment.

12.1. Toxicity

Acute Fish Toxicity

Not considered toxic to fish.

12.2. Persistence and degradability

Degradability

The product is biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential

The product is not bioaccumulating.

12.4. Mobility in soil

Mobility:

The product is immiscible with water and will sediment in water systems.

PIPE SEALANT

12.5. Results of PBT and vPvB assessment

This product does not contain any PBT or vPvB substances.

12.6. Other adverse effects

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements. Contact specialist disposal companies.

SECTION 14: TRANSPORT INFORMATION

General	The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/RID).
Rail Transport Notes	Not classified.
Sea Transport Notes	Not classified.

14.1. UN number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

14.5. Environmental hazards

14.6. Special precautions for user

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Statutory Instruments

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (S.I 2009 No. 716). Control of Substances Hazardous to Health.

Approved Code Of Practice

Safety Data Sheets for Substances and Preparations. Classification and Labelling of Substances and Preparations Dangerous for Supply.

Guidance Notes

Workplace Exposure Limits EH40. CHIP for everyone HSG(108).

EU Legislation

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments.

National Regulations

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (S.I 2009 No. 716). Control of Substances Hazardous to Health Regulations 2002 (as amended) The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 ("CDG 2009"), SI 2009 No 1348

15.2. Chemical Safety Assessment

SECTION 16: OTHER INFORMATION

General information

For further information or advice contact our technical service line during regular office hours on 0121-524-1000.

This safety data sheet has been compiled for the product as supplied, properties and hazards will vary if the product is diluted with water or mixed with any other material.

PIPE SEALANT

Revision Comments

The information contained herein is based on known available data believed to be reliable but does not constitute the users own assessment of the work place risk as required by other Health and Safety Legislation.

Revision Date	16-01-2014
Revision	3
Supersedes date	19-03-2010
Safety Data Sheet Status	Approved.
Date	16-01-2014
Signature	Health and Safety Manager

Risk Phrases In Full

R34	Causes burns.
R21/22	Harmful in contact with skin and if swallowed.
R48/20/22	Harmful: danger of serious damage to health by prolonged exposure through inhalation and if swallowed.
R36/37	Irritating to eyes and respiratory system.
R36	Irritating to eyes.
R37	Irritating to respiratory system.
R7	May cause fire.
R43	May cause sensitisation by skin contact.
R23	Toxic by inhalation.
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Hazard Statements In Full

H319	Causes serious eye irritation.
H314	Causes severe skin burns and eye damage.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H242	Heating may cause a fire.
H317	May cause an allergic skin reaction.
H373	May cause damage to organs <<Organs>> through prolonged or repeated exposure.
H335	May cause respiratory irritation.
H331	Toxic if inhaled.
H411	Toxic to aquatic life with long lasting effects.

Disclaimer

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.