



Black Box Products

Cables > Computer & Data Cables

RS-232 ED/Q Cable with Molded Hoods, Custom Lengths

Description

RS-232 Extended-Distance/Quiet Cables with Molded Hoods, 16 Conductors (8 Pairs), M/M

Quick Facts

- Feature a foil shield plus an 85% tinned copper braid for extra protection against EMI/RFI transmissions in noisy office environments.
- Molded, nonremovable hoods.
- Guaranteed for life!

Further Details

- NEC® CL2 compliant. For connecting computers inside a building. Not for use in risers or plenums.
- Low capacitance.
- All conductors are straight wired for connecting the serial output of your computer to a switch box.
- Male screw locks are standard.
- Perfect for industrial applications near heavy machinery or in environments with high EMI/RFI.



Technical Specifications for RS-232 ED/Q Cable with Molded Hoods, Custom Lengths:

Cable Construction	PVC
Capacitance	12 pF/ft. ± 2 pF/ft.
Conductor Gauge	24 AWG (7 x 32), stranded
Outside Diameters	0.245", 0.260", 0.335", 0.365", 0.430
Resistance	30 ohms/1000 ft.

Product	SKU
RS-232 ED/Q Cable with Molded Hoods, 5-ft. (1.5-m)	EMN25C-0005-MF
RS-232 ED/Q Cable with Molded Hoods, 5-ft. (1.5-m)	EMN25C-0005-MM
RS-232 Extended-Distance/Quiet Cable with Molded Hoods, 25 Conductors (12 1/2 Pairs), Male/Female, 25-ft. (7.6-m)	EMN25C-0025-MF
RS-232 ED/Q Cable with Molded Hoods, 25-ft. (7.6-m)	EMN25C-0025-MM
RS-232 ED/Q Cable with Molded Hoods, 35-ft. (10.6-m)	EMN25C-0035-MF
RS-232 Extended-Distance/Quiet Cable with Molded Hoods, 25 Conductors (12 1/2 Pairs), Male/Male, 50-ft. (15.2-m)	EMN25C-0050-MM

RS-232 Extended-Distance/Quiet Cable with Molded Hoods, 25 Conductors (12 1/2 Pairs), Male/Female, 75-ft. (22.8-m)	EMN25C-0075-MF
RS-232 ED/Q Cable with Molded Hoods, 75-ft. (22.8-m)	EMN25C-0075-MM
RS-232 Extended-Distance/Quiet Cable with Molded Hoods, 25 Conductors (12 1/2 Pairs), Male/Male, 100-ft. (30.4-m)	EMN25C-0100-MM
RS-232 ED/Q Cable with Molded Hoods, Custom Lengths	EMN25C-MM
RS-232 ED/Q Cable with Molded Hoods, 5-ft. (1.5-m)	EMN25C-0005-MF
RS-232 ED/Q Cable with Molded Hoods, 5-ft. (1.5-m)	EMN25C-0005-MM
RS-232 Extended-Distance/Quiet Cable with Molded Hoods, 25 Conductors (12 1/2 Pairs), Male/Female, 25-ft. (7.6-m)	EMN25C-0025-MF
RS-232 ED/Q Cable with Molded Hoods, 25-ft. (7.6-m)	EMN25C-0025-MM
RS-232 ED/Q Cable with Molded Hoods, 35-ft. (10.6-m)	EMN25C-0035-MF
RS-232 Extended-Distance/Quiet Cable with Molded Hoods, 25 Conductors (12 1/2 Pairs), Male/Male, 50-ft. (15.2-m)	EMN25C-0050-MM
RS-232 Extended-Distance/Quiet Cable with Molded Hoods, 25 Conductors (12 1/2 Pairs), Male/Female, 75-ft. (22.8-m)	EMN25C-0075-MF
RS-232 ED/Q Cable with Molded Hoods, 75-ft. (22.8-m)	EMN25C-0075-MM
RS-232 Extended-Distance/Quiet Cable with Molded Hoods, 25 Conductors (12 1/2 Pairs), Male/Male, 100-ft. (30.4-m)	EMN25C-0100-MM
RS-232 ED/Q Cable with Molded Hoods, Custom Lengths	EMN25C-MM
RS-232 ED/Q Cable with Molded Hoods, 5-ft. (1.5-m)	EMN25C-0005-MF
RS-232 ED/Q Cable with Molded Hoods, 5-ft. (1.5-m)	EMN25C-0005-MM
RS-232 Extended-Distance/Quiet Cable with Molded Hoods, 25 Conductors (12 1/2 Pairs), Male/Female, 25-ft. (7.6-m)	EMN25C-0025-MF
RS-232 ED/Q Cable with Molded Hoods, 25-ft. (7.6-m)	EMN25C-0025-MM
RS-232 ED/Q Cable with Molded Hoods, 35-ft. (10.6-m)	EMN25C-0035-MF
RS-232 Extended-Distance/Quiet Cable with Molded Hoods, 25 Conductors (12 1/2 Pairs), Male/Male, 50-ft. (15.2-m)	EMN25C-0050-MM
RS-232 Extended-Distance/Quiet Cable with Molded Hoods, 25 Conductors (12 1/2 Pairs), Male/Female, 75-ft. (22.8-m)	EMN25C-0075-MF
RS-232 ED/Q Cable with Molded Hoods, 75-ft. (22.8-m)	EMN25C-0075-MM
RS-232 Extended-Distance/Quiet Cable with Molded Hoods, 25 Conductors (12 1/2 Pairs), Male/Male, 100-ft. (30.4-m)	EMN25C-0100-MM

RS-232 ED/Q Cable with Molded Hoods, Custom Lengths	EMN25C-MM
RS-232 ED/Q Cable with Molded Hoods, 5-ft. (1.5-m)	EMN25C-0005-MF
RS-232 ED/Q Cable with Molded Hoods, 5-ft. (1.5-m)	EMN25C-0005-MM
RS-232 Extended-Distance/Quiet Cable with Molded Hoods, 25 Conductors (12 1/2 Pairs), Male/Female, 25-ft. (7.6-m)	EMN25C-0025-MF
RS-232 ED/Q Cable with Molded Hoods, 25-ft. (7.6-m)	EMN25C-0025-MM
RS-232 ED/Q Cable with Molded Hoods, 35-ft. (10.6-m)	EMN25C-0035-MF
RS-232 Extended-Distance/Quiet Cable with Molded Hoods, 25 Conductors (12 1/2 Pairs), Male/Male, 50-ft. (15.2-m)	EMN25C-0050-MM
RS-232 Extended-Distance/Quiet Cable with Molded Hoods, 25 Conductors (12 1/2 Pairs), Male/Female, 75-ft. (22.8-m)	EMN25C-0075-MF
RS-232 ED/Q Cable with Molded Hoods, 75-ft. (22.8-m)	EMN25C-0075-MM
RS-232 Extended-Distance/Quiet Cable with Molded Hoods, 25 Conductors (12 1/2 Pairs), Male/Male, 100-ft. (30.4-m)	EMN25C-0100-MM
RS-232 ED/Q Cable with Molded Hoods, Custom Lengths	EMN25C-MM