

# Standard Soldering Irons



## Description:

BS-Series features small barrel to handle ratio, enables users to manouver easily for better control when soldering fine points. 100% impact resistant handle assuring well built, long lasting quality. Seamless stainless steel barrel restrains heat expansion, minimizing damage to the internal mica of the heater element, thus resulting in long life time. Special design plastic screw prohibits amateur users from dismantling the soldering iron. Supplied with a metal sheet stand.

## Part Number Table

Description	Power	Tip Size	Tip Temperature	Part Number
Soldering Iron	15W	3.5mm	320°C	BS-15BP
				BS-15EP
	30W	4mm	430°C	BS-30BP
				BS-30EP
	40W	5mm	470°C	BS-40BP
				BS-40EP
	60W	6mm	500°C	BS-60BP
				BS-60EP
	80W	7mm	530°C	BS-80BP
				BS-80EP
	100W	8mm	560°C	BS-100BP
				BS-100EP

**Important Notice :** This data sheet and its contents (the "Information") belong to the members of the Premier Farnell group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. Tenma is the registered trademark of the Group. © Premier Farnell plc 2012.

