

Protect It! 3-Outlet Travel-Size Surge Protector, 18-in. Cord, 1050 Joules, 2-USB Charging Ports

MODEL NUMBER: TRAVELER3USB



Description

Tripp Lite's portable TRAVELER3USB Surge Protector offers complete surge suppression for cell phones, MP3 players, smartphones, tablets, laptops, electronic notepads, personal organizers and other portable electronic devices. Compact and portable, the model comes with an 18-inch concealable cord allowing for compact storage in small luggage or briefcases. It neatly fits into laptop travel cases without scratching expensive electronics. With the addition of 2 USB Charging Ports for a total of 2.1A of total charging power, the TRAVELER3USB allows road warriors the ability to charge mobile devices more easily. TRAVELER3USB offers 3 AC outlets with one widely spaced outlet to accommodate a transformer. A diagnostic "Protected" LED warns of wiring problems and surge suppressor damage. For peace of mind, the TRAVELER3USB is backed by a \$25,000 Ultimate Lifetime Insurance (U.S., Canada, and Puerto Rico only).

PLUG/OUTLETS: Input: NEMA 5-15P/Output: 3 NEMA 5-15R

ELECTRICAL: 120V AC, 50/60Hz, 15A (Requires NEMA 5-15R wall receptacle)

FORMAT: Corded mobile surge with 1 transformer access

SUPPRESSION: AC: 1050 joules

Features

- 1050 joules of AC surge suppression shields equipment from the strongest surges and line noise
- 3 AC outlets with room for 1 transformer plug without blocking outlets
- 2 USB Charging Ports with 2.1 amps total is great for fast charging of cell phones, MP3 player, tablets, laptops and more.
- Portable housing with 18-in. concealable cord allow for ease of mobility and travel in briefcases
- "Protected" Diagnostic LED confirms outlet surge suppression status
- \$25,000 Ultimate Lifetime Insurance (U.S., Canada, and Puerto Rico only)

Specifications

Highlights

- 3 AC power outlets
- 1050 Joule rating
- Concealable 18-inch Power Cord
- 2 USB Charging Ports - 2.1 amp total (5 VDC) for fast charging of cell phones, MP3 players, smartphones, tablets and more
- \$25,000 Ultimate Lifetime Insurance (U.S., Canada, and Puerto Rico only)

Applications

- Ideal for use with cell phones, MP3 players, smartphones, tablets, laptops, electronic notepads, personal organizers and other portable electronic devices.

Package Includes

- TRAVELER3USB Surge Suppressor
- Users Manual



OVERVIEW	
Style	Strip
OUTPUT	
Charging Ports / Amps	(2) 2.1
Output Watt Capacity (Watts)	1800
Frequency Compatibility	60 Hz
Output Receptacles	(3) 5-15R
Transformer Accommodation	Supports up to 1 large transformer plug accessory without covering remaining outlets
USB Charging	Yes
Output Amp Capacity	15
INPUT	
Nominal Input Voltage(s) Supported	120V AC
Recommended Electrical Service	120V (110-125V)
Input Connection Type	NEMA 5-15P
Input Plug Features	Space-saving right angle plug
Input Cord Length (ft.)	1.5
Input Cord Length (m)	0.30
Voltage Compatibility (VAC)	120
Maximum Surge Amps	36000
LEDS ALARMS & SWITCHES	
Diagnostic LEDs	Built-in LED confirm suppressor "protection present" (green) status
SURGE / NOISE SUPPRESSION	
AC Suppression Joule Rating	1050
Protection Modes	Includes Line to Neutral (L-N), Neutral to Ground (N-G) and Line to Ground (L-G) line surge suppression
Clamping Voltage (RMS)	400,400,400
PHYSICAL	
Unit Dimensions (hwd / in.)	5.70 x 2.96 x 1.40
Unit Dimensions (hwd / cm)	14.48 x 7.52 x 3.56
Unit Weight (lbs.)	.62
Unit Weight (kg)	.28
Material of Construction	Plastic



Tripp Lite
1111 W. 35th Street
Chicago, IL 60609 USA
Telephone: 773.869.1234
www.tripplite.com

CONNECTIONS	
Ports	2
SPECIAL FEATURES	
Right-Angle Plug	Yes
CERTIFICATIONS	
UL1449 3rd Edition (AC Suppression)	UL1449
cUL / CSA (Canada)	cUL
WARRANTY	
Product Warranty Period (Worldwide)	Lifetime limited warranty
Connected Equipment Insurance (U.S., Canada & Puerto Rico)	\$25,000 Ultimate Lifetime Insurance

© 2015 Tripp Lite. All rights reserved. All trademarks are the sole property of their respective owners. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Photos may differ slightly from final products.