Technical Data Sheet





Integrity[®] Cleanroom Notebook

The Integrity® Spiral-bound cleanroom notebook featuring antistatic covers to prevent static charge build-up

- Cleanroom processed and cleanroom packaged with cleanroom bags
- Cleaned and packed in controlled ISO 5 Cleanroom Environment

- · High-density polypropylene material which offer impregnated antistatic properties
- Precision cut with round edge corners
- Excellent chemical resistance material

PAPER

- Durable Clean Image cleanroom paper
- Low-sodium inks printed
- 50 sheets per book

BENEFITS

HIGH DENSITY POLYPROPYLENE COVERS

- Excellent chemical resistance material
- Antistatic material to prevent static charge build-up
- Round corners construction to prevent tearing of gloves by sharp edges

APPLICATIONS

- Note-taking in critical environment
- Logbook

TECHNICAL DATA

CLEANROOM PAPER CONTAMINATION CHARACTERISTICS			
Ion Chromatography (IC)			
ANION	TYPICAL VALUE	CATION	TYPICAL VALUE
CI	0.3191 ug/cm ²	Li	NOT DETECTED
F	0.0016 ug/cm ²	Na	2.23 ug/cm ²
Br	NOT DETECTED	NH ₄	NOT DETECTED
NO ²	0.0017 ug/cm ²	К	0.11 ug/cm ²
NO ³	0.0128 ug/cm ²	Mg	0.04 ug/cm ²
PO ⁴	NOT DETECTED	Ca	1.10 ug/cm ²
SO ⁴	0.1517 ug/cm ²		
Liquid Particle Count (LPC) Wet Test (> 0.5 um)		190 counts/cm ²	
Airborne Particle Count (APC) Dry Test (0.5um)		50 counts/ft ³ /cm ²	

Call +44 (0) 1473 836205 Email info@integritycleanroom.com 🕑 /integrity_eu (in /company/integrity-cleanroom

IMPORTANT NOTICE: This data sheet and its contents (the "Information") belong to the Integrity or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Integrity assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Integrity was aware of the possibility of such loss or damage arising) is excluded. © Integrity. PAGE 1 INTEGRITY-NOTE-BOOK | 4 DECEMBER 2014 11:37 AM



Technical Data Sheet





COVER

Extractable Organic Silicon Amide

NOT DETECTED NOT DETECTED

ESD PROPERTIES

Surface Resistivity Static Charge Generation 4.9 x 10¹⁰ ohms/sq <10v

PRODUCT CODE	SIZE
600-2008	A4
600-2009	A5

Call +44 (0) 1473 836205 Email info@integritycleanroom.com 🕑 /integrity_eu (in /company/integrity-cleanroom

IMPORTANT NOTICE: This data sheet and its contents (the "Information") belong to the Integrity or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Integrity assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Integrity was aware of the possibility of such loss or damage arising) is excluded. © Integrity. PAGE 2 INTEGRITY-NOTE-BOOK 4 DECEMBER 2014 11:37 AM