Reztore[™] Surface & Mat Cleaner Application Instructions





Figure 1. Reztore™ Surface & Mat Cleaner: 16 ounce (500 ml) spray bottle 1 quart (1 litre) spray bottle 2.5 Gallon (10 litre) Bag-in-Box

Description

Reztore[™] Surface & Mat Cleaner is a non-toxic liquid cleaner used to remove dust, grease, grime, fingerprints, and solder flux from all surfaces used in a static sensitive area. Reztore[™] Surface & Mat Cleaner leaves no insulative residue, contains no alkali or ammonia, and is nonflammable.

General Guidelines

Reztore[™] Surface & Mat Cleaner is a liquid cleaner which can be used on a variety of surfaces, especially surfaces used in a static sensitive environment. Surfaces include but are not limited to: rubber, vinyl and polyethylene table and floor mats, field service kits, laminated table tops, tote boxes, epoxy, painted surfaces, plexiglass, glass, metal, 3-ring binders, computer screens, computer keyboards, shelving, push carts, conveyor belts, etc.

Note: Cleaners with silicone leave an insulative residue on surfaces and solvents such as 2-Butoxyethanol or Ethanolamine used in cleaners can dry out the material; both can prevent conductive or dissipative mats from functioning properly.

"Periodic cleaning, following the manufacturer's recommendations, is required to maintain proper electrical function on all work surfaces. Ensure that cleaners that are used do not leave an electrically insulative residue common with some household cleaners that contain silicone." (ESD Handbook ESD TR20.20 section 5.3.1.14 Worksurface Maintenance)

"Only cleaning materials or processes which do not degrade the properties of the ESD protective items, shall be used." (EN 61340-5-1 clause 5.5 EPA working practices)

Directions

Smooth Surfaces:

Apply Reztore[™] Surface & Mat Cleaner to the entire surface to be treated using either the pump or trigger spray bottle. Use a lint-free cloth to wipe the surface until dry. For set stains, let Reztore[™] Surface & Mat Cleaner soak on the surface for 30 seconds before wiping clean.




Figure 2. Applying Reztore™ to the mat.

Other Surfaces - Keyboards:

Dampen a lint-free cloth or a lint-free swab with Reztore[™] Surface & Mat Cleaner. Wipe surface to be cleaned using either the cloth or swab. The swab will work best for tight spots like between keyboard keys. Use the cloth to wipe clean the remaining surfaces of the keyboard.




Figure 3. Cleaning a keyboard or computer screen with Reztore™ Surface & Mat Cleaner.

On non-ESD surfaces, we recommend using Reztore™ Topical Antistat static dissipative coating. While coating is on the surface it will enhance existing ESD surfaces and will give dissipative electrical properties to insulative surfaces.

DESCO INDUSTRIES INC. • 3651 Walnut Avenue, Chino, CA 91710 • (909) 627-8178 • Web Site: Descolndustries.com

Specifications		
Appearance of solution:	Transparent violet	
pH:	6-8	
Odor:	Slight floral	
Solubility:	Water, acetone, alcohols	
Toxicity, Irritation, Sensitivity:	Non-toxic by dermal contact, or inhalation	
Flammability:	Classification according to NFPA and OSHA as "non-flammable", Flammable Category 3 according to EU and GHS.	5
lon Level:	(mg/	I)
	Fluoride0.Sulfate<0.Nitrate1.Bromide<0.Phosphate<0.	5 2 5
Electrical Properties (Dry Film) 1 x 10 ⁷ to < 1 x 10 ⁹ ohm (rof_ANS//ESD_S4.1)	IS

1 x 10' to < 1 x 10° of (ref. ANSI/ESD S4.1)
<.01 seconds
(per FTMS 101C
Method 4046)

Testing

It is recommended to test the surfaces after cleaning to ensure that all insulative contaminants such as dirt and grime have been removed. ReztoreTM Surface & Mat Cleaner was designed to leave behind a coating which has a surface resistance of 10^8 ohms or lower.

FIELD TEST:

For quick and easy verification of surface resistance we recommend the use of a megohmmeter. These are available from many Desco Industries companies. For testing of static fields, we recommend the use of a static field meter. These instruments are also available from many Desco Industries companies.

Features

- Cleans bench surfaces
- Leaves static dissipative layer on surface
- Non-toxic
- Non-streaking, quick drying
- Non-aerosol
- No CFC's water based
- No alkali or ammonia
- Neutral pH
- Low Volatile Organic Solvents

Storage:

Reztore[™] Surface & Mat Cleaner product does not have a set life span. The chemicals are not known to degrade over time when stored at the proper temperature conditions as stated in the Safety Data Sheet. We also recommend that this product be stored in its original container and be sealed when not in use.

RoHS 2, REACH, and Conflict Minerals Statement

None of the RoHS 2 restricted materials or REACH substances of very high concern as of 2014/12/17, or Conflict Minerals are intentionally added in manufacturing this product. Ref: European Union Directive 2011/65/EU and Regulation (EC) No. 1907/2006/CE. See Desco Limited Warranty at DescoIndustries.com.

Limited Warranty, Warranty Exclusions, Limit of Liability and RMA Request Instructions

See Desco Industries Inc. Warranty http://www.descoindustries.com/Warranty.aspx

Reztore[™] Surface and Mat Cleaner is available from these Desco Industries brands:



for service and support in North America

16 OZ	<u>10439</u>
1 QT	<u>10435</u>
2.5 GAL	<u>10438</u>

CHARLESWATER

for service and support in the United Kingdom

1 Litre	<u>71021</u>
1 Litre 12 Pack	<u>71025</u>
10 Litre	<u>71028</u>

Vermason

for service and support in the United Kingdom

1 Litre	<u>229021</u>
1 Litre 12 Pack	<u>229022</u>
10 Litre	229023

DESCO ASIA

for service and support in Asia

0.5 Litre	<u>10439</u>
1 Litre	<u>10435</u>
10 Litre	<u>10438</u>

DESCO JAPAN

for service and support in Japan

0.5 L	<u>10439</u>
1L	<u>10435</u>
10 L	10438

DESCO INDUSTRIES INC. • 3651 Walnut Avenue, Chino, CA 91710 • (909) 627-8178 • Web Site: Descolndustries.com

Safety Data Sheet May be used to comply with ANSI Z400.1-2 1910.1200, Regulation (EC) No 1272/2008 and GHS. Standards must be consulted for requirements.	(CLP Regulation) specific	NFPA Designation 704 Degree of Hazard 4 = Extreme 1 = Slight 3 = High 0 = Insignificant 2 = Moderate Special Hazard Descent Destruction D	
		th 1, Flammability 1, Physical Hazard 0, Personal Protection B	
SECTION 1 — CHEMICAL PRODUCT	AND COMPANY II	DENTIFICATION	
Product Name/Identity: Chemical Name: Manufacturer: Address:	Reztore™ Surface Cleaner, ESD Surf Desco Industries, One Colgate Way Canton, MA 0202	face & Mat Inc	
Telephone: Emergency Number:	781-821-8370 781-821-8370		
SECTION 2 — HAZARDS IDENTIFICA	TION		
Classification:			
Flammable liquid	Category 3		
Eye irritation	Category 2A-2B		
Labelling:			
Symbol:	Flame, Exclamatio	on mark.	
Signal word:	Warning.		
Hazard statement:	Flammable liquid a	and Eye irritation.	
Precautionary statements:			
	induce vomiting. Do not eat, drink o Wash hands thoro Keep container tig	neat/sparks/open flame.	
SECTION 3 — COMPOSITION/INFOR	MATION ON INGR	EDIENTS	
Hazardous Ingredients:	CAS No.	Weight (%)	
lsopropanol*	67-63-0	5-25%	
*These items are listed and subjected to the reporting requirements of the SARA Title III Section 313 Inventory of the Emergency Planning and Community Right-To-Know Act of 1986 and of 40 CFR372.			
SECTION 4 — FIRST AID MEASURES	6		
Eye Contact:	Flush with water for	or at least 15 minutes.	
Skin Contact:	Wash with soap a	nd water.	
Ingestion:	DO NOT induce ve	omiting. Contact a physician.	
Inhalation:	Move subject to free	esh air.	
SECTION 5 — FIREFIGHTING MEASU	JRES		
Proper Extinguishing Media:	Water.		
Unsuitable Extinguishing Methods:	N/A.		
DESCO INDUSTRIES INC. • 365	1 Walnut Avenue, Chino, CA	A 91710 • (909) 627-8178 • Web Site: Descolndustries.com	

Protective Equipment & Precautions:	Wearing of appropriate protective equipment and clothing.		
Special Fire Fighting Procedures:	Cool containers with water.		
Unusual Fire and Explosion Hazards:	None known.		
SECTION 6 — ACCIDENTAL RELEAS	SE MEASURES		
Personal Precautions:	Wearing protective clothing. Inhalation protection. Extinguish all ignition sources.		
Environmental Precautions:	Biodegradable.		
Cleaning Procedures:	Contain and collect material into plastic container. Water rinse and drain, flush small amounts. Use sanitary landfill disposal. Follow state and local regulations (RCRA; Subtitle D).		
SECTION 7 — HANDLING AND STOP	RAGE		
Handling:	Use in well-ventilated areas; avoid breathing vapors. Keep containers closed when not in use. Avoid from freezing.		
Storage:	Storage temperature: Max. 49°C/120°F 1°C/34°F Keep from freezing		
SECTION 8 — EXPOSURE CONTROL	L / PERSONAL PROTECTION		
Hazardous Ingredients:	CAS No. TLV-value		
Isopropanol*	67-63-0 400 ppm		
Exposure controls			
Control Parameters:	TLV-value 400 ppm maximum for Isopropanol.		
Measures for Technical Control:	Preferences of technical measure to prevent or control contact with the product. Isolating process and personnel, mechanical ventilation (dilution and local exhaust) and the regulation of process conditions. In case of non-prevention or non-control, a proper protective wearing should be used.		
Personal protective equipment (PPE)		
Respiratory Protection (Specify Type):	Wear MSHA/NIOSH approved respirator where exposure limits are exceeded.		
Hand Protection:	Impervious/Neoprene Gloves.		
Eye Protection:	Safety glasses or Chemical splash goggles as defined in ANSI Z-87.1 or a similar standard.		
Work/Hygienic Practices:	Wash hands before eating, smoking, or using washroom facilities.		
SECTION 9 — PHYSICAL AND CHEM	/ICAL PROPERTIES		
Form: Color: Odor: Boiling Point: Melting Point: Specific Gravity (H ₂ O = 1): Solubility in Water: pH: VOC per Method 24 of EPA: Flash Point: Flammability Limits: (vol. % in air)	Liquid. Clear violet. Floral Alcohol. >200°F (93.3°C) N/A. 0.98 Complete. 6-8 1% VOC by wt. 106°F (41°C) N/A.		
DESCO INDUSTRIES INC. • 3651 Walnut Avenue, Chino, CA 91710 • (909) 627-8178 • Web Site: Descolndustries.com			

Vapor Pressure (mm Hg): Vapor Density (air=1): Density at 20°C: Flammability:	18.0 1.06 8.17 lbs./gal Classification according to NFPA and OSHA as "non-flammable". Flammable Category 3 according to EU and GHS.		
Ignition Temperature: Evaporation Rate:	N/A. 0.28		
SECTION 10 — STABILITY AND REA	ACTIVITY		
Hazardous Decomposition/Byproducts:	Thermal decomposition may yield carbon monoxide.		
Incompatibility (Materials to Avoid):	Strong Oxidizers.		
Stability/Reactivity:	Stable product at normal conditions.		
Conditions to Avoid:	Temperatures above 100°F (38°C) and below 34°F (1°C)		
Hazardous Polymerization:	N/A.		
SECTION 11 — TOXICOLOGICAL IN	FORMATION		
All information refers to the main comp	onent Isopropanol		
Acute toxicity:	None known.		
Special Effects:	None known.		
SECTION 12 — ECOLOGICAL INFOR	RMATION		
No environmental hazards have been i	reported or known.		
Mobility:	The product is aqueous and will be separated in aqueous conditions.		
Degradability:	N/A.		
Bioaccumulation:	Not likely.		
Ecotoxicity:	None known.		
Reference to BimSchV:	N/A.		
Hazard Classification:	None hazardous.		
SECTION 13 — DISPOSAL CONSIDE	RATIONS		
Product:	Contain and collect material into plastic container. Water rinse and drain, flush small amounts. Use sanitary landfill disposal. Follow state and local regulations (RCRA; Subtitle D).		
SECTION 14 — TRANSPORT INFOR	MATION		
This product is not classified for transp	ort under ADR/IMDG regulations.		
SECTION 15 — REGULATORY INFO	RMATION		
Physical/Chemical Indication: Safety Phrase:	Non-flammable (NFPA and OSHA), Flammable (EU and GHS) (S2): keep away from children, (S7): keep containers well closed, (S24/25): avoid contact with skin and eyes, (S62): if swallowed, do not induce vomiting; seek medical advice immediately and show this container or label.		
EINECS Status: TSCA:	All components are included in the EINECS inventories. All ingredients of this product are listed or are excluded from the listing on		
REACH:	the U.S. Toxic substance. This product does not require REACH registration.		
DESCO INDUSTRIES INC. • 3651 Walnut Avenue, Chino, CA 91710 • (909) 627-8178 • Web Site: Descolndustries.com			

SECTION 16 — OTHER INFORMATION		
HMIS RATING:	Health 1, Flammability 1, Physical Hazard 0, Personal Protection B	
NFPA RATING:	Special Hazard: N/A, Health: 1, Flammability: 1, Instability: 0	
SDS Updated:	2015-04-09	
	Disclaimer	
for such material used in combination the best of the company's knowled no representation, warranty or guara or completeness and we assume n arising out of use. It is the user's resp	nation relates only to the specific material designated and may not be valid on with any other materials or in any other process. Such information is to lige and believed accurate and reliable as of the date indicated. However, antee of any kind, express or implied, is made as to its accuracy, reliability to responsibility for any loss, damage or expense, direct or consequential, ponsibility to satisfy himself as to the suitableness and completeness of such information for his own particular use.	

DESCO INDUSTRIES INC. • 3651 Walnut Avenue, Chino, CA 91710 • (909) 627-8178 • Web Site: Descolndustries.com

Ш