

TECHNICAL DATA SHEET

www.tycoident.com

Document number: TTDS-093
Issue: 3
Date: September 2003

PrintEasy Software

DESCRIPTION: Software solution for high quality label design.

FEATURES:

Pre-Loaded Templates:

Pre-loaded with all Tyco Electronics cards, self-laminating labels and standard.

Fonts

All True-Type fonts & Printer fonts

1° rotation for True-Type fonts

90° rotation for printer fonts

Text alignment (left, right, center)

Printer Drivers

Enhanced printer drivers included for all Tyco recommended Thermal Transfer printers. Support for standard Windows drivers also available.

Printing Data

Input during the print, variable quantity, DDE-controlled print, and automatic print.

Variables

Variable Wizard (Prompt variable, Database, Prefix and Suffix, variables with more than one text line,)

Functions

Variable association, truncate and/or concatenate variable data, date calculation, EAN 128 preparation, linear calculation...

Database

Database wizard for ASCII, Paradox, dBase, Excel, Access. Over ODBC every other Database with 32-Bit driver. Automatic preparation from SQL-instruction.

Connections

DDE-control for label production by other applications.

OLE-insert parts from other applications

ODBC-database interface (32Bit)

Page 1 of 4

Business locations:

☎ N America: + 1 650 361 3860 (West Coast)

☎ France: +33 (0) 476 099696 (Labels)

☎ Germany: + 49 (0) 6074 89080

☎ UK: + 44 (0) 1495 244000 (Labels)

☎ Japan: + 81 (0) 44 900 5102

☎ N America: + 1 401 751 6505 (East Coast)

☎ France: + 33 (0) 134 20 21 22 (Other products)

☎ UK: + 44 (0) 1793 528 171 (Other products)

☎ Singapore: + 65 (0) 4866 151

All the above information, including illustrations, is believed to be reliable. Users, however, should independently evaluate the suitability of each product for their application. Tyco Electronics makes no warranties as to the accuracy or completeness of the information and disclaims any liability regarding its use. Tyco Electronics only obligations are those in the Standard Terms and Conditions of Sale for this product and in no case will Tyco Electronics be liable for any incidental, indirect or consequential damages arising from the sale, resale, use or misuse of the product. Tyco Electronics Specifications are subject to change without notice. In addition Tyco Electronics reserves the right to make changes in materials or processing, without notification to the Buyer, which do not affect compliance with any applicable specification.

TECHNICAL DATA SHEET

www.tycoident.com

Document number: TTDS-093
Issue: 3
Date: September 2003

PrintEasy Software

Networking:

PrintEasy Net: with an administration program

Supported Barcodes:

EAN8, EAN13, EAN14, UPC A, UPC E, Interleaved 2 of 5, ITF 14, ITF16, Code 32, Code 39, Code 93, Code 128, EAN 128, SSCC, MSI, Codabar, Postnet 32, Postnet 37, Postnet 52, Postnet 62, Bookland, Kix and Pharmacode

Supported 2D Barcodes:

PDF 417, Datamatrix, Maxicode, Aztec, Codablock F, Micro PDF and QR

Supported Graphics:

Windows Bitmap (BMP, DIB, RLE)
CompuServe Bitmap (GIF)
JPEG Bitmap (JPG, JPEG, JPE)
TIFF Bitmap (TIFF, TIF, FAX, G3N, G3F)
Portable Network Graphics (PNG),
Windows Metafile (WMF), Enhanced Windows Metafile (EMF),
Windows Icon (ICO),
Windows Cursor (CUR),
Targa Bitmap (TGA, TARGA, VDA, ICB, VST, PIX),
Portable Pixmap,
GreyMap BitMap (PXM, PPM, PGM, PBM), JPEG2000 (JP2), JPEG2000
Code Stream (J2K, JPC),
PaintBrush (PCX)

Page 2 of 4

Business locations:

☎ N America: + 1 650 361 3860 (West Coast)
☎ France: +33 (0) 476 099696 (Labels)
☎ Germany: + 49 (0) 6074 89080
☎ UK: + 44 (0) 1495 244000 (Labels)
☎ Japan: + 81 (0) 44 900 5102

☎ N America: + 1 401 751 6505 (East Coast)
☎ France: + 33 (0) 134 20 21 22 (Other products)
☎ UK: + 44 (0) 1793 528 171 (Other products)
☎ Singapore: + 65 (0) 4866 151

All the above information, including illustrations, is believed to be reliable. Users, however, should independently evaluate the suitability of each product for their application. Tyco Electronics makes no warranties as to the accuracy or completeness of the information and disclaims any liability regarding its use. Tyco Electronics only obligations are those in the Standard Terms and Conditions of Sale for this product and in no case will Tyco Electronics be liable for any incidental, indirect or consequential damages arising from the sale, resale, use or misuse of the product. Tyco Electronics Specifications are subject to change without notice. In addition Tyco Electronics reserves the right to make changes in materials or processing, without notification to the Buyer, which do not affect compliance with any applicable specification.

TECHNICAL DATA SHEET

www.tycoident.com

Document number: TTDS-093
Issue: 3
Date: September 2003

PrintEasy Software

Design Options

Move, rotate, copy, delete from several parts of a label.
Different units (cm, mm, inch and dot).
Context menu over the right mouse button.
Multi-stage Undo and Redo.
Snap to Grid option for an easy way to position the objects.
Zoom function.
Design of colors.
Non-printable elements.
Labels and graphics preview.
MDI (Multi-Document-Interface) - possibility to edit several labels simultaneous.
"Drag and Drop" of elements from one to another Label.
Server Login option. Different User rights: All, design only, print only,
Optional Log files to see "who has printed what".

Security:

Can be password protected at different levels to prevent unauthorized use (Supervisor, Full, Design only, Print only,).

USER INTERFACE:

WYSIWYG. (What You See Is What You Get) Full color display

Languages Available:

| | |
|---------------------|---------|
| Chinese Traditional | Slovak |
| Chinese Simplified) | Slovene |
| Croatian | Spanish |
| Danish | Swedish |
| Dutch | Thai |
| English | |
| Finnish | |
| French | |

Page 3 of 4

Business locations:

☎ N America: + 1 650 361 3860 (West Coast)
☎ France: +33 (0) 476 099696 (Labels)
☎ Germany: + 49 (0) 6074 89080
☎ UK: + 44 (0) 1495 244000 (Labels)
☎ Japan: + 81 (0) 44 900 5102

☎ N America: + 1 401 751 6505 (East Coast)
☎ France: + 33 (0) 134 20 21 22 (Other products)
☎ UK: + 44 (0) 1793 528 171 (Other products)
☎ Singapore: + 65 (0) 4866 151

All the above information, including illustrations, is believed to be reliable. Users, however, should independently evaluate the suitability of each product for their application. Tyco Electronics makes no warranties as to the accuracy or completeness of the information and disclaims any liability regarding its use. Tyco Electronics only obligations are those in the Standard Terms and Conditions of Sale for this product and in no case will Tyco Electronics be liable for any incidental, indirect or consequential damages arising from the sale, resale, use or misuse of the product. Tyco Electronics Specifications are subject to change without notice. In addition Tyco Electronics reserves the right to make changes in materials or processing, without notification to the Buyer, which do not affect compliance with any applicable specification.

TECHNICAL DATA SHEET

www.tycoident.com

Document number: TTDS-093
Issue: 3
Date: September 2003

PrintEasy Software

MINIMUM SYSTEM REQUIREMENTS:

IBM™ compatible PC with 200MHz processor computer.
32 MB of RAM minimum
32-bit Windows OS (9x, Me, NT, 2000, XP)
15 to 80MB free hard disk space (depending on edition used and options selected)
CD Rom

ORDERING CODES:

| | |
|------------------------|--|
| PRINTEASY-BASIC | Supports Laser and Inkjet printers only |
| PRINTEASY-ECC4 | Supports Laser, Inkjet, T208M, T212M, TTP-ECC4 and BTT-02 printers only |
| PRINTEASY-PRO | Support all Tyco printers and Windows drivers. |
| PRINTEASY-SUITE | Support all Tyco printers and Windows drivers with the following extra modules: Database Designer: - dbase and Paradox database for design of simple databases. Front End Designer: - Module for the design of user masks plus navigation for the user. Remote Control Designer: - Module to watch over directories, COM-Ports and E-Mails and automatic start of print jobs or special defined actions.. Memory Card Wizard: - Program to format, download and edit memory cards (only for TD03/E, TD04/E, TD05/E and TD06/E printers). |
| PrintEasy-NET05 | Network version of the PrintEasy Suite with 5 licenses |
| PrintEasy-NET10 | Network version of the PrintEasy Suite with 10 licenses |

Page 4 of 4

Business locations:

☎ N America: + 1 650 361 3860 (West Coast)
☎ France: +33 (0) 476 099696 (Labels)
☎ Germany: + 49 (0) 6074 89080
☎ UK: + 44 (0) 1495 244000 (Labels)
☎ Japan: + 81 (0) 44 900 5102

☎ N America: + 1 401 751 6505 (East Coast)
☎ France: + 33 (0) 134 20 21 22 (Other products)
☎ UK: + 44 (0) 1793 528 171 (Other products)
☎ Singapore: + 65 (0) 4866 151

All the above information, including illustrations, is believed to be reliable. Users, however, should independently evaluate the suitability of each product for their application. Tyco Electronics makes no warranties as to the accuracy or completeness of the information and disclaims any liability regarding its use. Tyco Electronics only obligations are those in the Standard Terms and Conditions of Sale for this product and in no case will Tyco Electronics be liable for any incidental, indirect or consequential damages arising from the sale, resale, use or misuse of the product. Tyco Electronics Specifications are subject to change without notice. In addition Tyco Electronics reserves the right to make changes in materials or processing, without notification to the Buyer, which do not affect compliance with any applicable specification.