Thomas@Betts





18RAD-18277

UPC Number: 78621081892 Status: Active

Description:

Nylon-Insulated Female Disconnect, Length .89 Inches, Width .30 Inches, Maximum Insulation .150, Tab Size .187x.020 Wire Range #22-#18 AWG, Color Red, Copper, Tin Plated




US Cutsheet PDF Catalog Link http://www-public.tnb.com/contractor/docs/

stakon.pdf

Features

Quick, reliable method of connection to terminal blocks and boards without the use of tools. Unique

	blocks and boards without the use of tools. Unique construction of the female disconnect offers long-term dependability.
General	
Disconnect Type	Female - 187 Series
Insulation Type	Fully Insulated Nylon
Terminal Series	RAD
Material	Brass
Finish	Electro -Tin Plated
Color	Red
Wire Range	22-18
Tab Size	.187 x .020
Dimension Information	
Maximum Insulation (inches)	.150
Stock Thickness	.03
A (inches)	.89
B (inches)	.30
Specifications	
Temperature Rating	105°C
Voltage Rating	600V
Flammability Rating	UL 94 V-2
Tooling	
Tool Charts	Available on Website
Application Tools	WT145C, WT2000, WT112M, ERG4001, ERG4003
Recommended Tool	ERG4001
Packaging	
T&B Order Multiple	100
T&B Inner Pack	100
Package in Units	500
Package Type	Standard
T&B Sold in UOM	Each
T&B Weight Per UOM	3.13 lbs. per 1000
Alternate Package Qty	RAD18277
Application Support	
Overview	Available on Website
Wire Guide Tables	Available on Website





Certifications

RoHS Compliance

Yes

Certifications





File Nbr: E66716

For further technical assistance, please contact us...

T&B Technical Support MS 3B-50 8155 T&B Blvd. Memphis, TN 38125 Hours: 7AM - 6PM CDT Monday-Friday Phone: (888) 862-3289 Fax: (901) 252-1321

Email:techsupport@tnb.com

Thomas & Betts - USA 8155 T&B Blvd. Memphis, TN 38125 www.tnb.com