Thomas@Betts





RA18-4

UPC Number: 78621080384

Status: Active

Description:

Nylon Insulated Ring Terminal, Length .72 Inches, Width .23 Inches, Maximum Insulation .136, Bolt Hole #4, Wire Range #22-#16 AWG, Color Red, Copper, Tin Plated



US Cutsheet PDF Catalog Link http://www-public.tnb.com/contractor/docs/

stakon.pdf

Features

Package Type

T&B Sold in UOM

T&B Weight Per UOM

Alternate Package Qty

Application Support

Self-insulated with high dieletric-strength nylon tor and


	sleeves. An inner bronze insulation grip sle
	lengthens the flexing radius of the conductor
	eliminates conductor creep.
General	
Insulation Type	Insulated Nylon
Terminal Series	RA
Material	Copper
Finish	Electro -Tin Plated
Color	Red
Wire Range	22-16
Stud Size	#4
Dimension Information	
Maximum Insulation (inches)	.136
Stock Thickness	.03
A (inches)	.72
B (inches)	.23
C (inches)	.14
M (inches)	.61
Specifications	
Tomporatura Dating	105°C
Temperature Rating	600V
Voltage Rating	UL 94 V-2
Flammability Rating	OL 94 V-2
Tooling	
Tool Charts	Available on Website
Application Tools	WT2000, WT112M, WT145C, ERG4001,
	ERG4003, WT145A
Recommended Tool	ERG4001
Packaging	
T&B Order Multiple	100
T&B Inner Pack	100
Package in Units	500

Standard

1.88 lbs. per 1000

Each

RA323





Overview	Available on Website
Wire Guide Tables	Available on Website
Certifications	
RoHS Compliance	Yes







File Nbr: E9809

For further technical assistance, please contact us...

T&B Technical Support MS 3B-50 8155 T&B Blvd. Memphis, TN 38125 Hours: 7AM - 6PM CDT Monday-Friday Phone: (888) 862-3289 Fax: (901) 252-1321

Email:techsupport@tnb.com

Thomas & Betts - USA 8155 T&B Blvd. Memphis, TN 38125 www.tnb.com