

FO PCB terminal block - FOPT 2,2-T - 1907911


Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



PCB terminal block, Pitch: 10.16 mm, Number of positions: 1, Connection method: Push-in spring connection, Mounting: Wave soldering, Conductor/PCB connection direction: 0 °, Color: green, Green housing with transmit diode/fiber optics that can be connected: polymer fiber (according to IEC 60793-2 type A4a, diameter of outer sheath: 2.2 mm)/data rate: 5 Mbps/transmission distance: max. 50 m/detailed data sheet on request

Why buy this product

- Connection without fiber pretreatment, easy cutting using IBS RL FOC fiber cutter
- Bend protection sleeve supplied as standard
- Stability thanks to additional strain relief
- More user friendly thanks to direct plug-in technology with release button
- Integrated transmit and receive diode



Key Commercial Data

Packing unit	10 pc
Minimum order quantity	10 pc
GTIN	 4 017918 606237
Weight per Piece (excluding packing)	3.56 g
Custom tariff number	85369010
Country of origin	Poland

Technical data

Dimensions

Pitch	10.16 mm
Constructional height	11 mm

General

Range of articles	FOPT
Connection in acc. with standard	EN-VDE
Nominal cross section	0 mm ²
Solder pin surface	Sn
Flammability rating according to UL 94	HB

FO PCB terminal block - FOPT 2,2-T - 1907911

Technical data

General

Number of positions	1
---------------------	---

Standards and Regulations

Connection in acc. with standard	EN-VDE
Flammability rating according to UL 94	HB

Classifications

eCl@ss

eCl@ss 4.0	272607xx
eCl@ss 4.1	27260701
eCl@ss 5.0	27260701
eCl@ss 5.1	27260701
eCl@ss 6.0	27260704
eCl@ss 7.0	27440402
eCl@ss 8.0	27440401
eCl@ss 9.0	27440401

ETIM

ETIM 3.0	EC001121
ETIM 4.0	EC002637
ETIM 5.0	EC002643

UNSPSC

UNSPSC 6.01	30211832
UNSPSC 7.0901	39121429
UNSPSC 11	39121429
UNSPSC 12.01	39121429
UNSPSC 13.2	39121429

Approvals

Approvals

Approvals

EAC

Ex Approvals

Approvals submitted

FO PCB terminal block - FOPT 2,2-T - 1907911


Approvals

Approval details


EAC

Drawings


Drilling diagram



Dimensional drawing



Circuit diagram



FO PCB terminal block - FOPT 2,2-T - 1907911

Block diagram

