



CorePro LEDspot MV

CorePro LEDspotMV D 5-60W 827 R50 36D

CorePro LEDspots are a perfect fit for spot lighting and deliver warm halogen-like light. They are compatible with most existing fixtures with a GU10 or E14 holder and are designed as a retrofit replacement for halogen or incandescent spots. LEDlamps deliver huge energy savings and minimize maintenance cost.

Product data


General Information		Power (Rated) (Nom)	
Cap-Base	E14 [E14]		5 W
Bulb Shape	R50 [R 50mm]	Lamp Current (Nom)	27 mA
Nominal Lifetime (Nom)	15000 h	Wattage Equivalent	60 W
Switching Cycle	50000X	Starting Time (Nom)	0.5 s
Technical Type	5-60W	Warm Up Time To 60% Light (Nom)	1 s
		Power Factor (Nom)	0.5
		Voltage (Nom)	220-240 V
Light Technical		Temperature	
Color Code	827 [CCT of 2700K]	T-Case Maximum (Nom)	82 °C
Beam Angle (Nom)	36 °		
Luminous Intensity (Nom)	735 cd	Controls and Dimming	
Color Designation	Warm White (WW)	Dimmable	Yes
Rated Beam Angle	36 °		
Correlated Color Temperature (Nom)	2700 K	Approval and Application	
Luminous Efficacy (rated) (Nom)	64.00 lm/W	Energy Saving Product	Yes
Color Consistency	<6	Suitable For Accent Lighting	Yes
Color Rendering Index (Nom)	80	Energy Efficiency Label (EEL)	A+
LLMF At End Of Nominal Lifetime (Nom)	70 %	Energy Consumption kWh/1000 h	5 kWh
Luminous Flux In 90° Cone (Rated)	320 lm		
Operating and Electrical		Product Data	
Input Frequency	50 to 60 Hz	Full product code	871869657853700

CorePro LEDspot MV

Order product name	CorePro LEDspotMV D 5-60W 827 R50 36D
EAN/UPC - Product	8718696578537
Order code	929001236002
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	6

Material Nr. (12NC)	929001236002
Net Weight (Piece)	0.045 kg

Dimensional drawing




Product	D	C
CorePro LEDspotMV D 5-60W 827 R50 36D	51 mm	81 mm

R50 220-240V 6W-60W 319lm 2700K E14 D

Photometric data

Accent Lighting - Spots



2016-02-16

