KEMET Part Number: CBR04C220J5GAC

(CBR04C220J5GACTU)

W


Т

В

Packaging Quantity:



Ceramic, High Q, Microwave (CBR), 22 pF, 5%, 50 V, 0402, C0G, SMD, Fixed, RF, Ultra High Q, Low ESR, Class I



Cermiches SIMOS 6 pt 14 st data to, 8 At 15 to record			Features:	Ultra High Q, Low ESR, Class I
			RoHS:	Yes
			Termination:	Tin
			Marking:	No
			Miscellaneous:	Minimum Q = 1240
			Notes:	Solder Reflow Only
		_]		
Dimensions				
L	1mm +/-0.05mm		Specifi	cations

0.5mm +/-0.05mm

0.5mm +/-0.05mm

0.25mm +0.05/-0.1mm

Packaging Specifications			
Packaging:	T&R, 180mm, Plastic Tape		

10000

Specifications			
Capacitance:	22 pF		
Capacitance Tolerance:	5%		
Voltage DC:	50 VDC		
Temperature Range:	-55/+125C		
Temperature Coefficient:	COG		
Dissipation Factor:	0.119%		
Aging Rate:	0% Loss/Decade Hour		
Insulation Resistance:	10 GOhms		
Dielectric Strength:	125 V		
Quality Factor:	1240		

General Information

SMD Chip

0402

Microwave (CBR)

Low ESR, Class I

SMD, Fixed, RF, Ultra High Q,

Style:

Series:

Chip Size:

Description:

Statements of suitability for certain applications are based on our knowledge of typical operating conditions for such applications, but are not intended to constitute - and we specifically disclaim - any warranty concerning suitability for a specific customer application or use. This Information is intended for use only by customers who have the requisite experience and capability to determine the correct products for their application. Any technical advice inferred from this Information or otherwise provided by us with reference to the use of our products is given gratis, and we assume no obligation or liability for the advice given or results obtained.

