

**Productname :** 3H OIL FG  
**Ref.Nr.:** UDS000637\_3\_20170110 (EN)

**Creationdate :** 10.01.17 Version : 1.0  
**Replaces:** UDS000637\_20130226

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

**3H OIL FG**  
Bulk

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Lubricants

### 1.3. Details of the supplier of the safety data sheet

CRC Industries UK Ltd.  
Ambersil House - Wylds Road  
Castlefield Industrial Estate  
TA6 4DD Bridgwater Somerset  
United Kingdom  
Tel.: +44 1278 727200  
Fax.: +44 1278 425644  
E-mail : hse.uk@crcind.com

### 1.4. Emergency telephone number

(+44)(0)1278 72 7200 (office hours)

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008

<b>Physical:</b>	None
<b>Health:</b>	Aspiration Hazard Category 1 May be fatal if swallowed and enters airways.
<b>Environment:</b>	Not classified
<b>Other hazards :</b>	None
<b>Other hazards :</b>	Not classified

### 2.2. Label elements

#### Labelling according to Regulation (EC) No 1272/2008

<b>Product identifier:</b>	white mineral oil (petroleum) EC N°: 232-455-8
----------------------------	---



**Productname :** 3H OIL FG  
**Ref.Nr.:** UDS000637\_3\_20170110 (EN)

**Creationdate :** 10.01.17 Version : 1.0  
**Replaces:** UDS000637\_20130226

**Hazard pictogram(s):**

<b>Signal word:</b>	Danger
<b>Hazard statement(s):</b>	H304 : May be fatal if swallowed and enters airways.
<b>Precautionary statement(s):</b>	P101 : If medical advice is needed, have product container or label at hand. P102 : Keep out of reach of children. P301/310 : IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. P331 : Do NOT induce vomiting. P501-2 : Dispose of contents/container to an authorised waste collection point.
<b>Supplemental Hazard information:</b>	None

**2.3. Other hazards**

None

**SECTION 3: Composition/information on ingredients****3.1. Substances**

white mineral oil (petroleum)

Hazardous ingredient	Registration number	CAS-nr.	EC-nr	w/w %	Hazard Class and Category	Hazard statement	Notes
white mineral oil (petroleum)	01-2119487078-27	8042-47-5	232-455-8	60-100		-	B
<b>Explanation notes</b>							
B : substance with national established workplace exposure limit							

(\* Explanation phrases : see chapter 16)

**3.2. Mixtures**

Not applicable.

**SECTION 4: First aid measures****4.1. Description of first aid measures**

<b>Contact with eyes :</b>	If substance has got into eyes, immediately wash out with plenty of water for several minutes Seek medical attention if irritation persists
<b>Contact with skin :</b>	Wash with water and soap. Seek medical attention if irritation persists
<b>Inhalation :</b>	Fresh air, keep warm and at rest. Seek medical attention if ill effects occur
<b>Ingestion :</b>	If swallowed do not induce vomiting Seek medical advice

**4.2. Most important symptoms and effects, both acute and delayed**

2 / 8

**CRC Industries UK Limited**  
 Ambersil House, Wylds Road, Castlefield Industrial Estate, Bridgwater,  
 Somerset, TA6 4DD  
 Tel: +44 (0)1278 727200 Fax: +44 (0)1278 425644 web: www.ambersil.com

**Productname :** 3H OIL FG  
**Ref.Nr.:** UDS000637\_3\_20170110 (EN)

**Creationdate :** 10.01.17 Version : 1.0  
**Replaces:** UDS000637\_20130226

<b>Inhalation :</b>	Excessive inhalation of solvent vapours may give rise to nausea, headaches and dizziness
<b>Ingestion :</b>	After vomiting of swallowed product aspiration into lungs is likely. Solvents may induce chemical pneumonia. Symptoms : sore throat, abdominal pain, nausea, vomiting
<b>Skin contact :</b>	Mildly irritating to skin Symptoms : redness and pain
<b>Eye contact :</b>	Mildly irritating to eyes Symptoms : redness and pain

#### 4.3. Indication of any immediate medical attention and special treatment needed

**General Advice :** If you feel unwell, seek medical advice (show the label where possible)  
If symptoms persist always call a doctor

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

water, foam, carbon dioxide or dry agent

#### 5.2. Special hazards arising from the substance or mixture

Forms hazardous decomposition products  
CO,CO2

#### 5.3. Advice for firefighters

Evacuate the area  
Keep container(s) exposed to fire cool, by spraying with water  
Do not allow to enter public sewers and watercourses  
In case of fire, do not breathe fumes

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Shut off all ignition sources  
Ensure adequate ventilation  
Wear suitable protective clothing including eye/face protection.

#### 6.2. Environmental precautions

Shut off source of leak if safe to do so  
Do not allow to enter public sewers and watercourses  
If polluted water reaches drainage systems or water courses, immediately inform appropriate authorities

#### 6.3. Methods and material for containment and cleaning up



3 / 8

**CRC Industries UK Limited**  
Ambersil House, Wylds Road, Castlefield Industrial Estate, Bridgwater,  
Somerset, TA6 4DD  
Tel: +44 (0)1278 727200 Fax: +44 (0)1278 425644 web: www.ambersil.com

**Productname :** 3H OIL FG  
**Ref.Nr.:** UDS000637\_3\_20170110 (EN)

**Creationdate :** 10.01.17 Version : 1.0  
**Replaces:** UDS000637\_20130226

Absorb spillage in suitable inert material

#### 6.4. Reference to other sections

For further information see section 8

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Keep away from heat and sources of ignition  
It is advisable to take precautions to avoid contact with skin and eyes when handling the product.  
Ensure adequate ventilation  
Avoid contact with skin and eyes.  
Wash thoroughly after use  
Wear protective gloves/protective clothing/eye protection/face protection.

#### 7.2. Conditions for safe storage, including any incompatibilities

Keep container tightly closed, in a cool, well ventilated place.  
Keep out of reach of children.

#### 7.3. Specific end use(s)

Lubricants

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### Exposure limits :

No information available

#### 8.2. Exposure controls

<b>Control procedures :</b>	Ensure adequate ventilation Keep away from heat and sources of ignition
<b>Personal protection :</b>	Take precautions to avoid contact with skin and eyes when handling the product. Ensure adequate ventilation
<b>inhalation :</b>	In case of insufficient ventilation, wear suitable respiratory equipment.
<b>hands and skin :</b>	Wear suitable protective gloves
Recommended gloves:	Nitrile
<b>eyes :</b>	Wear safety goggles according to EN 166.

### SECTION 9: Physical and chemical properties



4 / 8

**CRC Industries UK Limited**  
Ambersil House, Wylds Road, Castlefield Industrial Estate, Bridgwater,  
Somerset, TA6 4DD  
Tel: +44 (0)1278 727200 Fax: +44 (0)1278 425644 web: www.ambersil.com

**Productname :** 3H OIL FG  
**Ref.Nr.:** UDS000637\_3\_20170110 (EN)

**Creationdate :** 10.01.17 Version : 1.0  
**Replaces:** UDS000637\_20130226

### 9.1. Information on basic physical and chemical properties

**Apperance : physical state :** Liquid.  
**colour :** Colorless.  
**odour :** Odorless.  
**pH :** Not applicable.  
**Boiling point/range :** Not available.  
**Flash point :** > 182 °C  
**Evaporation rate :** Not available.  
**Explosion limits : upper limit :** 7.0 %  
**lower limit :** 0.9 %  
**Vapour pressure :** < 0.013 kPa (@ 20°C).  
**Relative density :** 0.850 g/cm<sup>3</sup> (@ 20°C).  
**Solubility in water :** Insoluble in water  
**Auto-ignition :** Not available.  
**Viscosity :** 14.5-17.5 mm<sup>2</sup>/s

### 9.2. Other information

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No hazardous reactions known if used for its intended purpose

### 10.2. Chemical stability

Stable

### 10.3. Possibility of hazardous reactions

No hazardous reactions known if used for its intended purpose

### 10.4. Conditions to avoid

Avoid overheating

### 10.5. Incompatible materials

Strong oxidising agent

### 10.6. Hazardous decomposition products

CO,CO<sub>2</sub>

## SECTION 11: Toxicological information



5 / 8

**CRC Industries UK Limited**  
Ambersil House, Wylds Road, Castlefield Industrial Estate, Bridgwater,  
Somerset, TA6 4DD  
Tel: +44 (0)1278 727200 Fax: +44 (0)1278 425644 web: www.ambersil.com

**Productname :** 3H OIL FG  
**Ref.Nr.:** UDS000637\_3\_20170110 (EN)

**Creationdate :** 10.01.17 Version : 1.0  
**Replaces:** UDS000637\_20130226

### 11.1. Information on toxicological effects

#### Information on likely routes of exposure:

<b>Inhalation :</b>	Inhalation of solvent vapours may give rise to nausea, headaches and dizziness
<b>Ingestion :</b>	If swallowed do not induce vomiting because of risk of aspiration into the lungs. If aspiration is suspected obtain immediate medical attention May induce chemical pneumonia.
<b>Skin contact :</b>	Prolonged skin contact will result in defatting of the skin, leading to irritation, and in some cases, dermatitis
<b>Eye contact :</b>	May cause irritation.

#### Toxicological data :

Hazardous ingredient	CAS-nr.	method	
white mineral oil (petroleum)	8042-47-5	LD50 oral rat	> 5000 mg/kg
		LC50 inhal.rat	> 5 mg/l
		LD50 derm.rabit	> 2000 mg/kg

## SECTION 12: Ecological information

### 12.1. Toxicity

#### Ecotoxicological data:

No information available

### 12.2. Persistence and degradability

Inherently biodegradable.

### 12.3. Bioaccumulative potential

Potentially bioaccumulable

### 12.4. Mobility in soil

Insoluble in water

### 12.5. Results of PBT and vPvB assessment

No information available

### 12.6. Other adverse effects

No information available



6 / 8

**CRC Industries UK Limited**  
Ambersil House, Wylids Road, Castlefield Industrial Estate, Bridgwater,  
Somerset, TA6 4DD  
Tel: +44 (0)1278 727200 Fax: +44 (0)1278 425644 web: www.ambersil.com

**Productname :** 3H OIL FG  
**Ref.Nr.:** UDS000637\_3\_20170110 (EN)

**Creationdate :** 10.01.17 Version : 1.0  
**Replaces:** UDS000637\_20130226

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

**Product :** This material and its container must be disposed of in a safe way.  
Do not discharge into drains or the environment, dispose to an authorised waste collection point.

**Contaminated packaging :** Disposal should be in accordance with local, state or national legislation

## SECTION 14: Transport information

### 14.1. UN number

UN-number : Not classified as hazardous for transport

### 14.2. UN proper shipping name

Proper shipping name: Not applicable.

### 14.3. Transport hazard class(es)

Class: Not applicable.  
ADR/RID - Classification code: Not applicable.

### 14.4. Packing group

Packing group: Not applicable.

### 14.5. Environmental hazards

ADR/RID - Environmentally hazardous: No  
IMDG - Marine pollutant: No  
IATA/ICAO - Environmentally hazardous: No

### 14.6. Special precautions for user

IMDG - Ems: Not applicable.

### 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable.

## SECTION 15: Regulatory information



7 / 8

**CRC Industries UK Limited**  
Ambersil House, Wylds Road, Castlefield Industrial Estate, Bridgwater,  
Somerset, TA6 4DD  
Tel: +44 (0)1278 727200 Fax: +44 (0)1278 425644 web: www.ambersil.com

<b>Productname :</b> 3H OIL FG	<b>Creationdate :</b> 10.01.17 Version : 1.0
<b>Ref.Nr.:</b> UDS000637_3_20170110 (EN)	<b>Replaces:</b> UDS000637_20130226

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

The Safety Data Sheet is compiled according to the current European requirements.  
EU-directive 67/548/EEC  
Regulation (EC) No 1272/2008 (CLP)  
Regulation (EC) No 1907/2006 (REACH)

**15.2. Chemical safety assessment**

No information available

**SECTION 16: Other information**

\*Explanation hazard statements: - : -

This product should be stored, handled and used in accordance with good industrial hygiene practices and in conformity with any legal regulation.

The information contained herewith is based on the present state of our knowledge and is intended to describe our products from the point of view of safety requirements. It does not guarantee any specific properties. Apart from any fair dealing for purposes of study, research and review of health, safety and environmental risks, no part of these documents may be reproduced by any process without written permission from CRC.