Single Bench DC Power Supply





## Features:

- Complete digital control
- 10mV / 1mA resolution
- Low noise and ripple
- CV / CC constant voltage and constant current mode
- OCP and OVP settings, constant protection mode
- 5 sets of parameters can be stored and recalled
- · Output switch control
- · Power-off memory function
- Keyboard lock function

## **Specifications:**

| Voltage Range / Current Range  | 0 - 30V / 0 - 3A  |  |
|--------------------------------|---|--|
| Load Regulation                | Voltage : ≤0.01% +2mV / Current : ≤0.1% +5mA  |  |
| Line Regulation                | Voltage : ≤0.01% +3mV / Current : ≤0.1% +3mA  |  |
| Setup Resolution               | Voltage : 10mV / Current : 1mA  |  |
| Setup Accuracy (25°C ±5°C)     | Voltage : ≤0.5% +20mV / Current : ≤0.5% +5mA  |  |
| Ripple (20Hz - 20MHz)          | Voltage : ≤1mVrms / Current : ≤3mArms   |  |
| Temp. Coefficient              | Voltage : ≤100ppm +10mV / Current : ≤100ppm +5mA  |  |
| Read Back Accuracy             | Voltage : 10mV / Current : 1mA  |  |
| Read Back Temp. Coefficient    | Voltage : ≤100ppm +10mV / Current : ≤100ppm +5mA  |  |
| Reaction Time (10% Rated load) | Voltage : ≤100mS / Current : ≤100mS   |  |
| Operation Environment          | Indoor use<br>Altitude : ≤ 2,000m<br>Ambient temperature : 0°C to 40°C<br>Relative humidity : ≤ 80% |  |
| Weight and Dimension           | 3.5kg / 110mm(W) × 156mm(H) × 260mm(D)  |  |
| Storage Environment            | Ambient temperature : -10°C to +70°C<br>Relative humidity : ≤ 70%                                   |  |
| Accessories                    | User manual, UK Power cord (1.2m), Euro Power cord (1.2m)   |  |

Note: Input Voltage : 230V ±10%

## Part Number Table

| Description                             | Part Number |
|---|-------------|
| DC Power Supply, Bench, Single, 3A, 30V | 72-10480    |

Important Notice : This data sheet and its contents (the "Information") belong to the members of the Premier Farnell group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. Terma is the registered trademark of the Group. © Premier Farnell pic 2012.

www.element14.com www.farnell.com www.newark.com www.cpc.co.uk www.mcmelectronics.com

