Heat Shrink Tubing Assortment

multicomp

RoHS Compliant




Description

The heat shrinkable protection tube, which provides insulation protection for wire, cable and wire terminals. It has high temperature shrinkage, soft flame retardant, insulation corrosion functions and so on. It is widely used in the insulation protection for all kinds of wire, welding point and inductance and the rust and corrosion for metal pipes.

Specifications

Material Working Temperature Longitudinal Shrinkage Shrink Temperature Shrinking Ratio Flammability : Polyethylene
: -55°C to +135°C
: ≦5%
: Start at 70°C and shrink totally at 135°C
: 2:1
: VW-1

Diagram



As Supplied		After Recovery		Cutting Longth	Paaking	
I.D. (D)	Average Wall Thickness (H)	l.D. (d)	Wall Thickness (h)	Cutting Length (L)	Packing (pcs/pack)	
6.5 ±0.2	0.28 ±0.05	≤3	0.55 ±0.1	152.4	5	
13.5 ±0.3	0.35 ±0.1	≤6.5	0.65 ±0.1	152.4	5	16
19 ±0.5	0.4 ±0.15	≤9	0.8 ±0.15	152.4	6	

Dimensions : Millimetres

Part Number Table

Description	Part Number		
Heat Shrink Tubing Assortment, 16 Pieces	MC001766		

Important Notice : This data sheet and its contents (the "Information") belong to the members of the Premier Farnell group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage raising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. Multicomp is the registered trademark of the Group. © Premier Farnell Limited 2016.

www.element14.com www.farnell.com www.newark.com

