

## Electronic housing - ME 22,5 UT/FE GN - 2907114

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)




Component housing with vents, Lower part, Cross connection: without bus connector, Color: green, Width: 22.5 mm, Constructional height: 114.5 mm

### Why buy this product

- Item is from the ME product range
- Tool-free mounting
- Available in overall widths from 12.5 mm to 90 mm, modular extension is possible
- Inflammability class V0 according to UL 94
- Variety of connection technologies
- Can be mounted on the DIN rail
- Optional bus connector that is either integrated or mounted on the DIN rail

### Key Commercial Data

Packing unit	10 STK
Minimum order quantity	10 STK
GTIN	 4 017918 126605
GTIN	4017918126605
Weight per Piece (excluding packing)	44.030 g
Custom tariff number	85472000
Country of origin	Germany

### Technical data

#### General

Housing type	Component housing
Housing material	Polyamide
Color	green

#### Ambient conditions

Ambient temperature (operation)	-40 °C ... 105 °C (depending on power dissipation)
---------------------------------	--

# Electronic housing - ME 22,5 UT/FE GN - 2907114

## Technical data

### Dimensions

Length	99 mm
Constructional height	114.5 mm
Width	22.5 mm

### Technical data

Flammability rating according to UL 94	V0
Power dissipation without gap	6.1 W
Power dissipation with 20 mm gap	12.1 W
Number of positions	16
	24

### Standards and Regulations

Flammability rating according to UL 94	V0
--	----

### Environmental Product Compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

## Classifications

### eCl@ss

eCl@ss 4.0	27180401
eCl@ss 4.1	27180401
eCl@ss 5.0	27180506
eCl@ss 5.1	27180506
eCl@ss 6.0	27180802
eCl@ss 7.0	27182702
eCl@ss 8.0	27182702
eCl@ss 9.0	27182702

### ETIM

ETIM 2.0	EC001031
ETIM 3.0	EC001031
ETIM 4.0	EC001031
ETIM 5.0	EC001031
ETIM 6.0	EC001031

### UNSPSC

UNSPSC 6.01	31261501
UNSPSC 7.0901	31261501
UNSPSC 11	31261501
UNSPSC 12.01	31261501
UNSPSC 13.2	31261501

## Electronic housing - ME 22,5 UT/FE GN - 2907114

### Approvals

#### Approvals

---

Approvals

UL Recognized

---

Ex Approvals

---

#### Approval details

UL Recognized



<http://database.ul.com/cgi-bin/XYV/template/LISEXT/1FRAME/index.htm>

FILE E 240868

### Accessories

#### Accessories

##### Mounting material

Electronic housing - ME LPZS - 2906911



Component housing

---

#### Necessary add-on products

Electronic housing - ME 22,5 OT-1MSTBO GN - 2709558



Component housing, Upper part, Color: green, Width: 22.5 mm, Constructional height: 38.5 mm

---

Electronic housing - ME 22,5 OT-MSTBO GN - 2907169



Component housing, Upper part, Color: green, Width: 22.5 mm, Constructional height: 38.5 mm

---

## Electronic housing - ME 22,5 UT/FE GN - 2907114

### Accessories

Electronic housing - ME 22,5 OT-MKDSO GN - 2907172



Component housing, Upper part, Color: green, Width: 22.5 mm, Constructional height: 38.5 mm

---

Electronic housing - ME 22,5 OTU-MKDSO GN - 2278966



Component housing, Upper part, Color: green, Width: 22.5 mm, Constructional height: 38.5 mm

---

Electronic housing - ME 22,5 OT-3MSTBO GN - 2735962



Component housing, Upper part, Color: green, Width: 22.5 mm, Constructional height: 51.5 mm

---

---