

Plug - ME 18,8 TBUS 1,5/5 VPE1 KMGY - 2202549

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)




Bus connector to connect ME-IO modules on the DIN rail; suitable for ME-IO DEV-KITS; contains ME 18,8 TBUS 1,5/ 5

Why buy this product

- ✓ DIN rail connector with overall width of 18.8 mm with 5 positions (parallel)
- ✓ Up to 8 A per position can be transmitted
- ✓ Can be used up to 125 V

RoHS

Key Commercial Data

Packing unit	1 STK
GTIN	 4 055626 142654
GTIN	4055626142654
Weight per Piece (excluding packing)	6.500 g
Custom tariff number	85366990
Country of origin	Germany

Technical data

General

Housing type	Component housing
Housing material	Polyamide
Color	light gray

Ambient conditions

Ambient temperature (operation)	-40 °C ... 105 °C (dependent on the derating curve)
---------------------------------	---

Dimensions

Width	18.8 mm
Pitch	3.81 mm

Technical data

Plug - ME 18,8 TBUS 1,5/5 VPE1 KMGY - 2202549

Technical data

Technical data

Flammability rating according to UL 94	V0
Number of positions	5

Standards and Regulations

Flammability rating according to UL 94	V0
--	----

Environmental Product Compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Classifications

eCl@ss

eCl@ss 4.0	27180401
eCl@ss 4.1	27180401
eCl@ss 5.0	27180506
eCl@ss 5.1	27180506
eCl@ss 6.0	27260704
eCl@ss 7.0	27440402
eCl@ss 8.0	27182702
eCl@ss 9.0	27182702

ETIM

ETIM 2.0	EC001031
ETIM 3.0	EC001031
ETIM 4.0	EC002638
ETIM 5.0	EC001031
ETIM 6.0	EC001031

UNSPSC

UNSPSC 6.01	31261501
UNSPSC 7.0901	31261501
UNSPSC 11	31261501
UNSPSC 12.01	31261501
UNSPSC 13.2	31261501

Approvals

Approvals

Approvals

EAC

Plug - ME 18,8 TBUS 1,5/5 VPE1 KMGY - 2202549

Approvals

Ex Approvals

Approval details

EAC		B.01742
-----	---	---------

Accessories

Additional products

Electronic housing - ME-IO 18,8 DEV-KIT KMGY - 2202527



DEV-KIT ME-IO: contains 1 x ME-IO 18,8 housing and pluggable connection technology (HSCH with HSCP), supplied in individual parts

PCB - ME-IO 18,8/28 TBUS DEV-PCB - 2202548

Perfboard for the ME-IO 18,8 DEV-KIT; for HSCH 2,5 header; ideal for manual soldering

