

# Thunderbolt 3 to Dual DisplayPort Adapter - 4K 60Hz - Mac and Windows Compatible

Product ID: TB32DP2T



This high-performance Thunderbolt™ 3 adapter lets you add two 4K 60Hz DisplayPort monitors to your Windows® or Mac computer through a single Thunderbolt 3 port, or it can be used to connect your Thunderbolt 3 port to a 5K 60Hz display using two DP cables.

The Thunderbolt video adapter is compatible with computer systems that support Thunderbolt 3, such as models of MacBook Pro, Dell™ Precision, and Dell XPS. Thunderbolt 3 is a protocol that uses the USB-C™ connector, but your computer system must support Thunderbolt 3 in order for the adapter to function as expected. If you connect the adapter to a USB-C port that does not support Thunderbolt 3, the adapter will not function.





## Connect two UHD 4K displays to your computer at 60Hz resolution

With an unprecedented 40Gbps of throughput, Thunderbolt 3 enables you to achieve the previously impossible feat of using a single port on your laptop to output dual 4K resolution at 60Hz to two independent displays. This performance enables you to run the most resource-demanding applications imaginable on two independent displays. You can output independent content to each display at resolutions of up to 4096 x 2160p



(60Hz), which is perfect for editing 4K video or performing other Ultra HD tasks such as creating CAD drawings or reviewing medical imagery.

# Connect a 5K display to your computer at 60Hz resolution

For added versatility, the Thunderbolt 3 adapter can be used to connect two DisplayPort channels to a single 5K display. Using a Thunderbolt 3 adapter is the only way to connect a 5K display to computers that don't have multiple DP or Thunderbolt 3 ports, such as your Dell Precision 15 3000 Series workstation.



# Supports dual 4K displays to work more efficiently

Functioning as an external 2-port graphics adapter with audio support, this is a compact and convenient alternative to a laptop dock when you don't need full docking capability.



### **Data Sheet**

With two UHD 4K displays, you can work more efficiently from your laptop, so you can accomplish more in the same amount of time. Plus, with each display delivering 4K performance, you can have four times the screen space compared to 1080p. Creative professionals can be more productive with the freedom to edit 4K video on one display while previewing raw video playback on the second 4K display.

#### Won't drain system resources

This adapter helps to keep your system running at peak performance. Unlike USB external video solutions, Thunderbolt 3 lets you run Ultra HD 4K resolution at 60Hz on both displays without draining system resources.

Because it's backward compatible with your high-definition 1080p displays, this is a great accessory for home, office or other desktop workspace applications.

The TB32DP2T is backed by a 2-year StarTech.com warranty and free lifetime technical support.



Your computer's Thunderbolt 3 ports might not function properly until you update one or more of the following on your computer:

- BIOS
- Thunderbolt firmware
- Thunderbolt 3 controller drivers
- Thunderbolt 3 software

The required updates will vary depending on your computer.

For an up-to-date list of affected computers and instructions, visit http://thunderbolttechnology.net/updates. If your manufacturer isn't listed on the Thunderbolt website, contact your manufacturer.

#### Notes:

•

If you're using a video adapter to connect this device to a monitor other than DisplayPort, such as HDMI or VGA, an active video adapter is required.

•



# **Data Sheet**

In order to connect to two displays at 4K 60Hz, your computer system must have a fully enabled Thunderbolt 3 port that supports up to 40Gbps.





# Certifications, Reports and Compatibility













#### **Applications**

- Connect your computer to two 4K monitors
- Use your Thunderbolt 3 computer to connect to a 5K display
- Design high-resolution, graphic-intensive content, such as CAD drawings and Photoshop graphic images
- Create and edit 4K video while using resource-intensive software
- Multitask by previewing your raw output content on a second 4K display
- Connect to different systems with 4K or 1080p displays for hot desking in BYOD office applications
- Use one screen for reference data such as websites, while composing
  4K content on your other screen
- Span a spreadsheet or worksheet across multiple displays to avoid side-scrolling
- Access panoramic views that are built into software applications,
  while viewing helpful tutorial content on your laptop monitor
- Connect your MacBook Pro, Dell XPS or Dell Precision to two external DP monitors

#### **Features**

- Connect two UHD 4K 60Hz displays to your computer through a single Thunderbolt 3 port
- Add a 5K 60Hz display to your computer by connecting two DP cables to a single Thunderbolt 3 port
- Works on Mac and Windows computers
- Thunderbolt Certified
- Run resource demanding applications on 4K displays at 60Hz without draining system resources
- Backward compatible with lower resolutions like high-definition 1920x1200 and 1080p
- · No external power adapter required



# **Data Sheet**

\	Warranty	2 Years
Hardware /	Audio	Yes
C	Output Signal	DisplayPort
Performance	Maximum Data Transfer Rate	40 Gbps
1	Maximum Digital Resolutions	Dual monitor: 4K @ 60 Hz
S	Supported Resolutions	4096x2160 3840x2160 2560x1600 1920x1200 1920x1080 1280x720
		<b>Note:</b> The adapter can support $5120 \times 2880$ (5K) when both DP outputs are connected to a single monitor that supports 5K.
Connector(s)	Connector A	1 - Thunderbolt™ 3 USB-C (24-pin) Male Input
C	Connector B	2 - DisplayPort (20 pin) Female Output
Software (	OS Compatibility	Microsoft Windows® 8, 8.1, 10 macOS® Sierra 10.12
Special Notes / I Requirements	Note	The adapter will only function when connected to the Thunderbolt 3 port of your computer. If the port is a USB-C port that does not support Thunderbolt 3 the adapter will not function.
Physical (Characteristics	Cable Length	300 mm [11.8 in]
(	Color	Silver
F	Product Height	15 mm [0.6 in]
F	Product Length	110 mm [4.3 in]
F	Product Weight	93 g [3.3 oz]
F	Product Width	60 mm [2.4 in]
Packaging S	Shipping (Package) Weight	221 g [7.8 oz]

Product appearance and specifications are subject to change without notice.