


Choke, SC-J, 3000 uH



| General Information | |
|-----------------------|--|
| Style: | Through-Hole Toroid |
| Series: | SC-J |
| Description: | Common Mode Filter With Base Plate |
| RoHS: | Yes |
| Miscellaneous: | Inductance Measurement Condition: 100kHz 1mA KC547 |
| Notes: | Lead Spacing (S/S1) Are For Reference Only. |

| Dimensions | |
|------------------|------------|
| L | 34mm MAX |
| T | 24mm MAX |
| H | 33mm MAX |
| S | 16mm MAX |
| S1 | 18mm NOM |
| LL | 5mm +/-2mm |
| Wire Size | 1.2mm |

| Specifications | |
|-------------------------------|-----------|
| Inductance: | 3000 uH |
| Rated Temperature: | 120C |
| Current: | 10 Amps |
| Voltage AC: | 250 VAC |
| DC Resistance: | 30 mOhms |
| Insulation Resistance: | 100 MOhms |

| Packaging Specifications | |
|--------------------------|------|
| Weight: | 65 g |

Statements of suitability for certain applications are based on our knowledge of typical operating conditions for such applications, but are not intended to constitute - and we specifically disclaim - any warranty concerning suitability for a specific customer application or use. This Information is intended for use only by customers who have the requisite experience and capability to determine the correct products for their application. Any technical advice inferred from this Information or otherwise provided by us with reference to the use of our products is given gratis, and we assume no obligation or liability for the advice given or results obtained.