

**Productname :** UNIVERSAL SCREEN CLEANER  
FG  
**Creationdate :** 29.06.17 Version : 4.0  
**Ref.Nr.:** BDS001393\_3\_20170629 (EN) **Replaces:** BDS001393\_20130913

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

**UNIVERSAL SCREEN CLEANER FG**  
Aerosol

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Cleaners - Precision

### 1.3. Details of the supplier of the safety data sheet

**CRC Industries UK Ltd.**  
**Ambersil House - Wylds Road**  
**Castlefield Industrial Estate**  
**TA6 4DD Bridgwater Somerset**  
**United Kingdom**  
**Tel.: +44 1278 727200**  
**Fax.: +44 1278 425644**  
**E-mail : hse.uk@crcind.com**

### 1.4. Emergency telephone number

(+44)(0)1278 72 7200 (office hours)

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008

**Physical:** Aerosol, category 3  
Pressurised container: May burst if heated.  
Classification is based on test data.  
**Health:** Not classified  
Classification based on calculation method.  
**Environment:** Not classified  
Classification based on calculation method.  
Not flammable under normal conditions of use but contains flammable components  
(Testing on flammability in closed space, FEA X610-E, are negative)

### 2.2. Label elements



**Productname :** UNIVERSAL SCREEN CLEANER  
**Ref.Nr.:** BDS001393\_3\_20170629 (EN)

**Creationdate :** 29.06.17 Version : 4.0  
**Replaces:** BDS001393\_20130913

### Labelling according to Regulation (EC) No 1272/2008

**Signal word:** Warning

**Hazard statement(s):** H229 : Pressurised container: May burst if heated.

**Precautionary statement(s):** P102 : Keep out of reach of children.  
P210 : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P251 : Do not pierce or burn, even after use.  
P410/412 : Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

**Supplemental Hazard information:** 3 % by mass of the contents are flammable.  
Contains:  
1,2-benzisothiazol-3(2H)-one  
May produce an allergic reaction.

### 2.3. Other hazards

No information available

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable.

### 3.2. Mixtures

Hazardous ingredient	Registration number	CAS-nr.	EC-nr	w/w %	Hazard Class and Category	Hazard statement	Notes
Hydrocarbons,C3-4-rich, petroleum distillate Petroleumgas (1,3-butadiene < 0.1%)	01-2119485926-20	68512-91-4	270-990-9	1-5	Press. Gas, Flam. Gas 1	H280,H220	K,G
sodium salt of an alkyl ether sulfate2	01-2119488639-16	-	500-234-8 (NLP)	<0.1	Skin Irrit. 2, Eye Dam. 1, Aquatic Chronic 3	H315,H318,H412	X
Phosphoric acid, isononyl ester	01-2119982386-24	84988-61-4	284-851-5	<0.1	Skin Corr. 1C	H314	
Sulfonic acids, C14-17-sec-alkane, sodium salts	01-2119489924-20	97489-15-1	307-055-2	<0.1	Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, Aquatic Chronic 3	H302,H315,H318,H412	
Disodium metasilicate anhydrous	01-2119449811-37	6834-92-0	229-912-9	<0.1	Met. Corr. 1, Skin Corr. 1B, Eye Dam. 1, STOT SE 3	H290,H314,H335	
Amines, C12-14 (even numbered)- alkyl dimethyl, N-oxides	01-2119490061-47	-	(931-292-6)	<0.1	Eye Dam. 1, Acute Tox. 4, Skin Irrit. 2, Aquatic Acute 1, Aquatic Chronic 2	H318,H302,H315,H400,H411	Q
1,2-benzisothiazol-3(2H)-one	-	2634-33-5	220-120-9	<0.05	Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, Skin Sens. 1, Aquatic Acute 1	H302,H315,H318,H317,H400	X
<b>Explanation notes</b>							

**Productname :** UNIVERSAL SCREEN CLEANER  
FG  
**Ref.Nr.:** BDS001393\_3\_20170629 (EN)  
**Creationdate :** 29.06.17 Version : 4.0  
**Replaces:** BDS001393\_20130913

G : exempted from the obligation to register in accordance with art.2(7)of REACH Regulation No 1907/2006

K : not classified as carcinogen, less than 0.1% w/w 1,3-butadiene (Einecs-nr. 203-450-8)

Q : The CAS-no is only an indicative identifier to be used outside the EU for global inventory entries.

X : SCL (specific concentration limit)in accordance with art.10 of CLP Regulation No 1272/2008

(\* Explanation phrases : see chapter 16)

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

**Contact with eyes :** If substance has got into eyes, immediately wash out with plenty of water  
**Contact with skin :** Wash with plenty of soap and water.  
**Inhalation :** Remove victim to fresh air and keep at rest in a position comfortable for breathing.  
**Ingestion :** If swallowed accidentally, do not induce vomiting and seek medical advice.

### 4.2. Most important symptoms and effects, both acute and delayed

**Inhalation :** No adverse health effects expected  
**Ingestion :** May cause gastrointestinal disturbances  
Symptoms : sore throat, abdominal pain, nausea, vomiting  
**Skin contact :** May cause irritation.  
**Eye contact :** May cause irritation.

### 4.3. Indication of any immediate medical attention and special treatment needed

**General Advice :** In case of accident or if you feel unwell, seek medical advice (show the label where possible)  
If symptoms persist always call a doctor

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

water, foam, carbon dioxide or dry agent

### 5.2. Special hazards arising from the substance or mixture

Aerosols may explode if heated above 50°C  
Forms hazardous decomposition products  
CO,CO2

### 5.3. Advice for firefighters

Keep container(s) exposed to fire cool, by spraying with water  
In case of fire, do not breathe fumes

## SECTION 6: Accidental release measures



3 / 9

**CRC Industries UK Limited**  
Ambersil House, Wylds Road, Castlefield Industrial Estate, Bridgwater,  
Somerset, TA6 4DD  
Tel: +44 (0)1278 727200 Fax: +44 (0)1278 425644 web: www.ambersil.com

<b>Productname :</b>	UNIVERSAL SCREEN CLEANER FG	<b>Creationdate :</b>	29.06.17 Version : 4.0
<b>Ref.Nr.:</b>	BDS001393_3_20170629 (EN)	<b>Replaces:</b>	BDS001393_20130913

**6.1. Personal precautions, protective equipment and emergency procedures**

Shut off all ignition sources  
Ensure adequate ventilation  
Wear suitable protective clothing and gloves.

**6.2. Environmental precautions**

Do not allow to enter public sewers and watercourses

**6.3. Methods and material for containment and cleaning up**

Absorb spillage in suitable inert material  
Wash spill site with water and detergent

**6.4. Reference to other sections**

For further information see section 8

**SECTION 7: Handling and storage****7.1. Precautions for safe handling**

Keep away from heat and sources of ignition  
Do not spray on a naked flame or incandescent material.  
Do not pierce or burn aerosols, even after use.  
Do not breathe aerosols or vapours.  
Ensure adequate ventilation  
Avoid contact with skin and eyes.

**7.2. Conditions for safe storage, including any incompatibilities**

Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use.  
Store in a well-ventilated place.  
Store frost free  
Keep out of reach of children.

**7.3. Specific end use(s)**

Cleaners - Precision

**SECTION 8: Exposure controls/personal protection****8.1. Control parameters**

Exposure limits :



4 / 9

**CRC Industries UK Limited**  
Ambersil House, Wylds Road, Castlefield Industrial Estate, Bridgwater,  
Somerset, TA6 4DD  
Tel: +44 (0)1278 727200 Fax: +44 (0)1278 425644 web: www.ambersil.com

<b>Productname :</b>	UNIVERSAL SCREEN CLEANER FG	<b>Creationdate :</b>	29.06.17 Version : 4.0
<b>Ref.Nr.:</b>	BDS001393_3_20170629 (EN)	<b>Replaces:</b>	BDS001393_20130913

No information available

## 8.2. Exposure controls

<b>Control procedures :</b>	Ensure adequate ventilation Keep away from heat and sources of ignition
<b>Personal protection :</b>	Take precautions to avoid contact with skin and eyes when handling the product. Ensure adequate ventilation
<b>inhalation :</b>	In case of insufficient ventilation, wear suitable respiratory equipment.
<b>hands and skin :</b>	For incidental contact with the product wear chemical-resistant gloves (standard EN 374). The use of disposable gloves is acceptable provided that they are changed immediately after a splash or spill. In all cases handle and use the product in accordance with good industrial hygiene practices.
Recommended gloves:	(neoprene)
<b>eyes :</b>	Wear safety eyewear according to EN 166.
<b>Environmental protection:</b>	Avoid release to the environment. Collect spillage.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

(for aerosols data for the product without propellant)

<b>Apperance : physical state :</b>	Propane/butane propelled liquid.
<b>colour :</b>	Colorless.
<b>odour :</b>	Odorless.
<b>pH :</b>	9 - 10
<b>Boiling point/range :</b>	Not applicable.
<b>Flash point :</b>	None
<b>Evaporation rate :</b>	Not applicable.
<b>Explosion limits : upper limit :</b>	Not applicable.
<b>lower limit :</b>	Not applicable.
<b>Vapour pressure :</b>	Not available.
<b>Relative density :</b>	1.0 g/cm <sup>3</sup> (@ 20°C).
<b>Solubility in water :</b>	Soluble in water
<b>Auto-ignition :</b>	> 200 °C
<b>Viscosity :</b>	Not applicable.

### 9.2. Other information

<b>VOC = volatile organic compounds</b>	35 g/l
---	--------

## SECTION 10: Stability and reactivity

### 10.1. Reactivity



5 / 9

**CRC Industries UK Limited**  
Ambersil House, Wylds Road, Castlefield Industrial Estate, Bridgwater,  
Somerset, TA6 4DD  
Tel: +44 (0)1278 727200 Fax: +44 (0)1278 425644 web: www.ambersil.com

**Productname :** UNIVERSAL SCREEN CLEANER  
FG  
**Creationdate :** 29.06.17 Version : 4.0  
**Ref.Nr.:** BDS001393\_3\_20170629 (EN) **Replaces:** BDS001393\_20130913

No hazardous reactions known if used for its intended purpose

#### 10.2. Chemical stability

Stable

#### 10.3. Possibility of hazardous reactions

No hazardous reactions known if used for its intended purpose

#### 10.4. Conditions to avoid

Pressurized container : protect from sunlight and do not expose to temperatures exceeding 50°C.  
Avoid overheating  
Store frost free

#### 10.5. Incompatible materials

Strong oxidising agent

#### 10.6. Hazardous decomposition products

CO,CO2

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

<b>acute toxicity:</b>	based on available data the classification criteria are not met
<b>skin corrosion/irritation:</b>	based on available data the classification criteria are not met
<b>serious eye damage/irritation:</b>	based on available data the classification criteria are not met
<b>respiratory or skin sensitisation:</b>	based on available data the classification criteria are not met
<b>germ cell mutagenicity:</b>	based on available data the classification criteria are not met
<b>carcinogenicity:</b>	based on available data the classification criteria are not met
<b>toxicity for reproduction:</b>	based on available data the classification criteria are not met
<b>STOT-single exposure:</b>	based on available data the classification criteria are not met
<b>STOT repeated exposure:</b>	based on available data the classification criteria are not met
<b>aspiration hazard:</b>	based on available data the classification criteria are not met

#### Information on likely routes of exposure:

<b>Inhalation :</b>	No adverse health effects expected
<b>Ingestion :</b>	Ingestion is unlikely to occur
<b>Skin contact :</b>	May cause irritation.
<b>Eye contact :</b>	May cause irritation.

#### Toxicological data :



6 / 9

**CRC Industries UK Limited**  
Ambersil House, Wylde Road, Castlefield Industrial Estate, Bridgwater,  
Somerset, TA6 4DD  
Tel: +44 (0)1278 727200 Fax: +44 (0)1278 425644 web: www.ambersil.com

**Productname :** UNIVERSAL SCREEN CLEANER  
FG  
**Ref.Nr.:** BDS001393\_3\_20170629 (EN)

**Creationdate :** 29.06.17 Version : 4.0  
**Replaces:** BDS001393\_20130913

Hazardous ingredient	CAS-nr.	method	
Disodium metasilicate anhydrous	6834-92-0	LD50 oral rat	300-2000 mg/kg
		LC50 inhal.rat	1-5 mg/l
		LD50 derm.rat	>2000 mg/kg
Amines, C12-14 (even numbered)- alkyldimethyl, N-oxides	-	LD50 oral rat	1064 mg/kg

## SECTION 12: Ecological information

### 12.1. Toxicity

Not classified

### Ecotoxicological data:

Hazardous ingredient	CAS-nr.	method	
Disodium metasilicate anhydrous	6834-92-0	IC50 algae	207 mg/l
		LC50 fish	210 mg/l
		EC50 daphnia	1700 mg/l
Amines, C12-14 (even numbered)- alkyldimethyl, N-oxides	-	IC50 algae	0.143 mg/l
		LC50 fish	2.67 mg/l
		EC50 daphnia	3.1 mg/l

### 12.2. Persistence and degradability

No experimental data available

### 12.3. Bioaccumulative potential

No experimental data available

### 12.4. Mobility in soil

Soluble in water

### 12.5. Results of PBT and vPvB assessment

No information available

### 12.6. Other adverse effects

No experimental data available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

**Product :** This material and its container must be disposed of in a safe way.



7 / 9

**CRC Industries UK Limited**  
Ambersil House, Wylds Road, Castlefield Industrial Estate, Bridgwater,  
Somerset, TA6 4DD  
Tel: +44 (0)1278 727200 Fax: +44 (0)1278 425644 web: www.ambersil.com

**Productname :** UNIVERSAL SCREEN CLEANER  
FG  
**Creationdate :** 29.06.17 Version : 4.0  
**Ref.Nr.:** BDS001393\_3\_20170629 (EN) **Replaces:** BDS001393\_20130913

Do not discharge into drains or the environment, dispose to an authorised waste collection point.  
**National regulations :** Disposal should be in accordance with local, state or national legislation

## SECTION 14: Transport information

### 14.1. UN number

UN-number : 1950

### 14.2. UN proper shipping name

Proper shipping name: AEROSOLS

### 14.3. Transport hazard class(es)

Class: 2.2  
ADR/RID - Classification code: 5A

### 14.4. Packing group

Packing group: Not applicable.

### 14.5. Environmental hazards

ADR/RID - Environmentally hazardous: No  
IMDG - Marine pollutant: No  
IATA/ICAO - Environmentally hazardous: No

### 14.6. Special precautions for user

ADR/RID - Tunnelcode: (E)  
IMDG - Ems: F-D, S-U  
IATA/ICAO - PAX: 203  
IATA/ICAO - CAO: 203

### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable.

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

The Safety Data Sheet is compiled according to the current European requirements.  
Regulation (EC) No 1907/2006 (REACH)  
Regulation (EC) No 1272/2008 (CLP)





<b>Productname :</b>	UNIVERSAL SCREEN CLEANER FG	<b>Creationdate :</b>	29.06.17 Version : 4.0
<b>Ref.Nr.:</b>	BDS001393_3_20170629 (EN)	<b>Replaces:</b>	BDS001393_20130913

Dir. 2013/10/EU, 2008/47/EC amendment of the aerosol dispenser directive 75/324/EEC.

## 15.2. Chemical safety assessment

No information available

## SECTION 16: Other information

\*Explanation hazard statements: H220 : Extremely flammable gas.  
H280 : Contains gas under pressure; may explode if heated.  
H290 : May be corrosive to metals.  
H302 : Harmful if swallowed.  
H314 : Causes severe skin burns and eye damage.  
H315 : Causes skin irritation.  
H317 : May cause an allergic skin reaction.  
H318 : Causes serious eye damage.  
H335 : May cause respiratory irritation.  
H400 : Very toxic to aquatic life.  
H411 : Toxic to aquatic life with long lasting effects.  
H412 : Harmful to aquatic life with long lasting effects.

REVISIONS IN CHAPTRE : Labelling according to Regulation (EC) No 1272/2008  
8.2. Exposure controls

acronyms and synonyms: TWA = time weight average  
STEL = short time exposure limit  
VOC = volatile organic compounds  
PBT = persistant bioaccumulative toxic  
vPvB = very persitant very bioaccumulative

This product should be stored, handled and used in accordance with good industrial hygiene practices and in conformity with any legal regulation.

The information contained herewith is based on the present state of our knowledge and is intended to describe our products from the point of view of safety requirements. It does not guarantee any specific properties. Apart from any fair dealing for purposes of study, research and review of health, safety and environmental risks, no part of these documents may be reproduced by any process without written permission from CRC.