

# Power Cord


pro-POWER



RoHS  
Compliant

## Specifications:


Cable Length - Metric	: 1.8m
Connector Type A	: Mains Plug, UK
Connector Type B	: IEC 60320 C13
Conductor Size	: 0.75mm <sup>2</sup>
Conductor Type	: Annealed Soft Bare Copper Wire
Number of Conductors	: 3
Conductor Construction	: 24/0.2 (pcs/mm)
Insulation Material	: PVC
Insulation Thickness	: 0.44mm (min.)
Insulation Avg. Thickness	: 0.6mm (min.)
Insulation Diameter	: 2.3mm
Jacket Material	: PVC
Jacket Thickness	: 0.58mm (min.)
Jacket Avg. Thickness	: 0.8mm (min.)
Jacket Diameter	: 6.8mm ±0.2mm
Jacket Colour	: Black
Conductor Resistance at 20°C	: 26Ω/km (max.)
Insulation Resistance at 70°C	: 0.011MΩ - km (min.)
Dielectric Withstand	: 2000V AC/15min (No Breakdown)
Voltage Rating	: 250V
Current Rating	: 10A
Temperature Rating	: 70°C



Dimensions : Millimetres

www.element14.com  
www.farnell.com  
www.newark.com  
www.cpc.co.uk

pro-POWER



Dimensions : Millimetres

**Notes:**

1. Cable : The cord shall comply with IEC 60227.
2. Plug : The molded plug shall comply with BS1363A and fuse shall comply with BS1362
3. Connector : The molded connector shall comply with IEC 60320-1 standards (C13 Connector)
4. The product shall be tested 100% for all safety electrical items.

**Part Number Table**

Description	Part Number
UK Cord, 1.8m Black, IEC C13	GW-151657

**Important Notice :** This data sheet and its contents (the "Information") belong to the members of the Premier Farnell group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. pro-POWER is the registered trademark of the Group. © Premier Farnell Limited 2016.