



Main

Range of product	OsiSense XC
Series name	Standard format
Product or component type	Limit switch head
Device short name	ZCKE
Head type	Multi-directional head
Product compatibility	XCKJ
Associated body	ZCKJ5 ZCKJ21 ZCKJ7H7 ZCKJ5H7 ZCKJ7H29 ZCKJD37 ZCKJD31H29 ZCKJ1H29 ZCKJD35H7 ZCKJ8 ZCKJ21H29 ZCKJD31 ZCKJD37H29 ZCKJ6 ZCKJ8H29 ZCKJ5H29 ZCKJD35H29 ZCKJD31H7 ZCKJ11 ZCKJ6H7 ZCKJ2H7 ZCKJ9H7 ZCKJ2H29 ZCKJ2 ZCKJ6H29 ZCKJD39H7 ZCKJ7 ZCKJ9 ZCKJD39 ZCKJ8H7 ZCKJ1 ZCKJD35 ZCKJD39H29

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

ZCKJ1H7
ZCKJ9H29
ZCKJ11H7
ZCKJD37H7
ZCKJ11H29
ZCKJ21H7

Movement of operating head	Rotary Multi-directional
Type of operator	Spring rod spring return
Type of approach	Multi-directional approach

Complementary

Switch actuation	By any moving part
Positive opening	Without
Head material	Metal

Environment

Ambient air temperature for operation	-25...70 °C
Ambient air temperature for storage	-40...70 °C
Environmental characteristic	Standard environment

Offer Sustainability

Sustainable offer status	Green Premium product
RoHS (date code: YYWW)	Compliant - since 0922 - Schneider Electric declaration of conformity Schneider Electric declaration of conformity
REACH	Reference not containing SVHC above the threshold Reference not containing SVHC above the threshold
Product end of life instructions	Need no specific recycling operations

Contractual warranty

Warranty period	18 months
-----------------	-----------