

Page 1 of 6 SDS-E-G5S-A

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 1272/2008/EC & GHS Standards

SDS Revision: 7.1

SDS Revision Date: 10/14/2016





Page 2 of 6 **SDS-E-G5S-A**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 1272/2008/EC & GHS Standards

SDS Revision: 7.1

SDS Revision Date: 10/14/2016

| | | | | lualus | | | | | • | 1161131011 | | |
|-----|---|--|---|--------------------------------|--|--------------------------------------|--|-----------------------|--------------------|--------------------|--------------|-------------|
| | | 4. FIRS | | | | | | | | | | |
| 4.4 | Acute Health Effects: | Moderate irritation to eyes drowsiness, dizziness, heada | | | | | | , high o | concent | rations | of vapors of | can cause |
| 4.5 | Chronic Health Effects: | respiratory hypersensitivity. F | Overexposure may trigger asthma-like symptoms in some sensitive individuals. May also induce skin sensitization and respiratory hypersensitivity. Possible allergic dermatitis. | | | | | | | | | |
| 4.6 | Target Organs: | Eyes, Skin, Respiratory Syste | | | | | | | | | | |
| 4.7 | Medical Conditions Aggravated by Exposure: | Pre-existing dermatitis, other | | | | isorders o | | | | | | 1 |
| | | target organs (eyes, skin, and | respira | atory sys | stem). | | | | | | | 3 |
| | | | | | | | | YSICA | | | | 0 |
| | | | | | | | | | | QUIPM | ENT | В |
| | | | | | | | EY | ES | SKIN | | | |
| | | 5. FIR | REFIC | GHTI | | ASUR | FS | | | | | |
| 5.1 | Fire & Explosion Hazards: | Level 3 Aerosol (NFPA 30B). containers to prevent possib aerosols are bursting, stay However, if involved in a fire, (e.g., CO, hydrogen fluoride). | Aeros le burs clear u | ols may ting. A until bu | v burst at to verosols m rsting is o | emperature ay be pro complete. | es above 2 bjectile haz This pro | ards wh duct is | nen bur not fla | sting. I mmable | f | |
| 5.2 | Extinguishing Methods: | Water, Foam, CO ₂ , Dry Chem | ical. U | se wate | er spray to | cool unop | ened conta | ainers. | | | | 3 |
| | | Firefighting Procedures: Fight fires as for surrounding materials. As in any fire, wear MSHA/NIOSH approved self-contained breathing apparatus (pressure-demand) and full protective gear. Keep containers cool until well after the fire is out. Use water spray to cool fire-exposed surfaces and to protect personal. Fight fire upwind. Avoid spraying water directly into storage containers because of danger of boil-over. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply, or any natural waterway. Firefighters must use full bunker gear including NIOSH-approved positive pressure self-contained breathing apparatus to protect against potential hazardous combustion or decomposition products and oxygen deficiencies. | | | | | | | | | | |
| | | 6. ACCIDE | ENTA | | ELEAS | E MEA | SURE | S | | | | |
| | | Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment. Plastic or rubber gloves, respirator, eye protection and apron may be required for clean-up of large spills. Small Spills: Wear appropriate protective equipment including gloves and protective eyewear. Use a non-combustible material such as vermiculite or sand to soak up the product and place into a container for later disposal. Do not use water or a material such as "speedy dry" to soak up material. Sweep up material using non-sparking materials (e.g., plastic brooms, shovels, dustpans) and place into a plastic container or plastic liner within another container. Large Spills: Keep incompatible materials (e.g., organics such as oil) away from spill. Stay upwind and away from spill or release. Isolate immediate hazard area and keep unauthorized personnel out of area. Stop spill or release if it can be done with minimal risk. Wear appropriate protective equipment including respiratory protection as conditions warrant. | | | | | | | | | | |
| | | 7. HANDLIN | IG & | STO | RAGE | INFOR | RMATIO | DN | | | | |
| 7.1 | Work & Hygiene Practices: | Do not eat, drink or smoke container(s). When used as contact is possible. Wash unit | when I intende | handling ed, no a | g this proc additional | duct. Con protective | tents und equipmen | er press t is nece | | | | |
| 7.2 | Storage & Handling: | Use and store in a cool, dry sunlight. Avoid temperatures damage. To avoid unintention | , well-v above | ventilate 120 °F. | d location Keep awa | (e.g., loca ay from inc | al exhaust compatible | ventilat substar | | | | |
| 7.3 | Special Precautions: | Clean all spills promptly. | | , | 1 41 | | | | | | | |
| | | | | | | | | | | | | |
| | | 8. EXPOSURE CO | | | <u>& PER</u> | | L PRO | TECT | | | | |
| 8.1 | Exposure Limits: | | | GIH | | NOHSC | | | OSHA | 1 | OTHER | |
| | ppm (mg/m ³) | CHEMICAL NAME(S) | TLV | STEL | ES-TWA | ES-STEL | ES-PEAK | PEL | STEL | IDLH | | |
| | | ODORLESS MINERAL SPIRITS | (5) | NA | NF | NF | NF | (5) | NA | NA | MIST | |
| | | DIFLUOROETHANE (R-152A) | 1000 | NA | 1000 | NF | NF | NA | NA | NA | SKIN | |
| | | DEOXIT [®] Gold G-SERIES, | NA | NA | NF | NF | NF | 15 | NA | NA | | |
| 8.2 | Ventilation & Engineering Controls: | G100L General mechanical (e.g., fa exhaust ventilation to effectiv product. Ensure appropriate of | vely rer | move a | nd preven | t buildup | of vapors | or mist | genera | ted from | n the handli | ing of this |
| 8.3 | Respiratory Protection: | product. Ensure appropriate decontamination equipment is available (e.g., sink, safety shower, eye-wash station). No special respiratory protection is required under typical circumstances of use or handling. In instances where dusts of this product are generated, and respiratory protection is needed, use only protection authorized by 29 CFR §1910.134, applicable U.S. State regulations, or the Canadian CAS Standard Z94.4-93 and applicable standards of Canadian Provinces, EC member States, or Australia. | | | | | | | | | | |
| 8.4 | Eye Protection: | Avoid eye contact. None req | | | | | se. Safet | / glasse | s could | be used | | - |
| | | when handling or using large | quantiti | es of th | is product. | | | | | | | |



Page 3 of 6 SDS-E-G5S-A

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 1272/2008/EC & GHS Standards

SDS Revision: 7.1 SDS R

SDS Revision Date: 10/14/2016

| | 8. EXPOSURE CONTROLS & PERSONAL PROTECTION – cont'd | | | | | | |
|-----|---|---|--|--|--|--|--|
| 8.5 | Hand Protection: | None required under normal conditions of use. However, may cause skin irritation in some sensitive individuals. When handling large quantities (e.g., \geq 1 gallon (3.8 L)), wear rubber, nitrile or impervious plastic gloves. | | | | | |
| 8.6 | Body Protection: | No apron required when handling small quantities. When handling large quantities (e.g., ≥ 5 lbs), eye wash stations and deluge showers should be available. Upon completion of work activities involving large quantities of this product, wash any exposed areas thoroughly with soap and water. | | | | | |

9. PHYSICAL & CHEMICAL PROPERTIES

| | | 3. FITISICAL & CILINICAL FROFERILS | | | | | | |
|------|---|---|--|--|--|--|--|--|
| 9.1 | Appearance: | Light yellow aerosol spray/mist | | | | | | |
| 9.2 | Odor: | Ethereal hydrocarbon odor | | | | | | |
| 9.3 | Odor Threshold: | NA | | | | | | |
| 9.4 | pH: | NA | | | | | | |
| 9.5 | Melting Point/Freezing Point: | NA | | | | | | |
| 9.6 | Initial Boiling Point/Boiling Range: | 171.1-204 °C @ 760 mm Hg | | | | | | |
| 9.7 | Flashpoint: | 48.8 – 54.4 °C (120 - 130 °F) | | | | | | |
| 9.8 | Upper/Lower Flammability Limits: | NA | | | | | | |
| 9.9 | Vapor Pressure: | NA | | | | | | |
| 9.10 | Vapor Density: | 4.9 (air = 1.0) | | | | | | |
| 9.11 | Relative Density: | 0.75 | | | | | | |
| 9.12 | Solubility: | Not soluble in water | | | | | | |
| 9.13 | Partition Coefficient (log Pow): | NA | | | | | | |
| 9.14 | Autoignition Temperature: | NA | | | | | | |
| 9.15 | Decomposition Temperature: | NA | | | | | | |
| 9.16 | Viscosity: | 10.0 cPs | | | | | | |
| 9.17 | Other Information: | VOC: 588 g/L | | | | | | |
| | | | | | | | | |
| | a | 10. STABILITY & REACTIVITY | | | | | | |
| 10.1 | Stability: | Stable under normal conditions; unstable with heat or contamination. | | | | | | |
| 10.2 | Hazardous Decomposition Products: | Change in color signifies exposure to ultraviolet light or exceeding shelf life. Will not degrade to unstable products. Discard solution. | | | | | | |
| 10.3 | Hazardous Polymerization: | Will not occur. | | | | | | |
| 10.4 | Conditions to Avoid: | Open flames, sparks, high heat, incompatible substances and direct sunlight. | | | | | | |
| 10.5 | Incompatible Substances: | Avoid extreme heat and ignition sources. Store away from oxidizers. | | | | | | |
| | | | | | | | | |
| | | 11. TOXICOLOGICAL INFORMATION | | | | | | |
| 11.1 | Routes of Entry: | Inhalation: YES Absorption: YES Ingestion: YES | | | | | | |
| 11.2 | Toxicity Data: | This product has NOT been tested on animals to obtain toxicology data. Toxicology data, found in scientific literature, is available for some of the components of the product. | | | | | | |
| 11.3 | Acute Toxicity: | Moderate irritation to eyes and skin near affected areas. Additionally, high concentrations of vapors can cause drowsiness, dizziness, headaches and nausea. | | | | | | |
| | | | | | | | | |

| 11.4 | Chronic Toxicity: | This material may aggravate any pre-existing skin condition (e.g., dermatitis). | | | | | |
|------|--|--|--|--|--|--|--|
| 11.5 | Suspected Carcinogen: | NA. This product contains less than 3% Dimethyl Sulfoxide (DMSO) per IP 346. | | | | | |
| 11.6 | Reproductive Toxicity: | This product is not reported to produce reproductive toxicity in humans. | | | | | |
| | Mutagenicity: This product is not reported to produce mutagenic effects in humans. | | | | | | |
| | Embryotoxicity: | This product is not reported to produce embryotoxic effects in humans. | | | | | |
| | Teratogenicity: This product is not reported to cause teratogenic effects in humans. | | | | | | |
| | Reproductive Toxicity: This product is not reported to cause reproductive effects in humans. | | | | | | |
| 11.7 | Irritancy of Product: | The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) upon prolonged or repeated exposure. | | | | | |
| 11.8 | Biological Exposure Indices: | NE | | | | | |
| 11.9 | .9 Physician Recommendations: Treat symptomatically. | | | | | | |
| | | | | | | | |
| | | 12. ECOLOGICAL INFORMATION | | | | | |
| 12.1 | Environmental Stability: | There are no specific data available for this product. | | | | | |
| 12.2 | Effects on Plants & Animals: | There are no specific data available for this product. | | | | | |
| 12.3 | Effects on Aquatic Life: | ts on Aquatic Life: There are no specific data available for this product. | | | | | |



Page 4 of 6 SDS-E-G5S-A

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 1272/2008/EC & GHS Standards

SDS Revision: 7.1


- - - -

SDS Revision Date: 10/14/2016

| | 13. DISPOSAL CONSIDERATIONS | | | | | |
|------|--|---|--|--|--|--|
| 13.1 | Waste Disposal: | Dispose of in accordance with federal, state and local regulations. | | | | |
| 13.2 | 13.2 Special Considerations: U.S. EPA RCRA Hazardous Waste: D001 (Characteristic – Ignitability). California Waste Code: 331 (liquid concentrate). | | | | | |
| | | | | | | |

14. TRANSPORTATION INFORMATION

| | | 14. TRANSPORTATION INFORMATION | |
|------|--------------------------------------|--|------------------------------|
| | | nber, proper shipping name, hazard class & division, packing group) is shown for each mode e required by 49 CFR, IATA/ICAO, IMDG and the CTDGR. | of transportation. Additiona |
| 14.1 | 49 CFR (GND): | UN1950, AEROSOLS, 2.1 (LTD QTY, IP VOL \leq 1.0 L); or CONSUMER COMMODITY, ORM-D (IP VOL \leq 1.0 L) – until 12/31/2020 | \bigcirc |
| 14.2 | IATA (AIR): | UN1950, AEROSOLS, FLAMMABLE, 2.1 (LTD QTY, IP VOL \leq 0.5 L); or ID8000, CONSUMER COMMODITY, ORM-D (IP VOL \leq 0.5 L) | |
| 14.3 | IMDG (OCN): | UN1950, AEROSOLS, 2.1 (LTD QTY, IP VOL ≤ 1.0 L) | \bigcirc |
| 14.4 | TDGR (Canadian GND): | UN1950, AEROSOLS, 2.1 (LTD QTY, IP VOL ≤ 1.0 L); or MARK PACKAGE "LIMITED QUANTITY," "LTD QTY," or "QUANT LTÉE" or "QUANTITÉ LIMITÉE" | \diamond |
| 14.5 | ADR/RID (EU): | UN1950, AEROSOLS, 2.1 (LTD QTY, IP VOL ≤ 1.0 L) | \bigcirc |
| 14.6 | SCT (MEXICO): | UN1950, AEROSOLES, 2.1 (CANTIDAD LIMITADA, IP VOL ≤ 1.0 L) | \diamond |
| 14.7 | ADGR (AUS): | UN1950, AEROSOLS, 2.1 (LTD QTY, IP VOL \leq 1.0 L) | \diamond |
| | | 15. REGULATORY INFORMATION | |
| 15.1 | SARA Reporting Requirements: | This product does not contain any substances subject to SARA Title III, section 313 reportin | g requirements. |
| 15.2 | SARA Threshold Planning Quantity: | There are no specific Threshold Planning Quantities for the components of this product. | |
| 15.3 | TSCA Inventory Status: | The components of this product are listed on the TSCA Inventory. | |
| 15.4 | CERCLA Reportable Quantity (RQ): | NA | |
| 15.5 | Other Federal Requirements: | None of the ingredients in this mixture are listed as Hazardous Air Pollutants (HAPs). N mixture are listed as a Priority Pollutant under the CWA. None of the ingredients in this Pollutant under the CWA. | 0 |
| 15.6 | Other Canadian Regulations: | This product has been classified according to the hazard criteria of the CPR and the MSDS all of the information required by the CPR. The components of this product are liste DSL/NDSL. None of the components of this product are listed on the Priorities Substar | d on the |





Page 5 of 6 **SDS-E-G5S-A**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 1272/2008/EC & GHS Standards

SDS Revision: 7.1

SDS Revision Date: 10/14/2016

| | | 16. OTHER INFORMATION | | | | | | |
|------|----------------------|---|--|--|--|--|--|--|
| 16.1 | Other Information: | DANGER! EXTREMELY FLAMMABLE AEROSOL. PRESSURIZED CONTAINER: MAY BURST IF HEATED. MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS. Keep away from heat, hot surface, sparks, open flames and other ignition sources. No smoking. Provide good ventilation in process area to prevent formation of vapor. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Avoid breathing fume/gas/mist/vapor/spray. WARNING – ELECTRIC SHOCK HAZARD: This can will conduct electricity – keep away from all live electrical sources including battery terminals, electrical panels, and other electrical components. Failure to observe this warning may result in serious injury. Wear protective gloves, eye protection and face protection. Wash hands and exposed skin areas with soap and water thoroughly after handling. In case of fire, CO ₂ Halon (if permitted), dry chemical, or foam for extinction. IF SWALLOWED: Immediately call a POISON CENTER/doctor. Do NOT induce vomiting. If skin irritation occurs: get medical advice/attention. Keep Cool. Protect from sunlight. Do not expose to temperatures exceeding 50 °C (122 °F). KEEP LOCKED UP. KEEP OUT OF REACH OF CHILDREN. | | | | | | |
| 16.2 | Terms & Definitions: | See last page of this Safety Data Sheet. | | | | | | |
| 16.3 | Disclaimer: | This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & CAIG Laboratories, Inc.'s knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness is not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition. | | | | | | |
| 16.4 | Prepared for: | CAIG Laboratories, Inc. 12200 Thatcher Court Poway, CA 92064-6876 Tel: +1 (800) CAIG-123 (244-4123) Fax: +1 (858) 486-8398 fax http://www.caig.com/ | | | | | | |
| 16.5 | Prepared by: | ShipMate, Inc. P.O. Box 787 Sisters, Oregon 97759-0787 USA Tel: +1 (310) 370-3600 Fax: +1 (310) 370-5700 http://www.shipmate.com | | | | | | |



SDS-E-G5S-A

Page 6 of 6

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 1272/2008/EC & GHS Standards

SDS Revision: 7.1

SDS Revision Date: 10/14/2016

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No. Chemical Abstract Service Number

EXPOSURE LIMITS IN AIR:

| ACGIH | American Conference on Governmental Industrial Hygienists |
|-------|---|
| C | Ceiling Limit |
| ES | Exposure Standard (Australia) |
| IDLH | Immediately Dangerous to Life and Health |
| OSHA | U.S. Occupational Safety and Health Administration |
| PEL | Permissible Exposure Limit |
| STEL | Short-Term Exposure Limit |
| TLV | Threshold Limit Value |
| TWA | Time Weighted Average |

FIRST AID MEASURES:

| CPR | Cardiopulmonary resuscitation - method in which a person whose heart has |
|-----|---|
| | stopped receives manual chest compressions and breathing to circulate blood |
| | and provide oxygen to the body. |

HMIS-III HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

| 0 | Minimal Hazard | HEALTH |
|---|-----------------|---------------------|
| 1 | Slight Hazard | FLAMMABILITY |
| 2 | Moderate Hazard | PHYSICAL HAZARDS |
| 3 | Severe Hazard | PERSONAL PROTECTION |
| 4 | Extreme Hazard | |


PERSONAL PROTECTION RATINGS:

| | | - | | | | | | | | |
|--------|-------------------------------|--------|---------------|---------|----|---|----------------------|---------------------|-----------------------|--------------------|
| Α | | | | | | G | | | | |
| в | | | | | | Η | 0 | | | |
| С | | | 品 | | | I | | | | |
| D | B | | は、 | | | J | | | I | |
| Е | | | | | | Κ | (B) | | | |
| F | | | た | | | X | Consult special I | your su nandling | pervisor og directior | or SOPs for is. |
| Sa | Safety Glasses Splash Goggles | | | ggles | Pr | | Shield & | | Glov | ves |
| | Boots Synthetic Apron | | | Apron | Pr | | ive Cloth | ing | Dust Res | spirator |
| Full I | Full Face Respirator | | | | | | ull Face spirator | | Airline Ho or SC | |
| отн | OTHER STANDARD ABBREVIATIONS: | | | | | | | | | |
| | ML | Maxir | num Limit | | | | | | | |
| | mg/m3 | millig | ams per cubio | c meter | | | | | | |
| | NA Not Available | | | | | | | | | |
| | ND Not Determined | | | | | | | | | |
| | NE | | | | | | | | | |
| | NF Not Found | | | | | | | | | |
| | NR | No Re | esults | | | | | | | |
| | ppm | parts | per million | | | | | | | |

SCBA Self-Contained Breathing Apparatus NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

| FLAMMABILITY LIMITS IN AIR: | | | | | | |
|-----------------------------|---|--|--|--|--|--|
| Autoignition | Minimum temperature required to initiate combustion in air with no other | | | | | |
| Temperature | source of ignition | | | | | |
| LEL | EL Lower Explosive Limit - lowest percent of vapor in air, by volume, that will | | | | | |
| | explode or ignite in the presence of an ignition source | | | | | |
| UEL | UEL Upper Explosive Limit - highest percent of vapor in air, by volume, that will | | | | | |
| | explode or ignite in the presence of an ignition source | | | | | |

| HAZARD RATINGS: | | | | | | | |
|-----------------|------------------|--|--|--|--|--|--|
| 0 | 0 Minimal Hazard | | | | | | |
| 1 | Slight Hazard | | | | | | |
| 2 | Moderate Hazard | | | | | | |
| 3 | Severe Hazard | | | | | | |
| 4 | Extreme Hazard | | | | | | |
| ACD Acidic | | | | | | | |
| ALK | Alkaline | | | | | | |
| COR | Corrosive | | | | | | |
| W Use No Water | | | | | | | |
| OX Oxidizer | | | | | | | |
| TREFOIL | Radioactive | | | | | | |



TOXICOLOGICAL INFORMATION:

| LD ₅₀ | Lethal Dose (solids & liquids) which kills 50% of the exposed animals |
|--|---|
| LC ₅₀ | Lethal concentration (gases) which kills 50% of the exposed animal |
| ppm | Concentration expressed in parts of material per million parts |
| TD _{lo} | Lowest dose to cause a symptom |
| TCLo | Lowest concentration to cause a symptom |
| TD _{lo} , LD _{lo} , & LD _o or | Lowest dose (or concentration) to cause lethal or toxic effects |
| TC, TC _o , LC _{io} , & LC _o | |
| IARC | International Agency for Research on Cancer |
| NTP | National Toxicology Program |
| RTECS | Registry of Toxic Effects of Chemical Substances |
| BCF | Bioconcentration Factor |
| TLm | Median threshold limit |
| log Kow or log Koc | Coefficient of Oil/Water Distribution |

REGULATORY INFORMATION:

| WHMIS | Canadian Workplace Hazardous Material Information System |
|----------|---|
| DOT | U.S. Department of Transportation |
| TC | Transport Canada |
| EPA | U.S. Environmental Protection Agency |
| DSL | Canadian Domestic Substance List |
| NOHSC | National Occupational Health and Safety Commission (Australia) |
| NDSL | Canadian Non-Domestic Substance List |
| PSL | Canadian Priority Substances List |
| TSCA | U.S. Toxic Substance Control Act |
| EU | European Union (European Union Directive 67/548/EEC) |
| WGK | Wassergefährdungsklassen (German Water Hazard Class) |
| HMIS-III | National Paint & Coatings Association Hazardous Materials Identification System |

WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

| 0 | ۲ | ٨ | | 1 | ۲ | | Ŕ |
|------------|-----------|-----------|----------|------------|------------|-----------|----------|
| Class A | Class B | Class C | Class D1 | Class D2 | Class D3 | Class E | Class F |
| Compressed | Flammable | Oxidizing | Toxic | Irritation | Infectious | Corrosive | Reactive |

EC (67/548/EEC) INFORMATION:

| | | Ż | ¥ | * | * | × | × | |
|-----------|-----------|-----------|---------|-----------|-------|----------|---------|--|
| С | E | F | Ν | 0 | т | Xi | Xn | |
| Corrosive | Explosive | Flammable | Harmful | Oxidizing | Toxic | Irritant | Harmful | |

CLP/GHS (1272/2008/EC) PICTOGRAMS:

| | | | \Diamond | A A A A A A A A A A A A A A A A A A A | | \: | | |
|-----------|-----------|----------|-------------|---------------------------------------|-------|-----------------------|------------------|-------------|
| GHS01 | GHS02 | GHS03 | GHS04 | GHS05 | GHS06 | GHS07 | GHS08 | GHS09 |
| Explosive | Flammable | Oxidizer | Pressurized | Corrosive | Toxic | Harmful Irritating | Health Hazard | Environment |