

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

**BOSTIK NON PRESS. PIPE CEMENT** Revision Date 14-Oct-2016 Supercedes Date: No information available

Version 1

# Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product Identifier

**BOSTIK NON PRESS. PIPE CEMENT Product Name** 

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Adhesives, sealants. Recommended use None known Uses advised against

## 1.3. Details of the supplier of the safety data sheet

### **Company Name**

**Bostik Limited** Common Rd ST16 3EH Stafford UK

Tel: +44 (1785) 27 26 25 Fax: +44 (1785) 25 72 36

E-mail address SDS.box-EU@bostik.com

#### 1.4. Emergency telephone number

United Kingdom	+44 (1785) 272650
Ireland	+353 (1) 8624900 (Monday- Friday 9am-5pm)

# Section 2: HAZARD IDENTIFICATION

#### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Serious eye damage/eye irritation	Category 1 - (H318)
Specific target organ toxicity (single exposure)	Category 3 - (H336)
Flammable Liquids	Category 2 - (H225)

75 % of the mixture consists of ingredient(s) of unknown toxicity Unknown acute toxicity

Unknown aquatic toxicity Contains 0 % of components with unknown hazards to the aquatic environment

### 2.2. Label Elements

# Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Contains Cyclohexanone, Methyl ethyl ketone

BOSTIK NON PRESS. PIPE CEMENT Supercedes Date: No information available Revision Date 14-Oct-2016

Version 1



### Signal Word DANGER

#### **Hazard statements**

H318 - Causes serious eye damage

H336 - May cause drowsiness or dizziness

H225 - Highly flammable liquid and vapour

EUH066 - Repeated exposure may cause skin dryness or cracking

EUH205 - Contains epoxy constituents. May produce an allergic reaction

EUH208 - Contains Bisphenol-A-Epichlorhydrin Epoxy resin (number average molecular weight <=700). . May produce an allergic reaction

# Precautionary Statements - EU (§28, 1272/2008)

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P260 - Do not breathe fumes

P271 - Use only outdoors or in a well-ventilated area

P280 - Wear protective gloves and eye/face protection

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

P501 - Dispose of contents/ container to an approved waste disposal plant

# Special provisions concerning the labelling of certain mixtures

This product requires tactile warnings if supplied to the general public

## 2.3. Other Hazards

#### **General Hazards**

In use may form flammable/explosive vapour-air mixture.

#### PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB

## Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances

This product is a mixture. Health hazard information is based on its components.

#### 3.2 Mixtures

Chemical Name	EC No	CAS No.	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH Registration Number
Methyl ethyl ketone	201-159-0	78-93-3	40 - <80	Eye Irrit. 2 (H319) STOT SE 3 (H336) Flam. Liq. 2 (H225) (EUH066)	01-2119457290-43-XXXX
Cyclohexanone	203-631-1	108-94-1	5 - <10	Acute Tox. 4 (H332) Flam. Liq. 3 (H226) Acute Tox. 4 (H302) Acute Tox. 4 (H312) Skin Irrit. 2 (H315) Eye Dam. 1 (H318)	01-2119453616-35-XXXX
Bisphenol-A-Epichlorohydri	500-033-5	25068-38-6	0.1 - <1	Skin Irrit. 2 (H315)	01-2119456619-26-XXXX

## **BOSTIK NON PRESS. PIPE CEMENT**

Supercedes Date: No information available

n Epoxy resin <700 MW	Eye Irrit. 2 (H319)	
	Skin Sens. 1 (H317)	
	Aquatic Chronic 2 (H411)	

Full text of H- and EUH-phrases: see section 16

Note: ^ indicates not classifed, however, the substance is listed in section 3 as it has an OEL.

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

### Section 4: FIRST AID MEASURES

#### 4.1. Description of first aid measures

**General Advice** If medical advice is needed, have product container or label at hand.

**Inhalation** Remove to fresh air.

Skin Contact Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/

attention.

Eye contact In case of contact with eyes, rinse immediately with plenty of water and seek medical

advice. Remove contact lenses, if present and easy to do. Continue rinsing. Call a doctor

immediately.

**Ingestion** If swallowed, do not induce vomiting: seek medical advice immediately and show this

container or label.

entry to unnecessary and unprotected personnel.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms None known.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors Treat symptomatically.

# Section 5: FIRE-FIGHTING MEASURES

# 5.1. Extinguishing media

# Suitable Extinguishing Media

Use CO2, dry chemical, or foam.

#### **Unsuitable Extinguishing Media**

Use water spray or fog; do not use straight streams

# 5.2. Special hazards arising from the substance or mixture

Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).

## 5.3. Advice for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

# Section 6: ACCIDENTAL RELEASE MEASURES

# 6.1. Personal precautions, protective equipment and emergency procedures

Revision Date 14-Oct-2016

Version 1

**BOSTIK NON PRESS. PIPE CEMENT** 

Supercedes Date: No information available Version 1

\_\_\_\_\_

#### Personal Precautions

Remove all sources of ignition. Evacuate personnel to safe areas. Ensure adequate ventilation, especially in confined areas.

Water spray may reduce vapour; but may not prevent ignition in closed spaces.

## For emergency responders

Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.

#### 6.2. Environmental precautions

Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point.

### 6.3. Methods and material for containment and cleaning up

Methods for Containment Dyke far ahead of spill; use dry sand to contain the flow of material. Contain and collect

spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations

Revision Date 14-Oct-2016

(see Section 13).

Methods for cleaning up

Use clean non-sparking tools to collect absorbed material. Dyke far ahead of liquid spill

for later disposal.

#### 6.4. Reference to other sections

Reference to other sections See Section 12: ECOLOGICAL INFORMATION

Section 7: HANDLING AND STORAGE

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

## Section 7: HANDLING AND STORAGE

#### 7.1. Precautions for safe handling

#### Advice on safe handling

Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Take precautionary measures against static charges. Use explosion-proof electrical/ventilating/lighting /equipment.

### **General Hygiene Considerations**

Do not eat, drink or smoke when using this product. Regular cleaning of equipment, work area and clothing is recommended.

### 7.2. Conditions for safe storage, including any incompatibilities

## **Storage Conditions**

Keep only in the original container/package in a cool well-ventilated place.

## 7.3. Specific end use(s)

#### Other Information

Recommendation(s); Observe technical data sheet

## Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control parameters

Chemical Name	European Union	Ireland	United Kingdom
Methyl ethyl ketone	TWA: 200 ppm	TWA: 200 ppm	STEL: 300 ppm
78-93-3	TWA: 600 mg/m <sup>3</sup>	TWA: 600 mg/m <sup>3</sup>	STEL: 899 mg/m <sup>3</sup>
	STEL: 300 ppm	STEL: 300 ppm	TWA: 200 ppm
	STEL: 900 mg/m <sup>3</sup>	STEL: 900 mg/m <sup>3</sup>	TWA: 600 mg/m <sup>3</sup>
	_	Skin	Skin
Cyclohexanone	TWA: 10 ppm	TWA: 10 ppm	STEL: 20 ppm
108-94-1	TWA: 40.8 mg/m <sup>3</sup>	TWA: 40.8 mg/m <sup>3</sup>	STEL: 82 mg/m <sup>3</sup>
	STEL: 20 ppm	STEL: 20 ppm	TWA: 10 ppm
	STEL: 81.6 mg/m <sup>3</sup>	STEL: 81.6 mg/m <sup>3</sup>	TWA: 41 mg/m <sup>3</sup>

**BOSTIK NON PRESS. PIPE CEMENT** 

Revision Date 14-Oct-2016 Supercedes Date: No information available

Version 1

S\* Skin Skin

**Derived No Effect Level (DNEL)** No information available

Predicted No Effect Concentration No information available.

(PNEC)

8.2. Exposure controls

**Engineering Controls** Ensure adequate ventilation, especially in confined areas.

**Personal Protective Equipment** 

Tight sealing safety goggles. Face protection shield. **Eye/Face Protection** 

**Skin and Body Protection** Antistatic footwear. Wear fire/flame resistant/retardant clothing. Gloves made of plastic

Not applicable for liquids

or rubber. Suitable protective clothing. Apron.

Environmental Exposure Controls Do not allow into any sewer, on the ground or into any body of water.

## Section 9: PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1. Information on basic physical and chemical properties

**Physical State** Liquid **Appearance** Thixotropic

Colour No information available

Odour Characteristic

**Odour Threshold** No information available

Remarks • Method Property

No information available

No information available pН Melting point/freezing point No information available 79 °C / 174.2 °F **Boiling Point** -9 °C / 15.8 °F Flash Point **Evaporation Rate** No information available

Flammability (solid, gas) No information available

Flammability Limit in Air

Upper Flammability Limit No information available Lower Flammability Limit No information available Vapour Pressure No information available **Vapour Density** No information available **Specific Gravity** No information available Water Solubility No information available **Solubility in Other Solvents** No information available No information available **Partition Coefficient** No information available **Autoignition Temperature Decomposition Temperature** No information available **Explosive Properties** No information available No information available **Explosive Limits** Upper No information available Lower No information available

**Oxidising Properties Kinematic Viscosity** No information available

No information available **Dynamic Viscosity** 

9.2. Other information

Softening Point No information available Molecular Weight No information available Solvent content (%) No information available Solid content (%) No information available

**Density** 

**Bulk Density** No Data Available

VOC content (%)

**BOSTIK NON PRESS. PIPE CEMENT** 

Supercedes Date: No information available

Version 1

\_\_\_\_\_

\_\_\_

# Section 10: STABILITY AND REACTIVITY

#### 10.1. Reactivity

Stable under recommended storage conditions.

#### 10.2. Chemical stability

Stable under recommended storage conditions.

Explosion Data

Sensitivity to Mechanical Impact None

Sensitivity to Static Discharge May be ignited by friction, heat, sparks or flames.

#### 10.3. Possibility of hazardous reactions

#### **Possibility of Hazardous Reactions**

None under normal processing.

## 10.4. Conditions to avoid

Keep away from heat, sparks and flames.

#### 10.5. Incompatible materials

Strong acids and bases.

#### 10.6. Hazardous decomposition products

None under normal use conditions.

# Section 11: TOXICOLOGY INFORMATION

## 11.1. Information on toxicological effects

#### **Product Information**

No information or data specific to the product on this toxicological (health) effect is available.

InhalationNo Data Available.Eye contactNo Data Available.Skin ContactNo Data Available.IngestionNo Data Available.SensitisationNo Data Available.

**Skin Corrosion/Irritation** Not applicable.

Serious eye damage/eye irritation Not applicable.

**Sensitisation** Not applicable.

Germ Cell Mutagenicity Not applicable.

Carcinogenicity Not applicable.

**Reproductive Toxicity** No information available.

**STOT - Single Exposure** No information available.

**STOT - Repeated Exposure** No information available.

Revision Date 14-Oct-2016

BOSTIK NON PRESS. PIPE CEMENT Supercedes Date: No information available Revision Date 14-Oct-2016

Version 1

Target Organ Effects Central nervous system, Eyes, Kidney, Liver, Respiratory system, Skin.

**Aspiration Hazard** No information available.

Numerical measures of toxicity

#### **Acute Toxicity**

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 20,365.00 mg/kg
ATEmix (dermal) 16,907.00 mg/kg
ATEmix (inhalation-dust/mist) 23.10 mg/l
ATEmix (inhalation-vapour) 42.00 mg/l

**Unknown acute toxicity** 75 % of the mixture consists of ingredient(s) of unknown toxicity.

0.33 % of the mixture consists of ingredient(s) of unknown acute oral toxicity.

0.33 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity.

8.959 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas). 75.073 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapour).

2.453 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist).

#### **Component Information**

Toxicity Data No information available

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Methyl ethyl ketone	= 2483 mg/kg (Rat)	= 5000 mg/kg (Rabbit)	= 11700 ppm (Rat) 4 h
Cyclohexanone	= 1535 mg/kg (Rat)	= 947 mg/kg (Rabbit)	= 8000 ppm (Rat) 4 h
Bisphenol-A-Epichlorohydrin	= 11400 mg/kg (Rat)	>2000 mg/Kg (rat)	-
Epoxy resin <700 MW			

# Section 12: ECOLOGICAL INFORMATION

### 12.1. Toxicity

**Ecotoxicity** No information available

## **Component Information**

Data obtained on the component(s) include

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Methyl ethyl ketone	EC50=1972 mg/l	LC50 96 h 3130 - 3320 mg/L	EC50 48 h > 308 mg/L (Daphnia
	(Pseudokirchneriella subcapitata)	(Pimephales promelas	magna )
		flow-through)	
Cyclohexanone	EC50 96 h = 20 mg/L (Chlorella	LC50 96 h 481 - 578 mg/L	EC50 24 h = 800 mg/L (Daphnia
	vulgaris)	(Pimephales promelas	magna )
		flow-through)	
Bisphenol-A-Epichlorohydrin	-	1.2 mg/l 96Hr (Oncorhynchus	2.7 mg/l 48hr Daphia Magna
Epoxy resin <700 MW		mykiss)	

## 12.2. Persistence and degradability

No information available.

## 12.3. Bioaccumulative potential

No information available.

Partition coefficient No information available

#### 12.4. Mobility in soil

**BOSTIK NON PRESS. PIPE CEMENT** 

Revision Date 14-Oct-2016 Supercedes Date: No information available Version 1

Mobility in soil No information available.

#### 12.5. Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

#### 12.6. Other Adverse Effects

No information available

#### **Endocrine Disruptor Information**

Chemical Name	EU - Endocrine Disrupters Candidate	EU - Endocrine Disruptors - Evaluated
	List	Substances
Bisphenol-A-Epichlorohydrin Epoxy resin <700 MW	Group III Chemical	

# Section 13: DISPOSAL CONSIDERATIONS

#### 13.1. Waste treatment methods

Waste from Residues/Unused

**Products** 

Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Improper disposal or reuse of this container may be dangerous and illegal. **Contaminated Packaging** 

**European Waste Catalogue** 08 04 09\* waste adhesives and sealants containing organic solvents or other dangerous

substances

Other Information Waste codes should be assigned by the user based on the application for which the

product was used.

# Section 14: TRANSPORTATION INFORMATION

14.1 UN/ID no UN1133 14.2 Proper Shipping Name Adhesives

14.3 Hazard Class 3 **Hazard Labels** 14.4 Packing Group Ш

UN1133, Adhesives, 3, III Description

Not applicable 14.5 Environmental Hazard

14.6 Special Provisions 640E **Classification Code** F1 **Tunnel restriction code** (D/E) Limited Quantity (LQ) 5 L **ADR Hazard Id (Kemmler** 30

Number)

**IMDG** 

14.1 UN/ID no UN1133 14.2 Proper Shipping Name Adhesives

14.3 Hazard Class Ш 14.4 Packing Group

UN1133, Adhesives, 3, III, (-9°C c.c.) Description

14.5 Marine Pollutant Np 223, 955 14.6 Special Provisions 5 L Limited Quantity (LQ) EmS-No F-E, S-D

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code No information available

**BOSTIK NON PRESS. PIPE CEMENT** 

Supercedes Date: No information available Version 1

Revision Date 14-Oct-2016

RID

14.1 UN/ID no UN1133 14.2 Proper Shipping Name Adhesives

14.3 Hazard Class 3 14.4 Packing Group III

**Description** UN1133, Adhesives, 3, III

14.5 Environmental Hazard Not applicable

Classification Code F1

14.6 Special Provisions None
Limited Quantity (LQ) 5 L

ICAO (air)

**14.1 UN/ID no** UN1133 **14.2 Proper Shipping Name** Adhesives

14.3 Hazard Class 3 14.4 Packing Group III

**Description** UN1133, Adhesives, 3, III

**14.5 Environmental Hazard** Not applicable

14.6 Special Provisions A3

IATA

**14.1 UN/ID no** UN1133 **14.2 Proper Shipping Name** Adhesives

14.3 Hazard Class 3 14.4 Packing Group III

**Description** UN1133, Adhesives, 3, III

**14.5 Environmental Hazard** Not applicable

14.6 Special Provisions A3 Limited Quantity (LQ) 10 L ERG Code 3L

## Section 15: REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# **European Union**

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

### Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

# EU-REACH (1907/2006) - Candidate List of Substances of Very High Concern (SVHC) for Authorization in accordance with Article 59

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

#### EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

# EU-REACH (1907/2006) - Annex XIV - List of substances subject to Authorization

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

BOSTIK NON PRESS. PIPE CEMENT

Supercedes Date: No information available Version 1

•

\_\_\_

Dangerous substance category per Seveso Directive (2012/18/EU)
P5a - FLAMMABLE LIQUIDS

or

P5b - FLAMMABLE LIQUIDS

Revision Date 14-Oct-2016

or

P5c - FLAMMABLE LIQUIDS

STEL (Short Term Exposure Limit)

Skin designation

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

**Persistent Organic Pollutants** 

Not applicable

15.2. Chemical safety assessment

No information available

# Section 16: OTHER INFORMATION

#### Key or legend to abbreviations and acronyms used in the safety data sheet

### Full text of H-Statements referred to under section 3

H332 - Harmful if inhaled

H226 - Flammable liquid and vapour

H302 - Harmful if swallowed

H312 - Harmful in contact with skin

H315 - Causes skin irritation

H318 - Causes serious eye damage

H319 - Causes serious eye irritation

H317 - May cause an allergic skin reaction

H411 - Toxic to aquatic life with long lasting effects

H336 - May cause drowsiness or dizziness

H225 - Highly flammable liquid and vapour

EUH066 - Repeated exposure may cause skin dryness or cracking

Legend

SVHC: Substances of Very High Concern for Authorisation:

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL

Ceiling Maximum limit value
PBT Persistent, Bioaccumulative, and Toxic (PBT) Chemicals

STOT (RE): Specific target organ toxicity - Repeated exposure STOT (SE): Specific target organ toxicity - Single exposure

EWC: European Waste Catalogue

Key literature references and sources for data

Classification and labeling data calculated from data received from raw material suppliers

Prepared By Product Safety & Regulatory Affairs

Revision Date 14-Oct-2016

Indication of changes

Revision Note Not applicable.

Training Advice Provide adequate information, instruction, and training for operator

BOSTIK NON PRESS. PIPE CEMENT Supercedes Date: No information available Revision Date 14-Oct-2016

Version 1

\_\_\_

Additional information No information available

This safety data sheet complies with the requirements of: Regulation (EC) No. 1907/2006

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**