

# Notification# 20170728001 Datasheet for TS5A22362, TS5A22364 Information Only

Date: August 07, 2017 To: Newark/Farnell PCN

Dear Customer:

This is an information-only announcement of a change to the datasheet for a device that is currently offered by Texas Instruments.

The changes discussed within this notification are for your information only.

Any negotiated alternative change requirements will be provided via the customer's defined process. Customers with previously negotiated, special requirements will be handled separately. Any inquiries should be directed to your local Field Sales Representative.

For questions regarding this notice, contact your local Field Sales Representative or the PCN Manager (<u>PCN ww admin team@list.ti.com</u>).

Sincerely,

PCN Team SC Business Services

## Information Only Attachments

## **Products Affected:**

The devices listed on this page are a subset of the complete list of affected devices. According to our records, these are the devices that you have purchased within the past twenty-four (24) months. The corresponding customer part number is also listed, if available.

#### DEVICE

TS5A22362DGSR TS5A22364DGSR

#### **CUSTOMER PART NUMBER**

null null

Technical details of this Product Change follow on the next page(s).

| PCN Number:   | 20170728001   |   | PCN Date:  | Aug                    | . 7, 20  | 17   |  |
|---|---|---|--|------------------------|--|--|--|
|   |   |   |  |                        |  |  |  |
| Customer Contact: <u>PCN Manager</u> Dept: Quality Services   |   |   |  |                        |  |  |  |
| Change Type:  |   |   |  |                        |  | Quality Der Need   |  |
| Assembly Site   |   | Design  |  |                        | Wafe   | r Bump Site  |  |
| Assembly Process  |   | Data She  | et   |                        |  | r Bump Material  |  |
| Assembly Materials  |   |   | ber change   |                        |  | r Bump Process   |  |
| Mechanical Specifica  |   | Test Site   |  |                        |  | r Fab Site   |  |
| Packing/Shipping/La   |   | Test Proc   | ess  |                        |  | r Fab Materials  |  |
|   |   |   |  | Wafer Fab Process      |  |  |  |
|   |   | tificatio   | on Details   |                        |  |  |  |
| <b>Description of Change</b>  |   |   |  |                        |  |  |  |
| Texas Instruments Incor<br>The product datasheet(s  |   |   |  |                        | otificati  | on.  |  |
| The following change his  |   |   |  |                        |  |  |  |
|   |   |   |  |                        |  |  |  |
| TEXAS<br>INSTRUMENTS  |   |   |  |                        | T\$5A22362   |  |  |
|   |   |   |  | SCDS364                | IC -JUNE 2   | 015-REVISED JUNE 2017  |  |
| Changes from Revision B (Sep  | tember 2015) to Rev   | vision C  |  |                        |  | Page   |  |
|   |   |   |  |                        |  |  |  |
| - Changed the $V_{IN}$ MAX value F  | From: V <sub>CC</sub> To: 5.5 V i   | n the Recom   | mended Operating   | Condition              | ns table   | 4  |  |
|   |   |   |  | SCDS261H               | H-MARCH  | 2008-REVISED JUNE 2017   |  |
| Changes from Revision G (Sep  |   |   | mended Operating   |                        |  | Page   |  |
| Changes from Revision G (Sep <ul> <li>Changed the V<sub>IN</sub> MAX value F</li> </ul>   |   |   | mended Operating   |                        |  | Page   |  |
| Changed the V <sub>IN</sub> MAX value F   | From: V <sub>CC</sub> To: 5.5 V ii  | n the <i>Recom</i>  | mended Operating   |                        |  | Page   |  |
| Changed the V <sub>IN</sub> MAX value F The datasheet number w  | From: V <sub>CC</sub> To: 5.5 V ii  | n the Recom   |  |                        | ns table   | <b>Page</b>  |  |
| Changed the V <sub>IN</sub> MAX value F The datasheet number w Device Family  | From: V <sub>CC</sub> To: 5.5 V ii  | n the <i>Recom</i>  | From:  |                        | ns table<br>Chang                                  | Раде<br>4<br>е То:   |  |
| Changed the V <sub>IN</sub> MAX value F The datasheet number w Device Family TS5A22362  | From: V <sub>CC</sub> To: 5.5 V ii  | Change  | From:<br>64B   |                        | Chang  | Page<br>4<br>e To:<br>364C   |  |
| <ul> <li>Changed the V<sub>IN</sub> MAX value F</li> <li>The datasheet number w</li> <li>Device Family</li> <li>TS5A22362</li> <li>TS5A22364</li> </ul>   | From: V <sub>cc</sub> To: 5.5 V ii  | Change<br>SCDS3<br>SCDS2  | e From:<br>664B<br>261G  | Conditior              | ns table<br>Chang                                  | Page<br>4<br>e To:<br>364C   |  |
| <ul> <li>Changed the V<sub>IN</sub> MAX value F</li> <li>The datasheet number w</li> <li>Device Family</li> <li>TS5A22362</li> <li>TS5A22364</li> <li>These changes may be read</li> </ul>  | ill be changing.  | Change<br>SCDS3<br>SCDS2  | e From:<br>664B<br>261G  | Conditior              | Chang  | Page<br>4<br>e To:<br>364C   |  |
| <ul> <li>Changed the V<sub>IN</sub> MAX value F</li> <li>The datasheet number w</li> <li>Device Family</li> <li>TS5A22362</li> <li>TS5A22364</li> <li>These changes may be read the second sec</li></ul> | ill be changing.<br>eviewed at the  | Change<br>SCDS3<br>SCDS2  | e From:<br>664B<br>261G  | Conditior              | Chang  | Page<br>4<br>4<br>e To:<br>364C  |  |
| Changed the V <sub>IN</sub> MAX value F The datasheet number w Device Family TS5A22362 TS5A22364 These changes may be re http://www.ti.com/produ  | ill be changing.<br>eviewed at the  | Change<br>SCDS3<br>SCDS2  | e From:<br>664B<br>261G  | Conditior              | Chang  | Page<br>4<br>e To:<br>364C   |  |
| <ul> <li>Changed the V<sub>IN</sub> MAX value F</li> <li>The datasheet number w</li> <li>Device Family</li> <li>TS5A22362</li> <li>TS5A22364</li> <li>These changes may be read to the section of the sec</li></ul> | ill be changing.<br>eviewed at the<br>ict/TS5A22362<br>ict/TS5A22364  | Change<br>SCDS3<br>SCDS2<br>datasheet   | e From:<br>664B<br>261G  | Conditior              | Chang  | Page<br>4<br>4<br>e To:<br>364C  |  |
| Changed the V <sub>IN</sub> MAX value F The datasheet number w Device Family TS5A22362 TS5A22364 These changes may be re http://www.ti.com/produ http://www.ti.com/produ To accurately reflect dev  | rom: V <sub>cc</sub> To: 5.5 V ii<br>ill be changing.<br>eviewed at the<br>ict/TS5A22362<br>ict/TS5A22364<br>ice characteristi  | Change<br>SCDS3<br>SCDS2<br>datasheet   | e From:<br>864B<br>261G<br>t links provide   | Condition              | Chang<br>SCDS<br>SCDS                              | Page<br>4<br>e To:<br>364C<br>261H   |  |
| Changed the V <sub>IN</sub> MAX value F The datasheet number w Device Family TS5A22362 TS5A22364 These changes may be re http://www.ti.com/produ http://www.ti.com/produ Reason for Change: To accurately reflect dev Anticipated impact on No anticipated impact. T  | rom: V <sub>cc</sub> To: 5.5 V ii<br>ill be changing.<br>eviewed at the<br>ict/TS5A22362<br>ict/TS5A22364<br>ice characteristi<br><b>Fit, Form, Fu</b>  | Change<br>SCDS3<br>SCDS2<br>datasheet   | e From:<br>64B<br>261G<br>t links provide  | Condition<br>ed.       | Chang<br>SCDS<br>SCDS                              | Page<br>   |  |
| <ul> <li>Changed the V<sub>IN</sub> MAX value F</li> <li>The datasheet number w</li> <li>Device Family</li> <li>TS5A22362</li> <li>TS5A22364</li> <li>These changes may be ready</li> <li>http://www.ti.com/produce</li> <li>http://www.ti.com/produce</li> <li>Reason for Change:</li> <li>To accurately reflect dev</li> <li>Anticipated impact on</li> <li>No anticipated impact. The to the actual device.</li> </ul>   | rom: V <sub>cc</sub> To: 5.5 V ii<br>ill be changing.<br>eviewed at the<br>ict/TS5A22362<br>ict/TS5A22364<br>ice characteristi<br><b>Fit, Form, Fui</b><br>his is a specifica                           | Change<br>SCDS3<br>SCDS2<br>datasheet   | e From:<br>64B<br>261G<br>t links provide<br><b>Quality or Rel</b><br>nge announce                       | condition<br>ed.       | Chang<br>SCDS<br>SCDS                              | Page<br>4<br>e To:<br>364C<br>261H<br>itive / negative):   |  |
| Changed the V <sub>IN</sub> MAX value F The datasheet number w Device Family TS5A22362 TS5A22364 These changes may be re http://www.ti.com/produ http://www.ti.com/produ Reason for Change: To accurately reflect dev Anticipated impact on No anticipated impact. T to the actual device. Changes to product ide   | rom: V <sub>cc</sub> To: 5.5 V ii<br>ill be changing.<br>eviewed at the<br>ict/TS5A22362<br>ict/TS5A22364<br>ice characteristi<br><b>Fit, Form, Fui</b><br>his is a specifica                           | Change<br>SCDS3<br>SCDS2<br>datasheet   | e From:<br>64B<br>261G<br>t links provide<br><b>Quality or Rel</b><br>nge announce                       | condition<br>ed.       | Chang<br>SCDS<br>SCDS                              | Page<br>4<br>e To:<br>364C<br>261H<br>itive / negative):   |  |
| Changed the V <sub>IN</sub> MAX value F The datasheet number w Device Family TS5A22362 TS5A22364 These changes may be re http://www.ti.com/produ http://www.ti.com/produ Reason for Change: To accurately reflect dev Anticipated impact on No anticipated impact. The to the actual device. Changes to product ide None.   | rom: V <sub>cc</sub> To: 5.5 V ii<br>ill be changing.<br>eviewed at the<br>ict/TS5A22362<br>ict/TS5A22364<br>ice characteristi<br><b>Fit, Form, Fui</b><br>his is a specifica                           | Change<br>SCDS3<br>SCDS2<br>datasheet   | e From:<br>64B<br>261G<br>t links provide<br><b>Quality or Rel</b><br>nge announce                       | condition<br>ed.       | Chang<br>SCDS<br>SCDS                              | Page<br>4<br>e To:<br>364C<br>261H<br>itive / negative):   |  |
| <ul> <li>Changed the V<sub>IN</sub> MAX value F</li> <li>The datasheet number w</li> <li>Device Family</li> <li>TS5A22362</li> <li>TS5A22364</li> <li>These changes may be rest</li> <li>http://www.ti.com/produce</li> <li>http://www.ti.com/produce</li> <li>Reason for Change:</li> <li>To accurately reflect dev</li> <li>Anticipated impact on</li> <li>No anticipated impact. The to the actual device.</li> <li>Changes to product id</li> <li>None.</li> <li>Product Affected:</li> </ul>   | rom: V <sub>cc</sub> To: 5.5 V ii<br>ill be changing.<br>eviewed at the<br>ict/TS5A22362<br>ict/TS5A22364<br>ice characteristi<br><b>Fit, Form, Fu</b><br>his is a specifica                            | Change<br>SCDS3<br>SCDS2<br>datasheet<br>ics.<br>nction, Q<br>ation char              | E From:<br>64B<br>261G<br>t links provide<br>guality or Rel<br>nge announce                              | Condition              | Chang<br>SCDS<br>SCDS<br>SCDS                      | Page 4 e To: 364C 261H itive / negative): here are no changes                                    |  |
| <ul> <li>Changed the V<sub>IN</sub> MAX value F</li> <li>The datasheet number w</li> <li>Device Family</li> <li>TS5A22362</li> <li>TS5A22364</li> <li>These changes may be ready</li> <li>http://www.ti.com/produce</li> <li>http://www.ti.com/produce</li> <li>Reason for Change:</li> <li>To accurately reflect dev</li> <li>Anticipated impact on</li> <li>No anticipated impact. The to the actual device.</li> <li>Changes to product ide</li> <li>None.</li> </ul>  | rom: V <sub>cc</sub> To: 5.5 V ii<br>ill be changing.<br>eviewed at the<br>ict/TS5A22362<br>ict/TS5A22364<br>ice characteristi<br><b>Fit, Form, Fui</b><br>his is a specifica                           | Change<br>SCDS3<br>SCDS2<br>datasheet<br>ics.<br>ation char<br>sulting f              | e From:<br>64B<br>261G<br>t links provide<br><b>Quality or Rel</b><br>nge announce                       | Condition<br>Condition | Chang<br>SCDS<br>SCDS<br>SCDS<br>y (pos<br>nly. Th | Page<br>4<br>e To:<br>364C<br>261H<br>itive / negative):   |  |
| <ul> <li>Changed the V<sub>IN</sub> MAX value F</li> <li>The datasheet number w</li> <li>Device Family</li> <li>TS5A22362</li> <li>TS5A22364</li> <li>These changes may be ready</li> <li>http://www.ti.com/produce</li> <li>http://www.ti.com/produce</li> <li>Reason for Change:</li> <li>To accurately reflect dev</li> <li>Anticipated impact on</li> <li>No anticipated impact. The to the actual device.</li> <li>Changes to product id</li> <li>None.</li> <li>Product Affected:</li> <li>HPA02208YZPR</li> </ul>  | rom: V <sub>cc</sub> To: 5.5 V ii<br>ill be changing.<br>eviewed at the<br>ict/TS5A22362<br>ict/TS5A22364<br>ice characteristi<br><b>Fit, Form, Fur</b><br>his is a specifica<br><b>entification re</b> | Change<br>SCDS3<br>SCDS3<br>datasheet<br>ics.<br>nction, Q<br>ation char<br>sulting f | E From:<br>64B<br>61G<br>t links provide<br>guality or Rel<br>nge announce<br>From this PCI<br>TS5A22362 | Condition<br>Condition | Chang<br>SCDS<br>SCDS<br>SCDS<br>y (pos<br>nly. Th | Page<br>4<br>e To:<br>364C<br>261H<br>itive / negative):<br>here are no changes<br>TS5A22362DRCR |  |

For questions regarding this notice, e-mails can be sent to the regional contacts shown below or your local Field Sales Representative.

| Location     | E-Mail                         |
|--------------|--------------------------------|
| USA          | PCNAmericasContact@list.ti.com |
| Europe       | PCNEuropeContact@list.ti.com   |
| Asia Pacific | PCNAsiaContact@list.ti.com     |
| Japan        | PCNJapanContact@list.ti.com    |