

Page 1 of 6 SDS-E-GN5S-2N

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 6.1

SDS Revision Date: 5/30/2017

1. PRODUCT & COMPANY IDENTIFICATION														
1.1	Product Name:										150	<u> </u>	40	
	1 Toddot Name.		GOLD G	-SERIES	, 5% N	/IINI-	SPF	KΑY,	(1/1)	N Gr	N55-	·2N),	40 (grams,
		VOC Cor	npliant											
1.2	Chemical Name:	NA												
1.3	Synonyms:		I G-Series 5% I											
1.4	Trade Names:		DeoxIT® Gold G-Series 5% Mini-Spray; PN GN5S-2N Conditioner, enhancer for plated and gold plated electronic contacts & connectors											
1.5	Product Uses & Restrictions:			ted and gold p	lated ele	ctronic	conta	cts & c	onnec	tors				
1.6	Distributor's Name:	CAIG Laborat	, -	CA 00004.0	070 110 4									
1.8	1.7 Distributor's Address: 12200 Thatcher Court, Poway, CA 92064-6876 USA 1.8 Emergency Phone: CHEMTREC: +1 (703) 527-3887 / +1 (800) 424-9300 (CCN XXXXXX)													
1.9	Business Phone / Fax:		. ,	321-30011	+1 (000	J) 424	-930	ט (כנ	N V	^^^	()			
1.5	Dusiness Friorie / Fax.	+1 (800) 224-	4123											
			2 HΔ	ZARDSI	DENT	IFIC	ΔΤΙ	ON						
2.1	Hazard Identification:	This product	is classified a						ac DA	NGE	2011S	GOOI	ns	
			he classification									0001		
			PRESSURIZED							`	,			
		Classification:	Aerosols 3											
			<u>nents</u> (H): H229								_			
			Statements (P sources. No sr											
			sources. No si s/gas/mist/vapo											
			If exposed or											
			ce. P410+P41											
			F. P501 – Disp	ose of conten	ts/contair	ner to a	licen	sed tre	atmen	it, stor	age or	dispo	sal	
		facility (TSDF).											
		3. C0	MPOSITI	ON & INC	RED	ENT	INF	ORI	MAT	ION				
		T		T	1	<u> </u>		<u> </u>				N AIR (m	ng/m³)	
						AC	GIH		NOHSC	;		OSHA		
						pp	m		ppm	T ==		ppm		
СНЕМІ	CAL NAME(S)	CAS No.	RTECS No.	EINECS No.	%	TLV	STEL	ES- TWA	ES- STEL	ES- PEAK	PEL	STEL	IDLH	OTHER
SOLS.	TICE® PF	NA	NA	NA	60-100	NA	NA	NF	NF	NF	NA	NA	NA	
		20110 24 0	l NA	INA	145.00	LAIA	l NIA	L	l NE	LNE	LAIA	LNIA	LAIA	
	S-1,3,3,3-TETRAFLUORO- -1-ENE	29118-24-9	INA	INA	15-30	NA	NA	NF	NF	NF	NA	NA	NA	
		PROPRIETAR	Y – NA	NA	3-7	NIA	NIA	NF	NF	NE	NIA	NIA	NIA	
DEOX	IT® GOLD G-SERIES, G100I	TRADE SECR	ET INA		3-7	NA	NA	INF	INF	NF	NA	NA	NA	
		NO HAZARDO	OUS INGREDIEN	TS										
			4	FIRST AI	D ME	ΔSUI	RES	}						
4.1	First Aid:	Ingestion:							heen	ewallo	haw	drink	olenty	of water or milk
		<u>irigestion</u> .												ater or milk to an
														mber. Provide an
				e time at whi	ch the n	naterial	was	ingest	ed an	d the	amou	nt of t	the sul	bstance that was
		Even:	swallowed.	ot likely: bowe	war miat	movo	auaa i	rritatia	a If n	raduat	acto i	a tha a	m	ay cause irritation;
		<u>Eyes</u> :												r and lower lids,
			occasionally. I										, -11-	
		Skin:												nty of water for at
								oe gen	tly war	ming a	affecte	d area	ı. If irri	itation, redness or
		Inhalation:	swelling persis Remove victim		-			ficult a	dminis	etar ov	vaen	Gross	overe	vnosure may
		<u>iririalatiori</u> .	cause central r											
			heartbeat acco											
			headedness, w		•									
4.2	Effects of Exposure:	Ingestion:	If product is sw											, ,
		Eyes:		tating to the e	yes. Syr	nptoms	s of ov	verexp	osure	may ir	nclude	redne	ss, itch	ning, irritation and
		Skin:	watering.	na to ekin. Th	e produc	t can c	auso i	allergic	ekin i	reactio	ne (a	n raci	hae w	elts, dermatitis) in
		Skin:	some sensitive	•	c produc	call G	aust i	an o igic	ONIII	caciio	ııs (€.	y., iasi	ics, W	ono, uennanno) in
		Inhalation:			use cent	ral nerv	ous s	ystem	depre	ssion.	dizzin	ess, c	onfusio	on, incoordination,
			drowsiness, ir	regular hearth	ceat acc	ompan	ied b	y a s	trange	feelir	ng in	the c	hest, '	"heart thumping,"
			apprehension,	light-headedne	ess, weal	kness,	faintin	g, loss	of cor	nscious	sness,	and de	eath.	



7.1

7.2

7.3

Work & Hygiene Practices:

Storage & Handling:

Special Precautions:

SAFETY DATA SHEET

Page 2 of 6

SDS-E-GN5S-2N Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision Date: 5/30/2017 4. FIRST AID MEASURES - cont'd 4.3 Symptoms of Overexposure: Nausea, intestinal discomfort, vomiting and/or diarrhea. Ingestion: Overexposure in eyes may cause redness, itching and watering. Eyes: Skin: Symptoms of skin overexposure may include redness, itching, and irritation of affected areas. Frostbite like symptoms. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) in some individuals. Inhalation: Gross overexposure may cause central nervous system depression, dizziness, confusion, incoordination, drowsiness, irregular heartbeat accompanied by a strange feeling in the chest, "heart thumping," apprehension, light-headedness, weakness, fainting, loss of consciousness, and death. Moderate irritation to eyes and skin near affected areas. Additionally, high concentrations of vapors can cause Acute Health Effects 4.4 drowsiness, dizziness, headaches and nausea. Frostbite like effect to skin. 4.5 Chronic Health Effects: Overexposure may trigger asthma-like symptoms in some sensitive individuals. May also induce skin sensitization and respiratory hypersensitivity. Possible allergic dermatitis 4.6 Target Organs: Eyes, Skin, Respiratory System. 47 Medical Conditions Pre-existing dermatitis, other skin conditions, and disorders of the HEALTH 1 Aggravated by Exposure: target organs (eyes, skin, and respiratory system). **FLAMMABILITY** 1 PHYSICAL HAZARDS 0 PROTECTIVE EQUIPMENT В **EYES** SKIN 5. FIREFIGHTING MEASURES 5.1 Fire & Explosion Hazards: Level 1 Aerosol (NFPA 30B). Aerosols may burst at temperatures above 120 °F. Cool uninvolved containers to prevent possible bursting. Aerosols may be projectile hazards when bursting. If aerosols are bursting, stay clear until bursting is complete. This product is not flammable. However, if involved in a fire, this product may decompose at high temperatures to form toxic gases (e.g., CO, Hydrogen Fluoride). Extinguishing Methods Water, Foam, CO₂, Dry Chemical. Use water spray to cool unopened containers. 5.3 Firefighting Procedures: Fight fires as for surrounding materials. As in any fire, wear MSHA/NIOSH approved self-contained breathing apparatus (pressure-demand) and full protective gear. Keep containers cool until well after the fire is out. Use water spray to cool fire-exposed surfaces and to protect personal. Fight fire upwind. Avoid spraying water directly into storage containers because of danger of boil-over. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply, or any natural waterway. Firefighters must use full bunker gear including NIOSH-approved positive pressure self-contained breathing apparatus to protect against potential hazardous combustion or decomposition products and oxygen deficiencies. 6. ACCIDENTAL RELEASE MEASURES Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Spills Equipment. Plastic or rubber gloves, respirator, eye protection and apron may be required for clean-up of large spills. Small Spills: Wear appropriate protective equipment including gloves and protective eyewear. Use a non-combustible material such as vermiculite or sand to soak up the product and place into a container for later disposal. Do not use water or a material such as "speedy dry" to soak up material. Sweep up material using non-sparking materials (e.g., plastic brooms, shovels, dustpans) and place into a plastic container or plastic liner within another container. Large Spills: Keep incompatible materials (e.g., organics such as oil) away from spill. Stay upwind and away from spill or release. Isolate immediate hazard area and keep unauthorized personnel out of area. Stop spill or release if it can be done with minimal risk. Wear appropriate protective equipment including respiratory protection as conditions warrant. 7. HANDLING & STORAGE INFORMATION

> Do not eat, drink or smoke when handling this product. Contents under pressure. Handle as to avoid puncturing container(s). When used as intended, no additional protective equipment is necessary. Use chemical goggles if eye

> Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans) away from heat and direct sunlight. Avoid temperatures above 120 °F. Keep away from incompatible substances. Protect containers from physical

contact is possible. Wash unintentional residues with soap and warm water.

damage. To avoid unintentional spraying keep cap in place when not in use.

Clean all spills promptly.



Page 3 of 6 SDS-E-GN5S-2N

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 6.1

SDS Revision Date: 5/30/2017

	Te	8. EXPOSURE CO		& FER						L ATUED	
8.1	Exposure Limits: ppm (mg/m³)		ACGIH		NOHSC			OSHA	T	OTHER	
	ppin (mg/m)	NA	NA NA	ES-TWA NF	ES-STEL NF	ES-PEAK NF	PEL NA	STEL NA	IDLH NA		
8.2	Ventilation & Engineering Controls:	General mechanical (e.g., fa exhaust ventilation to effective product. Ensure that an eyew.	ns) or natural	ventilation and preven	is suffici t buildup	ent when to	his prod or mist	duct is i genera	n use. ted fror	n the handling of this	
8.3	Respiratory Protection:	No special respiratory protection necessary, use only respirat §1910.134, or applicable U.	o special respiratory protection is required under typical circumstances of use or handling. If ecessary, use only respiratory protection authorized per U.S. OSHA's requirement in 29 CFR 1910.134, or applicable U.S. state regulations, or the appropriate standards of Canada, its rovinces, E.C. member states, or Australia.								
8.4	Eye Protection:	glasses with side-shield) at a protective eyewear when cle lenses may absorb and conce	avoid eye contact. Protective eyewear recommended. Wear protective eyewear (e.g., safety lasses with side-shield) at all times when handling large quantities (of this product. Always use protective eyewear when cleaning spills or leaks. Contact lenses pose a special hazard; soft lenses may absorb and concentrate irritants.								
8.5	Hand Protection:	None required under normal sensitive individuals. If anticithis product, wear latex or rOSHA 29 CFR §1910.138, the	pated that pro ubber gloves	longed & refor routine	epeated sl industrial	kin contact use. If n	will occ ecessa	ur durin ry, refer	g use o to U.S	f WW	
8.6	Body Protection:	No special body protection necessary, refer to appropriat								f	
		9. PHYSIC	AL & CHE	EMICAL	. PROF	PERTIE	S				
9.1	Appearance:	Light yellow aerosol spray/mis	st								
9.2	Odor:	Ethereal / hydrocarbon odor									
9.3	Odor Threshold:	NA									
9.4	pH:	NA									
9.5	Melting Point/Freezing Point:	NA									
9.6	Initial Boiling Point/Boiling Range:	NA									
9.7	Flashpoint:	NA									
9.8	Upper/Lower Flammability	NA									
9.9	Limits: Vapor Pressure:	50 +/-5 psig @ 20 °C									
9.10	Vapor Density:	NA									
9.11	Relative Density:	$0.852 \pm 0.012 (7.10 \pm 0.1 \text{ lb/g})$	al)								
9.12	Solubility:	Partial to complete	,,								
9.13	Partition Coefficient (log Pow):	NA									
9.14	Autoignition Temperature:	NA									
9.15	Decomposition Temperature:	NA									
9.16	Viscosity:	NA									
9.17	Other Information:	0% VOC									
		10. S	TABILITY	/ & RE/	ACTIVI	TY					
10.1	Stability:	This product is stable.									
10.2	Hazardous Decomposition Products:	Oxides of carbon (CO, CO ₂) a	and sulfur (SO	2).							
10.3	Hazardous Polymerization:	Will not occur.									
10.4	Conditions to Avoid:	Open flames, sparks and high	n heat.								
10.5	Incompatible Substances:	None known.		-	-	-					
		11. TOXI	COLOGI	CAL IN	FORM	ATION					
11.1	Routes of Entry:	Inhalation: YES				YES			Ingest	ion: YES	
11.2	Toxicity Data:	This product has NOT been t available for some of the com					oxicolog	gy data,	found i		
11.3	Acute Toxicity:	See section 4.4									
11.4	Chronic Toxicity:	See section 4.5									
11.5	Suspected Carcinogen:	NA									



Page 4 of 6 SDS-E-GN5S-2N

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision Date: 5/30/2017 11. TOXICOLOGICAL INFORMATION - cont'd 11.6 Reproductive Toxicity: This product is not reported to produce reproductive toxicity in humans. Mutagenicity This product is not reported to produce mutagenic effects in humans. Embryotoxicity: This product is not reported to produce embryotoxic effects in humans. Teratogenicity: This product is not reported to cause teratogenic effects in humans. Reproductive Toxicity: This product is not reported to cause reproductive effects in humans. 11.7 Irritancy of Product: See Section 4.3. 11.8 Biological Exposure Indices: ΝE Physician Recommendations: Treat symptomatically. 12. ECOLOGICAL INFORMATION 12.1 Environmental Stability: There is no specific data available for this product. 12.2 Effects on Plants & Animals: There are no specific data available for this product. 12.3 Effects on Aquatic Life: There are no specific data available for this product; however, very large releases of this product may be harmful or fatal to overexposed aquatic life. 13. DISPOSAL CONSIDERATIONS 13.1 Waste Disposal: Products covered by this MSDS, in their original form, when disposed as waste, are considered non hazardous waste according to Federal RCRA regulations (40 CFR 261). Disposal should be in accordance with local, state and federal regulations. Dispose of in accordance with federal, state and local regulations. Special Considerations: California Waste Code: 331 13.2 14. TRANSPORTATION INFORMATION The basic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG and the CTDGR. 49 CFR (GND): CONSUMER COMMODITY, ORM-D (IP VOL ≤ 1000 mL) - until 12/31/2020 UN1950, AEROSOLS, 2.2 (LTD QTY, IP VOL ≤ 1000 mL) IATA (AIR): 14.2 ID8000, CONSUMER COMMODITY, 9 (IP VOL ≤ 500 mL) ^(Y)√^(Y) UN1950, AEROSOLS, NON-FLAMMABLE, 2.2 (LTD QTY, IP VOL ≤ 500 mL) 14.3 IMDG (OCN): UN1950, AEROSOLS, 2.2 (LTD QTY, IP VOL ≤ 1000 mL) 14.4 TDGR (Canadian GND): UN1950, AEROSOLS, 2.2 (LTD QTY, IP VOL ≤ 1000 mL) or MARK PACKAGE "LIMITED QUANTITY," "LTD QTY," or "QUANT LTÉE" or "QUANTITÉ LIMITÉE" ADR/RID (EU): UN1950, AEROSOLS, 2.2 (LTD QTY, IP VOL ≤ 1000 mL) SCT (MEXICO): 14.6 UN1950, AEROSOLS, 2.2 (CANTIDAD LIMITADA, IP VOL ≤ 1000 mL) ADGR (AUS): 14.7 UN1950, AEROSOLS, 2.2 (LTD QTY, IP VOL ≤ 1000 mL) 15. REGULATORY INFORMATION SARA Reporting 15.1 This product does not contain any substances subject to SARA Title III, section 313 reporting requirements. Requirements 15.2 SARA Threshold Planning There are no specific Threshold Planning Quantities for the components of this product. Quantity: TSCA Inventory Status: 15.3 The components of this product are listed on the TSCA Inventory. 15.4 CERCLA Reportable Quantity NA 15.5 Other Federal Requirements: This material does not contain any hazardous air pollutants. This material does not contain any material listed as a Hazardous Substance under the CWA. None of the components in this product are listed as priority pollutants under the CWA. None of the components in this product are listed as toxic pollutants under the CWA. 15.6 Other Canadian Regulations: This product has been classified according to the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. 15.7 State Regulatory Information: None of the ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the following state criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (NY), Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI). Other Requirements: 15.8 The primary components of this product are not listed in Annex I of EU Directive 67/548/EEC: Risk Phrases: (R): None. Safety Phrases: (S) 2-9-16 - Keep out of reach of children. Keep container in a well-ventilated place. Keep away from sources of ignition – No smoking.



Prepared by:

SAFETY DATA SHEET

Page 5 of 6 SDS-E-GN5S-2N

SDS Revision Date: 5/30/2017

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards 16. OTHER INFORMATION WARNING! PRESSURIZED CONATINER; MAY BURST IF HEATED. Use only as directed. Keep away from heat, 16.1 Other Information: hot surface, sparks, open flames and other ignition sources. No smoking. Do not pierce or burn, even after use. Do not breathe fumes/gas/mist/vapours/spray. Use personal protective equipment as required. If exposed or concerned: Get medical advice/attention. Store in a well-ventilated place. Protect from sunlight. Do not expose to temperatures exceeding 50 °C / 122 °F. KEEP OUT OF REACH OF CHILDREN.

16.2 Terms & Definitions: See last page of this Safety Data Sheet. 16.3 Disclaimer: This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & CAIG Laboratories, Inc.'s knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness is not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition. CAIG Laboratories, Inc. 16.4 Prepared for:

12200 Thatcher Court Poway, CA 92064-6876 Tel: +1 (800) CAIG-123 (244-4123) Fax: +1 (858) 486-8398 fax http://www.caig.com/

> ShipMate, Inc. P.O. Box 787 **ShipMate** Sisters, Oregon 97759-0787 USA Tel: +1 (310) 370-3600 Fax: +1 (310) 370-5700 http://www.shipmate.com



Page 6 of 6 SDS-E-GN5S-2N

repared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision Date: 5/30/2017

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:


CAS No.	Chemical Abstract Service Number						
EXPOSURE	EXPOSURE LIMITS IN AIR:						
ACGIH American Conference on Governmental Industrial Hygienists							
С	Ceiling Limit						
ES Exposure Standard (Australia)							
IDLH Immediately Dangerous to Life and Health							
OSHA	U.S. Occupational Safety and Health Administration						
PEL	Permissible Exposure Limit						
STEL Short-Term Exposure Limit							
TLV	Threshold Limit Value						
TWA	Time Weighted Average						

FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person whose heart has
	stopped receives manual chest compressions and breathing to circulate blood
	and provide oxygen to the body.


HMIS-III HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard				
1	Slight Hazard				
2	Moderate Hazard				
3	Severe Hazard				
4	Extreme Hazard				



PERSONAL PROTECTION RATINGS:

Α			
В			
С		4	
D		T.	
Е			
F		THE STATE OF THE S	

















Full Face Respirator

Dust & Vapor Half-Mask Respirator



Airline Hood/Mask or SCBA

OTHER STANDARD ABBREVIATIONS:


ML	Maximum Limit			
mg/m3	milligrams per cubic meter			
NA	NA Not Available			
ND	Not Determined			
NE	Not Established			
NF	Not Found			
NR	No Results			
ppm	parts per million			
SCBA	Self-Contained Breathing Apparatus			

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

_							
FLAMMABILITY LIMITS IN AIR:							
Autoignition	ignition Minimum temperature required to initiate combustion in air with no other						
Temperature	ure source of ignition						
LEL	LEL Lower Explosive Limit - lowest percent of vapor in air, by volume, that will						
	explode or ignite in the presence of an ignition source						
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will						
	explode or ignite in the presence of an ignition source						

HAZARD RATINGS:

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard
ACD	Acidic
ALK	Alkaline
COR	Corrosive
W	Use No Water
OX	Oxidizer
TREFOIL	Radioactive



TOXICOLOGICAL INFORMATION:

LD ₅₀	Lethal Dose (solids & liquids) which kills 50% of the exposed animals
LC ₅₀	Lethal concentration (gases) which kills 50% of the exposed animal
ppm	Concentration expressed in parts of material per million parts
TD _{Io}	Lowest dose to cause a symptom
TCLo	Lowest concentration to cause a symptom
TD _{io} , LD _{io} , & LD _o or	Lowest dose (or concentration) to cause lethal or toxic effects
TC, TC _o , LC _{io} , & LC _o	
IARC	International Agency for Research on Cancer
NTP	National Toxicology Program
RTECS	Registry of Toxic Effects of Chemical Substances
BCF	Bioconcentration Factor
TL _m	Median threshold limit
log Kow or log Koc	Coefficient of Oil/Water Distribution

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System				
DOT	U.S. Department of Transportation				
TC	Transport Canada				
EPA	U.S. Environmental Protection Agency				
DSL	Canadian Domestic Substance List				
NOHSC	NOHSC National Occupational Health and Safety Commission (Australia)				
NDSL	Canadian Non-Domestic Substance List				
PSL	Canadian Priority Substances List				
TSCA	U.S. Toxic Substance Control Act				
EU	European Union (European Union Directive 67/548/EEC)				
WGK	WGK Wassergefährdungsklassen (German Water Hazard Class)				
HMIS-III	National Paint & Coatings Association Hazardous Materials Identification System				

WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

0	(2)	(2)		\odot	(1)		
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

EC (67/548/EEC) INFORMATION:

- (_					
154			*		® X	X	×
С	E	F	N	0	Т	Xi	Xn
Corrosive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irritant	Harmful

CLP/GHS (1272/2008/EC) PICTOGRAMS:

			\Diamond	A Light		\limits		
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment