Heavy Duty Cable Ties




Standard Cable Tie - Heavy Duty



Specifications

Material	: Nylon 6/6 Polyamide			
Colour	: Natural and Black			
Flammability Rating	: UL94V-2			
Plenum Rating	: AH-2			
Min. Loop Tensile	: 120lbs (534n)			

Diagram



	Bundle I	Diameter			C D		E	F
Part Number	Min. Inches (mm)	Max. Inches (mm)	Inches (mm) ±0.125 (3.175)	Inches (mm) ±0.005 (0.127)	Inches (mm) ±0.005 (0.127)	Inches (mm) ±0.02 (0.508)	Inches (mm) ±0.02 (0.508)	Inches (mm) ±0.03 (0.762)
MC001965	0.187 (4.75)	4.0625 (103.187)	15.093 (383.362)	0.076 (1.93)	0.3 (7.62)	0.49 (12.446)	0.3 (7.62)	0.5 (12.7)
MC001966 MC001969	0.187 (4.75)	9 (228.6)	30.875 (784.225)	0.083 (2.108)	0.302 (7.67)	0.492 (12.496)	0.286 (7.264)	0.476 (12.09)
MC001970	0.187 (4.75)	4.0625 (103.187)	15.093 (383.362)	0.076 (1.93)	0.3 (7.62)	0.49 (12.446)	0.3 (7.62)	0.5 (12.7)

Part Number Table

Description	Colour	Quantity	Part Number	
Standard Cable Tie - Heavy Duty	Notural	Pack of 100	MC001965	
	Natural	Deals of 50	MC001966	
	Diask	Pack of 50	MC001969	
	Black	Pack of 100	MC001970	

www.element14.com www.farnell.com www.newark.com www.cpc.co.uk



Heavy Duty Cable Ties




Standard Cable Tie - Extra Heavy Duty



Specifications

Material	: Nylon 6/6 Polyamide
Colour	: Natural
Flammability Rating	: UL94V-2
Plenum Rating	: AH-2
Min. Loop Tensile	: 175lbs (778n)

Diagram



	Bundle [Diameter	Α	В	С	D	Е	F
Part Number	Min. Inches (mm)	Max. Inches (mm)	Inches (mm) ±0.03 (0.762)	Inches (mm) ±0.005 (0.127)	Inches (mm) ±0.005 (0.127)	Inches (mm) ±0.02 (0.508)	Inches (mm) ±0.02 (0.508)	Inches (mm) ±0.005 (0.127)
MC001971	1.5 (38.1)	7.18 (182.3)	25.25 (641.35)	0.09 (2.286)	0.34 (8.636)	0.555 (14.097)	0.335 (8.509)	0.55 (13.97)

Part Number Table

Description	Colour	Quantity	Part Number
Standard Cable Tie - Extra Heavy Duty	Natural	Pack of 25	MC001971

Important Notice : This data sheet and its contents (the "Information") belong to the members of the Premier Farnell group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility of rits accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. pro-POWER is the registered trademark of the Group. © Premier Farnell Limited 2016.

www.element14.com www.farnell.com www.newark.com www.cpc.co.uk

