# USB 2.0 Active Repeater Cable pro-SIGNAL

# RoHS Compliant



## **Description**

This USB 2.0 Active Repeater Cable can easily extend your USB 2.0 cable of 12 meters; you can even cascade these repeater cables for a maximum length of 36 meters, and the third active repeater is able to provide more than 200mA. It can support Self-Powered USB device or the USB devices whose power consumption is below 950mW (200mA). Comparing with a "passive" repeater cable, our cable is an "active" one that buffers and regenerates upstream and downstream signals to ensure signal reliability and performance. The USB 2.0 repeater cable support data transfer rates of up to 480Mbps and is fully backward compatible with USB 1.1 devices. Therefore, both high speed and full speed (including low-speed) USB devices/cables will function equally well with the USB repeater cable.

# **Application**

To connect USB keyboard, Mouse, Camera, Printer, etc. with computer.

#### **Features**

- · Active USB repeater cable, assuring signal quality and reliability
- Repeater cable length: 12 meter
- · Connect to USB device
- · Extend up to 36 meters and the third active repeater cable can provide 200mA
- · Type A male to type A female
- · USB Bus powered
- USB 2.0 and 1.1 compliant, works with both high, full and low speed USB devices

### **Specifications**

Interface : USB 2.0, backward compatible with USB 1.1

Data Transfer Rate : 480/12/1.5 Mbps

Downstream Connector : USB Type A Female
Upstream Connector : USB Type A Male

Dimensions :  $84.3 \text{mm} (L) \times 54 \text{mm} (W) \times 17.8 \text{mm} (H)$ 

Cable Length : 12 meter

Max. Units Cascaded : 3 (After cascaded three active repeaters, the third repeater can support 200mA

and the length is 36 meters)

Regulatory Compliances : FCC, CE

#### **System Requirements**

The following operating systems require (no driver needed): Windows® 2000, Windows® XP, Windows® Vista, Windows® 7, Windows® 8 and Mac OS® X

# **Part Number Table**

Description	Part Number
USB2.0 Active Repeater Cable, 12m	PSG91469

Important Notice: This data sheet and its contents (the "Information") belong to the members of the Premier Farnell group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. pro-SIGNAL is the registered trademark of the Group. © Premier Farnell Limited 2016.

www.element14.com www.farnell.com www.newark.com www.cpc.co.uk



Page <1> 14/02/18 V1.0