PG EMC Metal Cable Glands R-Type Pro-Power



RoHS **Compliant**



Specifications

Material : Nickel-plated brass

Hermetic Seal : NBR : EPDM O-Ring Protection Degree : IP68

Working Temperature : -40°C to 100°C

Instantaneous heat resistance up to 120°C

IP Rating : IP68

Lock Nut O-Ring

Body

Shield Ring Shield Ring

Seal

Sealing Nut












Dimensions



Part Number	Thread ØD1	∜Øk mm	H mm	GL mm	∯ mm
PP001712	PG7	3-6.5	23	6.5	17
PP001713	PG9	4-8	25	6	20
PP001714	PG11	5-10	25	6	20
PP001715	PG13.5	6-12	28	6	24
PP001716	PG16	10-14	28	6	24

Part Number Table

Description	Part Number
EMC Metal Cable Glands - R Type, PG7, 3-6.5mm	PP001712
EMC Metal Cable Glands - R Type, PG9, 4-8mm	PP001713
EMC Metal Cable Glands - R Type, PG11, 5-10mm	PP001714
EMC Metal Cable Glands - R Type, PG13.5, 6-12mm	PP001715
EMC Metal Cable Glands - R Type, PG16, 10-14mm	PP001716

Important Notice: This data sheet and its contents (the "Information") belong to the members of the Premier Farnell group of companies (the "Group") or are licensed to it. No licence is granted without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. pro-POWER is the registered trademark of the Group. © Premier Farnell Limited 2016.

www.element14.com www.farnell.com www.newark.com www.cpc.co.uk

