

Pressure and Flow Meter



Specifications

Accuracy	±0.3% FSO (25°C)
Repeatability	±0.2% (Max. ±0.5% FSO)
Linearity/Hysteresis	±0.29% FSO
Pressure Range	±5000Pa
Maximum Pressure	10psi
Response Time	0.5 Seconds typical
Low Battery Indicator	Yes
Over Range Indicator	OL
Under Range Indicator	-OL
Operating Conditions	0 to 50°C
Storage Conditions	-10 to 60°C / 14 to 140°F
Zero Adjust and Offset	Yes
Data Hold	Yes
Max / Min / AVG	Yes

Measurement units, ranges, & resolution	Units	Range	Resolution
	inH ₂ O	20.07	0.01
	PSI	0.7252	0.0001
	mbar	50	0.01
	kPa	-	-
	hPa	-	-
	Pa	5000	1
	inHg	-	-
	mmHg	-	-
	ozin ²	-	-
	ftH ₂ O	-	-
	cmH ₂ O	-	-
	mmH ₂ O	509.8	0.1
	kgcm ²	-	-
	bar	-	-
Air Velocity	Range	Resolution	Accuracy
m/s (meter per second)	1 - 80	0.01	Accuracy is function of velocity and duct size
ft/min (feet per minute)	200 - 15733	1	
km/h (kilometers per hour)	3.5 - 288	0.1	
MPH (miles per hour)	2.25 - 178.66	0.01	
Knots (nautical miles per hour)	2 - 154.6	0.1	



Pressure and Flow Meter



Air Flow	Range	Resolution	
CFM	0-99.999ft ³ /min	0.0001 to 100	-
CMM	0-99.999m ³ /min	0.001 to 100	
Temperature	Range	Accuracy	Resolution
°C	0 to 50°C	±1°C	0.1°C
°F	32°F to 122°F	±2°F	0.1°F

Part Number Table

Description	Part Number
Pressure and Flow Meter	ST-8920

Important Notice : This data sheet and its contents (the "Information") belong to the members of the Premier Farnell group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. Tenma is the registered trademark of the Group. © Premier Farnell Limited 2016.

