



180215187 EFM32PG/JG12 Product Rev C

PRCN Issue Date: 2/15/2018

Effective Date: 5/21/2018

PCN Type: Product Revision

Description of Change

Silicon Labs is pleased to announce Revision C silicon for the EFM32PG12XXX and EFM32JG12XXX MCU families. The new revision includes pin-compatible replacements for the previous revision devices and results in updates to the Data Sheet and Errata.

Both family Data Sheets are updated to revision v1.1.
Both family Errata documents are updated to revision 0.4.

Refer to the updated documents for complete details.

After the effective date of this PRCN, Silicon Labs reserves the right to deliver product revision C for customers ordering product revision B.

Reason for Change

Corrected errata.

Impact on Form, Fit, Function, Quality, Reliability

No impact to form, fit, quality, or reliability.

The following functions are impacted:

- Updated device revision information in the ROM Table
- Resolved errata: ADC_E224, BL_E201, RMU_E203

Product Identification

Existing Part #	Replacement Part #	DropInCompInd.
EFM32JG12B500F1024GL125-B	EFM32JG12B500F1024GL125-C	See Data Sheet
EFM32JG12B500F1024GL125-BR	EFM32JG12B500F1024GL125-CR	See Data Sheet
EFM32JG12B500F1024GM48-B	EFM32JG12B500F1024GM48-C	See Data Sheet
EFM32JG12B500F1024GM48-BR	EFM32JG12B500F1024GM48-CR	See Data Sheet
EFM32JG12B500F1024IL125-B	EFM32JG12B500F1024IL125-C	See Data Sheet
EFM32JG12B500F1024IL125-BR	EFM32JG12B500F1024IL125-CR	See Data Sheet
EFM32JG12B500F1024IM48-B	EFM32JG12B500F1024IM48-C	See Data Sheet
EFM32JG12B500F1024IM48-BR	EFM32JG12B500F1024IM48-CR	See Data Sheet
EFM32PG12B500F1024GL125-B	EFM32PG12B500F1024GL125-C	See Data Sheet
EFM32PG12B500F1024GL125-BR	EFM32PG12B500F1024GL125-CR	See Data Sheet
EFM32PG12B500F1024GM48-B	EFM32PG12B500F1024GM48-C	See Data Sheet
EFM32PG12B500F1024GM48-BR	EFM32PG12B500F1024GM48-CR	See Data Sheet
EFM32PG12B500F1024IL125-B	EFM32PG12B500F1024IL125-C	See Data Sheet
EFM32PG12B500F1024IL125-BR	EFM32PG12B500F1024IL125-CR	See Data Sheet
EFM32PG12B500F1024IM48-B	EFM32PG12B500F1024IM48-C	See Data Sheet
EFM32PG12B500F1024IM48-BR	EFM32PG12B500F1024IM48-CR	See Data Sheet

Last Date of Unchanged Product: 5/21/2018

Qualification Samples

Samples are available upon request and from www.silabs.com.

Specific conditions of acceptance of this change will be considered on a case by case basis if written notice is submitted within 30 days of this notice. To request further data or inquire about this notification, please contact your local Silicon Labs sales representative. A list of Silicon Labs sales representatives is available at <http://www.silabs.com>.

In some cases rejection of a change notice may impact Silicon Labs product pricing, delivery, quality, or reliability.

Customer Early Acceptance Sign Off

Customers may approve early PCN acceptance by completing the information below:

Early Acceptance:

Date: _____

Name: _____

Company: _____

Email your early Acceptance approval to: PCNEarlyAcceptance@silabs.com

User Registration

Register today to create your account on [Silabs.com](http://www.silabs.com). Your personalized profile allows you to receive technical document updates, new product announcements, "how-to" and design documents, product change notices (PCN) and other valuable content available only to registered users. <http://www.silabs.com/profile>

Qualification Data

See attached qualification data.

EFM32JG12 and EFM32PG12 Qualification Report



The information contained in this document is PROPRIETARY to Silicon Laboratories, Inc. and shall not be reproduced or used in part or whole without Silicon Laboratories' written consent. The document is uncontrolled if printed or electronically saved.

Part Rev C, TSMC Fabrication, SPIL Assembly except as noted							
Test Name	Test Condition	Qualification	Lot ID or Start	Fail/Pass or End	Notes	Summary	Status
Test Group A – Accelerated Environment Stress Tests - BGA							
HAST	JA110	3 lots, N=>25	Q039924	0/28	1		Pass
	110°C, 85%RH		Q039925	0/28	1	3 lots	
	Vcc=3.8V, 264 hours		Q039926	0/28	1	0/84	
UHAIST	JA118	3 lots, N=>25	Q039915	0/28	1		Pass
	130°C, 85%RH		Q039916	0/28	1	3 lots	
	96 hours		Q039917	0/28	1	0/84	
Temp Cycle	JA104	3 lots, N=>25	Q039918	0/27	1		Pass
	Cond C: -65°C to 150°C		Q039919	0/28	1	3 lots	
	500 cycles		Q039920	0/28	1	0/83	
HTSL	JA103	3 lots, N=>25	Q039921	0/27	1		Pass
	150°C, 1000hr		Q039922	0/28	1	3 lots	
			Q039923	0/28	1	0/83	
Test Group A – Accelerated Environment Stress Tests - QFN							
HAST	JA110	3 lots, N=>25	Q039879	1/30	2, 5		Pass
	130°C, 85%RH		Q040220	0/30	2	4 lots	
	Vcc=3.8V, 96 hours		Q039877	0/30	2		
			Q039878	0/30	2	1/120	
UHAIST	JA118	3 lots, N=>25	Q039876	0/30	2		Pass
	130°C, 85%RH		Q039875	0/30	2	3 lots	
	96 hours		Q039874	0/30	2	0/90	
Temp Cycle	JA104	3 lots, N=>25	Q039882	0/30	2		Pass
	Cond C: -65°C to 150°C		Q039881	0/30	2	3 lots	
	500 cycles		Q039880	0/30	2	0/90	
HTSL	JA103	3 lots, N=>25	Q038038	0/28	2		Pass
	150°C, 1000hr		Q038124	0/28	2	3 lots	
			Q037590	0/25	2	0/81	

Approved by: K. Torres

1 of 3

Prepared on: 28-November-2017

EFM32JG12 and EFM32PG12 Qualification Report



The information contained in this document is PROPRIETARY to Silicon Laboratories, Inc. and shall not be reproduced or used in part or whole without Silicon Laboratories' written consent. The document is uncontrolled if printed or electronically saved.

Part Rev C, TSMC Fabrication, SPIL Assembly except as noted							
Test Name	Test Condition	Qualification	Lot ID or Start	Fail/Pass or End	Notes	Summary	Status
Test Group B – Accelerated Lifetime Simulation Tests							
HTOL	JA108 T _J ≥ 125°C, Dynamic Vcc=3.8V, 1000 hours	3 lots, N=>77	Q039946 Q040071 Q040505	0/77 0/77 0/80		3 lots 0/234	Pass
LTOL	JA108 T _A = -10°C, Dynamic Vcc=3.8V, 1000 hours	1 lot, N=>32	Q040261	0/35		1 lots 0/35	Pass
ELFR	JA108 T _J ≥ 125°C, Dynamic Vcc=3.8V, 48 hours	3 lots, N=>500	Q039943 Q040035 Q040504	0/500 0/502 0/500		3 lots 0/1502	Pass
NVM Endurance, Retention and Operating Life	JESD22-A117 25°C 500 hours	3 lots, N=>39	Q040213	0/40	3		
			Q040274	0/40	3	3 lots	
			Q040278	0/40	3	0/120	Pass
NVM Endurance, Retention and Operating Life	JESD22-A117 125°C 1000 hours	3 lots, N=>39	Q040279	0/40	4		
			Q040275	0/40	4	3 lots	
			Q040214	0/40	4	0/120	Pass
Test Group E – Electrical Verification							
ESD-HBM	JS-001	1 lot, N=>3	Q039756			2 kV	Class 2
ESD-CDM	JS-002	1 lot, N=>3	Q042226		6	1000	Class C3
			Q042221		7	1000	Class C3
Latch Up	JESD78 ±100mA	1 lot, N=>3	Q039757	25 °C			Pass
Latch Up	JESD78 ±100mA	1 lot, N=>3	Q039764	125 °C			Pass

Approved by: K. Torres

2 of 3

Prepared on: 28-November-2017

EFM32JG12 and EFM32PG12 Qualification Report



SILICON LABS

The information contained in this document is PROPRIETARY to Silicon Laboratories, Inc. and shall not be reproduced or used in part or whole without Silicon Laboratories' written consent. The document is uncontrolled if printed or electronically saved.

Part Rev C, TSMC Fabrication, SPIL Assembly except as noted

Test Name	Test Condition	Qualification	Lot ID or Start	Fail/Pass or End	Notes	Summary	Status
-----------	----------------	---------------	-----------------	------------------	-------	---------	--------

Notes:

1. Parts are Pre-conditioned at MSL3/260°C
2. Parts are Pre-conditioned at MSL2/260°C
3. Preconditioned with 10K write/erase cycles at 25°C
4. Preconditioned with 10K write/erase cycles at 125°C
5. Failure analysis on the failure was inconclusive. An additional 30 units were stressed from the same assembly lot (Q040220) to reduce the LTPD% below the requirement. JEDEC sample size requirement of 25 units per lot has LTPD% = 9.21 at 90% confidence with 0 fails. With larger sample size = 60, LTPD% = 6.48 at 90% confidence with 1 failure.

Notes (Continued):

6. QFN package
7. BGA Package


This report applies to the following part numbers:

EFM32PG12B500F1024GL125-C	EFM32JG12B500F1024GL125-C
EFM32PG12B500F1024GM48-C	EFM32JG12B500F1024GM48-C
EFM32PG12B500F1024IL125-C	EFM32JG12B500F1024IL125-C
EFM32PG12B500F1024IM48-C	EFM32JG12B500F1024IM48-C

Approved by: K. Torres

3 of 3

Prepared on: 28-November-2017



Disclaimer

Silicon Labs intends to provide customers with the latest, accurate, and in-depth documentation of all peripherals and modules available for system and software implementers using or intending to use the Silicon Labs products. Characterization data, available modules and peripherals, memory sizes and memory addresses refer to each specific device, and "Typical" parameters provided can and do vary in different applications. Application examples described herein are for illustrative purposes only. Silicon Labs reserves the right to make changes without further notice and limitation to product information, specifications, and descriptions herein, and does not give warranties as to the accuracy or completeness of the included information. Silicon Labs shall have no liability for the consequences of use of the information supplied herein. This document does not imply or express copyright licenses granted hereunder to design or fabricate any integrated circuits. The products are not designed or authorized to be used within any Life Support System without the specific written consent of Silicon Labs. A "Life Support System" is any product or system intended to support or sustain life and/or health, which, if it fails, can be reasonably expected to result in significant personal injury or death. Silicon Labs products are not designed or authorized for military applications. Silicon Labs products shall under no circumstances be used in weapons of mass destruction including (but not limited to) nuclear, biological or chemical weapons, or missiles capable of delivering such weapons.

Trademark Information

Silicon Laboratories Inc.®, Silicon Laboratories®, Silicon Labs®, SiLabs® and the Silicon Labs logo®, Bluegiga®, Bluegiga Logo®, Clockbuilder®, CMEMS®, DSPLL®, EFM®, EFM32®, EFR®, Ember®, Energy Micro, Energy Micro logo and combinations thereof, "the world's most energy friendly microcontrollers", Ember®, EZLink®, EZRadio®, EZRadioPRO®, Gecko®, ISOmodem®, Micrium®, Precision32®, ProSLIC®, Simplicity Studio®, SiPHY®, Telegesis, the Telegesis Logo®, USBXpress®, Zentri and others are trademarks or registered trademarks of Silicon Labs. ARM, CORTEX, Cortex-M3 and THUMB are trademarks or registered trademarks of ARM Holdings. Keil is a registered trademark of ARM Limited. All other products or brand names mentioned herein are trademarks of their respective holders.



Silicon Laboratories Inc.
400 West Cesar Chavez
Austin, TX 78701

<http://www.silabs.com>