

12500 TI Boulevard, MS 8640, Dallas, Texas 75243

Notification#20180215000 Datasheet for DRV10983, DRV10983Z Information Only

Date: March 07, 2018 To: PREMIER FARNELL PCN

Dear Customer:

This is an information-only announcement of a change to the datasheet for a device that is currently offered by Texas Instruments.

The changes discussed within this notification are for your information only.

Any negotiated alternative change requirements will be provided via the customer's defined process. Customers with previously negotiated, special requirements will be handled separately. Any inquiries should be directed to your local Field Sales Representative.

For questions regarding this notice, contact your local Field Sales Representative or the PCN Manager (<u>PCN ww admin team@list.ti.com</u>).

Sincerely,

PCN Team SC Business Services

Information Only Attachments

Products Affected:

The devices listed on this page are a subset of the complete list of affected devices. According to our records, these are the devices that you have purchased within the past twenty-four (24) months. The corresponding customer part number is also listed, if available.

DEVICE

DRV10983PWP

CUSTOMER PART NUMBER null

Technical details of this Product Change follow on the next page(s).

| PCN Nu | mber: | 20180215000 PCN Date: March | | | | י 7, 20 | 18 | | |
|--|---------------------|---------------------------------|----------------|------------------|-------|--------------------|---------------------|---------------------------|--|
| Title: Datasheet fo | | ⁻ DRV10983, D | | | | | | | |
| Customer Contact: | | PCN Manager | | | 1 | Dept: Quality Se | | Quality Services | |
| Change | Туре: | | | | | | | | |
| Ass | embly Site | | Design | | | | | Bump Site | |
| | embly Process | | Data Sheet | | | | Wafer Bump Material | | |
| | embly Material | | | ber change | | | | Bump Process | |
| | hanical Specifi | | Test Site | | | | | Fab Site | |
| Pac | king/Shipping/ | _abeling Test Proc | | Cess | | | | Fab Materials | |
| | | | - L'C' L' | Deteille | | | water | Fab Process | |
| Notification Details | | | | | | | | | |
| | tion of Chang | | | information | | | tificatio | | |
| | | prporated is and | - | | | no | tificatio | on. | |
| | | s) is being upd istory provides | | | w. | | | | |
| THE TONC | wing change in | istory provides | | | | | | | |
| TI is disa | abling Inductiv | e AVS in default | EEPROM. | | | | | | |
| | | n enable Induc | | out TI recomm | ends | s no | ot to er | nable feature, | |
| because | it is not capab | le of preventing | y voltage su | urge in all case | es. | | | | |
| | | | | | | | | | |
| TI is pro | viding new typ | ical application | schematics | s for Z (sleep r | nod | e) (| device. | | |
| | | | | | | | | | |
| | | | | | | | | | |
| 🚽 🚺 Te | XAS | | | | | | | | |
| V IN | XAS ISTRUMENTS | | | | ~ | | | DRV10983, DRV10983Z | |
| | | | | | SLV | SCPE | F-JULT 2 | 014-REVISED DECEMBER 2017 | |
| Changes | from Revision E (M | lay 2017) to Revisi | on F | | | | | Page | |
| Added | the internal SPEED |) pin pulldown resista | ance to ground | parameter to the | Elect | rical | Characte | eristics table | |
| | | | - | - | | | | | |
| - | | - | | | | | | 15 | |
| Delete | d the Inductive AVS | Function section | | | | | | | |
| | | | | | | | | /alue table 41 | |
| Added | application informa | tion for the sleep mo | de device | | | | | | |
| | | | | | | | | | |
| J ia Tr | XAS | | | | | | | | |
| În 😯 | STRUMENTS | | | | | | | RV10983, DRV10983Z | |
| | | | | | SLVS | SCP6 | G-JULY 20 | 014-REVISED FEBRUARY 2018 | |
| Changes | | December 2047) to | Davisian C | | | | | Dama | |
| Changes | from Revision F (| December 2017) to | Revision G | | | | | Page | |
| Added timing information for entering and exiting sleep mode and standby mode | | | | | | | | | |
| Added BEMF COMPARATOR hysteresis specification | | | | | | | | | |
| Updated Start the Motor Under Different Initial Conditions figure | | | | | | | | | |
| Changed the default value for register address 0x27 from 0xFC to 0xF4 in the Default EEPROM Value table | | | | | | | | | |
| | | | | | | | | | |
| Deleted the "TI recommends" sentence from the description for address 0x27, bit 3 | | | | | | | | | |
| Added constraints to recommended external inductor | | | | | | | | | |
| The datasheet number will be changing. | | | | | | | | | |
| Device | | | | ange From: | | | Change | e To: | |
| | , | | | - | | | | | |
| DRV10 | 983, DRV1098 | 52 | SL | SLVSCP6E | | | SLVSCP6G | | |
| | | | | | | | | | |
| | | | | | | | | | |

I

These changes may be reviewed at the datasheet links provided.

http://www.ti.com/product/DRV10983

Reason for Change:

To accurately reflect device characteristics.

Anticipated impact on Fit, Form, Function, Quality or Reliability (positive / negative):

No anticipated impact. This is a specification change announcement only. There are no changes to the actual device.

Changes to product identification resulting from this PCN:

None.

| Product Affected: | | | | | | |
|-------------------|-------------|--------------|--------------|---------------|--|--|
| | DRV10983PWP | DRV10983PWPR | DRV10983ZPWP | DRV10983ZPWPR | | |

For questions regarding this notice, e-mails can be sent to the regional contacts shown below or your local Field Sales Representative.

| Location | E-Mail |
|--------------|--------------------------------|
| USA | PCNAmericasContact@list.ti.com |
| Europe | PCNEuropeContact@list.ti.com |
| Asia Pacific | PCNAsiaContact@list.ti.com |
| Japan | PCNJapanContact@list.ti.com |