

Circular Cable Assembly - 1m


Socket to Free End, Lock Type



Material Specifications

Body	: PA 6.6 + GF, Black
Female Pin	: Phosphor Bronze Alloy, 6µ Inches Gold Plated over Nickel Plating
Lock Nut	: PA 6.6 + GF, Black
O-Ring	: EPDM, Black
Over Mold	: PVC, Black
Inner Mold	: TPU, Natural
Cable Jacket	: PVC, Black

Diagram



Dimensions : Millimetres

CONN. WATERPROOF RATE: IP67

Notes:

1. Waterproof Rate: IP67 (Immersed in 1m Water for 30 minutes)
2. **Test Conditions:**
 - 2.1 Conductance Resistance: 3Ω Max.
 - 2.2 Hi-Pot Test: 1000V AC / 10A, 500V AC / 5A or 2A 5mA (1 Sec)
 - 2.3 Insulation Resistance: 100MΩ Min by 500V DC

Part Number Table

Description	PIN Assignments Front View	Cable Specifications	Current Rating	Part Number
Cable Assy, SKT-Free End, 2Way, 1m		UL2464 20AWG × 2C + Al/My, (UV Resistant), Outer Diameter = 4.7mm, Wire Colour: 1. Green, 2. Red	10A	2CT3004-W02400
Cable Assy, SKT-Free End, 3Way, 1m		UL2464 20AWG × 3C + Al/My, (UV Resistant), Outer Diameter = 5.7mm, Wire Colour: 1. Black, 2. White and 3. Yellow	10A	2CT3004-W03400
Cable Assy, SKT-Free End, 4Way, 1m		UL2464 20AWG × 4C + Al/My, (UV Resistant), Outer Diameter = 5.7mm, Wire Colour: 1. Brown, 2. Blue, 3. Black and 4. White	10A	2CT3004-W04400
Cable Assy, SKT-Free End, 4Way, 1m		UL2464 24 AWG X 4C + Al/My, (UV Resistant), Outer Diameter = 4.4mm, Wire Colour: 1. White, 2. Green, 3. Red and 4. Yellow	5A	2CT3004-W04300

www.element14.com
www.farnell.com
www.newark.com



Circular Cable Assembly - 1m

Socket to Free End, Lock Type



Description	PIN Assignments Front View	Cable Specifications	Current Rating	Part Number
Cable Assy, SKT-Free End, 5Way, 1m		UL2464 24AWG × 5C + Al/My, (UV Resistant), Outer Diameter = 4.7mm, Wire Colour: 1. Brown, 2. Blue, 3. Black, 4. White and 5. Red	5A	2CT3004-W05300
Cable Assy, SKT-Free End, 6Way, 1m		UL2464 24AWG × 6C + Al/My, (UV Resistant), Outer Diameter = 5mm, Wire Colour: 1. Blue, 2. Green, 3. Yellow, 4. Black 5. Red, and 6. White	5A	2CT3004-W06300
Cable Assy, SKT-Free End, 7Way, 1m		UL2464 24 AWG × 7C + Al/My, (UV Resistant), Outer Diameter = 5mm, Wire Colour: 1. Blue, 2. Black, 3. Yellow, 4. Red, 5. Brown, 6. Green and 7. White	5A	2CT3004-W07300
Cable Assy, SKT-Free End, 8Way, 1m		UL2464 24 24 AWG × 8C + Al/My, (UV Resistant), Outer Diameter = 5.4mm, Wire Colour: 1. Black, 2. Brown, 3. White, 4. Blue, 5. Red, 6. Grey, 7. Yellow and 8. Green	5A	2CT3004-W08300
Cable Assy, SKT-Free End, 10Way, 1m		UL2464 26 AWG × 10C + Al/My, (UV Resistant), Outer Diameter = 5.7mm Wire Colour: 1. Brown, 2. Blue, 3. White, 4. Green, 5. Yellow, 6. Grey, 7. Pink, 8. Red, 9. Black and 10. Orange	2A	2CT3004-W10200
Cable Assy, SKT-Free End, 12Way, 1m		UL2464 26 AWG × 12C + Al/My, (UV Resistant), Outer Diameter = Ø5.9, Wire Colour: 1. Brown, 2. Blue, 3. White, 4. Green 5. Yellow, 6. Grey, 7. Pink, 8. Red, 9. Black, 10. Orange, 11. Purple, 12. Light Green	2A	2CT3004-W12200

Important Notice : This data sheet and its contents (the "Information") belong to the members of the Premier Farnell group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. Multicomp is the registered trademark of the Group. © Premier Farnell Limited 2016.