

Technical Information:

Debox S



OVERVIEW

The all-in-one compliant in-line junction box
Save time & money with Debox S!

Debox is a range of innovative junction boxes designed to save you both time and money on every installation. Each Debox is supplied with a 4-pole connector block. Featuring everything you need immediately to hand, not only does Debox reduce time on-site, it also offers greater flexibility. Debox can accommodate 2, 3 & 4 conductors in round or flat profile cable for ring main lighting, LED lighting or power.

Debox is a registered design.

DIMENSIONS

28.5mm (H) x 50mm (W) x 97mm (L)

FEATURES

SAVE TIME & MONEY

100% TOOL-LESS BOX ASSEMBLY

COMPLETE WITH 24A 4-POLE TERMINAL BLOCK

FLAME RETARDANT UL94V-0 HOUSING

EN60670-22 (PULL TEST)

EN60598-1 (GWT 650°C)


COMPLETE WITH LOCKING CLIP

PRE-CUT LEAD IN CABLE ENTRY

EXTERNAL FIXING LUGS



FEATURES



Debox S

Product Code	Colour	H (mm)	W (mm)	L (mm)	Pole	Terminal Block		Max Conductor Size (mm ²)	Maximum Current (A)	Temp Rating
						Body Material	Insert Material			
DEKSB-002	White	28.5	48	97	4-pole	Polypropylene	Steel	4	24	20°C to +85°C

ALSO AVAILABLE

Debox SL

As part of the Debox in-line junction box range, we also have the Debox SL. Manufactured with identical housing, the Debox SL is supplied with a 16A UL/VDE approved 4-pole terminal block.

Debox SL

Product Code	Colour	H (mm)	W (mm)	L (mm)	Pole	Terminal Block		Max Conductor Size (mm ²)		Maximum Current (A)	Temp Rating
						Body Material	Insert Material	Min	Max		
DEKSB-003	White	28.5	48	97	4-pole	Polypropylene	Steel	0.5	2.5	18	20°C to +85°C



MAKING THE RIGHT CONNECTIONS

WWW.HYLEC-APL.COM | SALES@HYLEC-APL.COM | 01933 234400

