

Network Cable Tester & Tracker **TENMA™**



Features

- Unique data transmission technology
- Anti-Interference design
- Network wire sequence collation
- Breakpoints check
- Open circuit or Short circuit testing
- Telephone wire finding
- Network wire finding
- DC level testing
- Low battery indication
- Earphone and spotlight function
- Good helper for communication line installation & maintenance engineers
- Widely used in telephone system, computer network, metal wire line inquiry & daily maintenance work
- With LED light & earphone, suitable to use in dark & noisy environment

Specifications

Max. Working Current	: Transmitter <10mA; Receiver <30mA
Power Supply	: Two 9V 6F22 Batteries
Product Size	: Receiver: 175mm × 38mm × 24mm Emitter: 125mm × 49mm × 29mm
Product Weight	: Receiver: 58g (Without Battery) Emitter: 92g (Without Battery)
Standard Accessories	: Receiver, Emitter, Carrying Bag, Manual, Battery, RJ45 Cable, Earphone

Part Number Table

Description	Part Number
Network Cable Tester & Tracker	72-2665

Important Notice : This data sheet and its contents (the "Information") belong to the members of the Premier Farnell group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. Tenma is the registered trademark of the Group. © Premier Farnell Limited 2016.