HUMIDITY INDICATOR CARDS

An integral part of a complete moisture barrier packaging assembly is the Humidity Indicator Card. High relative humidity can cause significant, possibly irreparable damage to sensitive equipment, supplies, and products. To ensure dehydration measures work, humidity indicator cards measure the relative humidity (RH) inside sealed packages to allow immediate visual inspection of whether it has sustained unsafe humidity levels.

The Monitor Card contains chemically impregnated, humidity sensitive, indicating spots that will change color with moisture. The comparison bar is used to determine relative humidity of air. Select the indicating spot that most closely matches the color of the comparison bar. The measured relative humidity is the percentage indicated on the matching spot. The chemical reaction of the indicating spots is completely reversible: the spots will continue to change color as the moisture levels change.

Humidity Monitor cards are sold in cans. The 2" x 3" blotting paper cards indicate relative humidity. Humidity Indicator Cards should be inserted and sealed within an Moisture Barrier Bag with the desiccant packs.

ltem#	Unit Size	Std. Package	Relative Humidity
<u>13868</u>	2" x 3" Card	125 pieces/can	5/10/15
13869	2" x 3" Card	125 pieces/can	5/10/60
13870	2" x 3" Card	100 pieces/can	10/20/30/40

The 13868, 13869 and 13870 humidity indicator cards meet the requirements of MIL-I-8835 and IPC/JEDEC J-STD-033C.

"Humidity Indicator Card (HIC) A card on which a moisture-sensitive chemical is printed such that it will change color from blue to pink when the indicated relative humidity is exceeded. This is packed inside the moisture-sensitive bag. along with the desiccant, to aid in determining the level of moisture to which the moisture-sensitive devices have been subjected." (IPC/JEDEC J-STD-033C section 1.5.7)

Application

- 1. The humidity indicator spots will change from blue (dry condition) to pink (humid condition) as the relative humidity changes in the volume of air surrounding the indicator.
- 2. Relative humidity is indicated at the lavender color.
- 3. Indicator spots will change within eight hours of being exposed to a change in relative humidity.






Specifications and procedures subject to change without notice





- 4. The humidity indicator spots are reversible, and the pink spots will change back to blue when the volume of air is dried. Humidity indicator cards with pink or lavender spots can be returned to a blue color by placing indicators in a sealed container with 33 grams (1 unit) of desiccant for four hours. However, we do not recommend reversing or using cards that have been exposed to high humidity in excess of 60%
- 5. The highest humidity indicator spot should be blue before being put into use.
- 6. The humidity indicator will be at its most accurate at a temperature of 23 °C (73 °F).
- 7. Avoid contact with indicator spots. Wash any irritated areas with clean water.

Handling

- 1. Store humidity indicators in original sealed container with desiccant when possible before using, verify that indicator spots have not changed color
- 2. Replace desiccant bag after three openings of container.
- 3. Store in dry, cool area.
- 4. Keep indicators out of direct sunlight.
- 5. Keep humidity indicators away from water or steam.
- 6. Ammonia gases will damage humidity indicators.







13870

13868

Humidity Indicator Cards (HIC)

DESCO WEST: 3651 WALNUT AVE., CHINO, CA 91710 WEB SITE: Desco.com PHONE (909) 627-8178

DESCO EAST: ONE COLGATE WAY, CANTON, MA 02021-1407 PHONE (781) 821-8370

DRAWING NUMBER 13870

DATE: March 2015


Material Safety Data Sheet

May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910, 1200, Standard must be consulted for specific requirements.

NFPA Designation 704

Degree of Hazard:

- 4 = Extreme 2 = Moderate
- 1 = Slight 0 = Insignificant



1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

Product information

PHONE:

COMMERCIAL PRODUCT NAME: REVERSIBLE HUMIDITY INDICATOR

COMPANY: Desco

3651 Walnut Ave.

Chinio, CA, 91710 (909) 627-8178 (909) 627-7449

FAX:

2. COMPOSITION/INFORMATION ON INGREDIENTS Chemical nature: Cobalt dichloride on cardboard

	Components	CAS-No.	Symbol(s)	R-phrase(s)	Concentration
ſ	cobalt(II) chloride	7646-79-9	T, N	R49, R22, R42/43	>0.10 - <1.00%
١				R50-53	

3. HAZARDS IDENTIFICATION

None under normal use

4. FIRST AID MEASURES

General advice:

Eve contact: Rinse immediately with plenty of water, also under the

eyelids, for at least 15 minutes

Wash off with soap and plenty of water Skin contact:

Inhalation: N.A.

Rinse mouth Ingestion:

Notes to physician

Treatment: None

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media: Use extinguishing measures appropriate to the envirn.

Extinguishing media which must

not be used for safety reasons:

6. ACCIDENTAL RELEASE MEASURES

Environmental precautions:

Do not flush into surface water or sanity sewer system Methods for cleaning up: Take up contaminated material by mechanical means,

> load into clean containers, and dispose of in accordance with legal regulations

7. HANDLING AND STORAGE

Handling

Safe handling advice: No special precautions required

Storage

Requirement for storage area

and containers:

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace parameters

Components	CAS-No.	Value	Remarks	Basis
cobalt	7440-48-4	0.5 mg/m3	Inhalable dust.	TRGS900
			Sensitizer	TRK

Keep in a dry place

Personal protective equipment

Respiratory protection: N.A.

Hand protection: Protective gloves Eye protection: N.A. Skin and body protection: Not required

Wash off with warm water and soap Hygiene measures:

Prophylactic use of protective ointment (barrier Protective measures:

cream) is recommended.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Form: Plates Color: Pink to blue Odor: None

Other data

pH:

Water solubility: Partly soluble, max. 600 ppm CoCl2 can be leached

4.5 - 6

10. STABILITY AND REACTIVITY

Hazardous reactions: (Conditions to avoid) hygroscopic

Alkali metals Hazardous reactions:

11. TOXICOLOGICAL INFORMATION

Irritation, Sensitization, Other Data Toxicology

12. ECOLOGICAL INFORMATION

(Materials to avoid)

Information about

Acute toxicity

Sensitization:

Acute oral toxicity:

decomposition: No decomposition if stored and applied as directed

LD50

Dose: 766mg/kg

No data available

(cobalt (II)chloride-hexahydrate)

Result: May cause sensitization by skin contact.

15. REGULATORY INFORMATION

14. TRANSPORT INFORMATION

Land transport:

Sea transport:

Air transport:

General advice: The product does not need to be labeled in

accordance with EC directives or respective national

transport regulations.

transport regulations.

transport regulations.

Hazardous components which must be listed on the label:

Preparation: Not applicable

chemicals.

Decomposition: Not readily biodegradable

Ecotoxicity effects

Repeated dose toxicity:

Further information: No data available

Ecotoxicity

Heavy metals: Heavy metals should not be released into the

Additional information about ecology: Heavy metals should not be released into the

environment

13. DISPOSAL CONSIDERATIONS

Product: Dispose as special waste. Can be landfilled or

incinerated, when in compliance with the Environmental Protection (Duty of Care) Regulations 1991.

Not classified as dangerous in the meaning of

Not classified as dangerous in the meaning of

Not classified as dangerous in the meaning of

Other information: Follow the usual precautions required when handling

16. OTHER INFORMATION

Responsible for SDS: Environmental Protection Contact person: Dep. CEQ Tel.08761/82-654

The information presented herein is believed to be accurate, but is not warranted.

It does not represent any assurance of properties of the product. The specifications are to be drawn from the corresponding leaflet.

A vertical bar (|) in the left margin indicates an amendment from the previous version.

Legend

N.A. Not applicable N.AV. Not Available N.R.: Not relevant

RoHS Compliance Statement None of the following materials are

intentionally added in manufacturing this product: lead, mercury, cadmium, hexavalent chromium, polybrominated biphenyls (PBB) or polybrominated diphenyl ethers (PBDE) as outlined in the Directive 2002/95/EC Article 4.1. See Desco Industries Inc. letter on-line at Desco.com.