

**Page:** 1

Compilation date: 6/8/14

Revision No: 6

# Section 1: Identification of the substance/mixture and of the company/undertaking

# 1.1. Product identifier

Product name: TURPENTINE SUBSTITUTE

Product code: TS2,7

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

# 1.3. Details of the supplier of the safety data sheet

Email:	pault@everbuild.co.uk
Fax:	0044 113 240 0024
Tel:	0044 113 240 3456
	ENGLAND
	LS9OSW
	WEST YORKSHIRE
	LEEDS
	CROSS GREEN INDUSTRIAL ESTATE
	SITE 41, KNOWSTHORPE WAY
Company name:	EVERBUILD BUILDING PRODUCTS LTD

# 1.4. Emergency telephone number

Emergency tel: 0044 113 240 3456 (office hours only)

## Section 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Classification under CLP:	: Skin Sens. 1: H317; STOT SE 3: H336; Aquatic Chronic 2: H411; Asp. Tox. 1: H304; Flam.	
	Liq. 3: H226; STOT RE 1: H372; -: EUH066	
Classification under CHIP:	-: R10	
Most important adverse effects:	Repeated exposure may cause skin dryness or cracking. Flammable liquid and vapour.	
	May be fatal if swallowed and enters airways. May cause an allergic skin reaction. May	
	cause drowsiness or dizziness. Toxic to aquatic life with long lasting effects. Causes	
	damage to organs [nervous system] through prolonged or repeated exposure [inhalation	
	(vapour)].	

# 2.2. Label elements

Label elements under CLP:

Hazard statements:EUH066: Repeated exposure may cause skin dryness or cracking.H226: Flammable liquid and vapour.H304: May be fatal if swallowed and enters airways.

H317: May cause an allergic skin reaction.

# TURPENTINE SUBSTITUTE

Page: 2

H336: May cause drowsiness or dizziness.

H411: Toxic to aquatic life with long lasting effects.

H372: Causes damage to organs [nervous system] through prolonged or repeated

exposure [inhalation (vapour)].

Signal words: Danger

Hazard pictograms: GHS02: Flame

GHS07: Exclamation mark

GHS08: Health hazard

GHS09: Environmental



Precautionary statements: P102: Keep out of reach of children.

P280: Wear protective gloves/protective clothing/eye protection/face protection.
P210: Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
P301+310: IF SWALLOWED: Immediately call a POISON CENTER or doctor.
P303+361+353: IF ON SKIN (or hair): Remove immediately all contaminated clothing.
Rinse skin with.
P304+340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P321: Specific treatment (see on this label).
P331: Do NOT induce vomiting.
P403+235: Store in a well-ventilated place. Keep cool.
P501: Dispose of contents/container to hazardous waste collection point.

# 2.3. Other hazards

**PBT:** This product is not identified as a PBT/vPvB substance.

# Section 3: Composition/information on ingredients

# 3.1. Substances

Chemical identity: HYDROCARBONS, C9-C12, N-ALKANES, ISOALKANES, CYCLICS, AROMATICS (2-25%)

(\*WEL)

## Section 4: First aid measures

4.1. Description of first aid measures				
Skin contact:	Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash			
	immediately with plenty of soap and water.			
Eye contact:	Bathe the eye with running water for 15 minutes. Consult a doctor.			
Ingestion:	Wash out mouth with water. Do not induce vomiting. If conscious, give half a litre of water			
	to drink immediately. Consult a doctor.			
Inhalation:	Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a			
	doctor.	[cont]		

#### TURPENTINE SUBSTITUTE

Page: 3

#### 4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat. May be harmful if

swallowed. Aspiration hazard if swallowed - can enter lungs

and cause damage. Nausea and stomach pain may occur. There may be vomiting.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

# 4.3. Indication of any immediate medical attention and special treatment needed

## Section 5: Fire-fighting measures

#### 5.1. Extinguishing media

Extinguishing media: Alcohol or polymer foam. Dry chemical powder. Use water spray to cool containers.

#### 5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes. Forms explosive air-vapour mixture.

#### 5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

# Section 6: Accidental release measures

# 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. Mark out the contaminated area

with signs and prevent access to unauthorised personnel. Turn leaking containers

leak-side up to prevent the escape of liquid.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

#### 6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for

disposal by an appropriate method.

# 6.4. Reference to other sections

# Section 7: Handling and storage

#### 7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.

Do not handle in a confined space. Avoid the formation or spread of mists in the air.

# 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in cool, well ventilated area. Keep container tightly closed.

## TURPENTINE SUBSTITUTE

Page: 4

# 7.3. Specific end use(s)

# Section 8: Exposure controls/personal protection

# 8.1. Control parameters

#### Hazardous ingredients:

# HYDROCARBONS, C9-C12, N-ALKANES, ISOALKANES, CYCLICS, AROMATICS (2-25%)

#### Workplace exposure limits:

# Respirable dust

Flammability limits %: lower: 0.7

Flash point°C: >41

Vapour pressure: <5kPa @ 20'C

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	600mg/m3	-	-	-

# **DNEL/PNEC** Values

DNEL / PNEC No data available.

#### 8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: Self-contained breathing apparatus must be available in case of emergency.

Hand protection: Impermeable gloves.

Eye protection: Safety glasses. Ensure eye bath is to hand.

Skin protection: Impermeable protective clothing.

# Section 9: Physical and chemical properties

# 9.1. Information on basic physical and chemical properties

State:LiquidColour:ColourlessOdour:Destinctive petrolium typeEvaporation rate:ModerateSolubility in water:Not miscibleViscosity:Non-viscousBoiling point/range°C:140-300

upper: 6.0 Autoflammability°C: 240

Relative density: 0.75 - 0.85

9.2. Other information

Other information: No data available.

# Section 10: Stability and reactivity

10.1. Reactivity

[cont...]

# TURPENTINE SUBSTITUTE

# 10.2. Chemical stability

Chemical stability: Stable under normal conditions. Stable at room temperature.

# 10.3. Possibility of hazardous reactions

## 10.4. Conditions to avoid

Conditions to avoid: Heat. Hot surfaces. Flames.

# 10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

# 10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

# Section 11: Toxicological information

# 11.1. Information on toxicological effects

#### Relevant hazards for substance:

Hazard	Route	Basis
Respiratory/skin sensitisation	DRM	Based on test data
STOT-single exposure	-	Based on test data
STOT-repeated exposure	-	Based on test data
Aspiration hazard	-	Based on test data

# Symptoms / routes of exposure

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat. May be harmful if

swallowed. Aspiration hazard if swallowed - can enter lungs

and cause damage. Nausea and stomach pain may occur. There may be vomiting.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

# Section 12: Ecological information

## 12.1. Toxicity

Ecotoxicity values: No data available.

12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: Very low bioaccumulation potential

12.4. Mobility in soil

## TURPENTINE SUBSTITUTE

Page: 6

#### 12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

# 12.6. Other adverse effects

Other adverse effects: Toxic to aquatic organisms.

## Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Incineration on land.

Recovery operations: Use principally as a fuel or other means to generate energy.

Disposal of packaging: Dispose of as normal industrial waste.

**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

#### Section 14: Transport information

14.1. UN number

UN number: UN1300

14.2. UN proper shipping name

Shipping name: TURPENTINE SUBSTITUTE

14.3. Transport hazard class(es)

Transport class: 3

14.4. Packing group

Packing group: |||

#### 14.5. Environmental hazards

Environmentally hazardous: Yes

Marine pollutant: No

14.6. Special precautions for user

## Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture

by the supplier.

# Section 16: Other information

## Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No

453/2010.

\* indicates text in the SDS which has changed since the last revision.

# TURPENTINE SUBSTITUTE

 Phrases used in s.2 and s.3:
 EUH066: Repeated exposure may cause skin dryness or cracking.

 H226: Flammable liquid and vapour.
 H304: May be fatal if swallowed and enters airways.

 H317: May cause an allergic skin reaction.
 H336: May cause drowsiness or dizziness.

 H372: Causes damage to organs <or state all organs affected, if known> through prolonged or repeated exposure <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.

 H411: Toxic to aquatic life with long lasting effects.
 R10: Flammable.

 Legal disclaimer:
 The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.

Page: 7