OC25G06PNBN00NSO32



Products + Low Voltage Products and Systems + Switches + Cam Switches

General Information

Extended Product Type: OC25G06PNBN00NSO32

Product ID: 1SCA126572R1001

EAN: 6417019565422

Catalog Description: OC25G06PNBN00NSO32 Cam switch

Long Description: OC25 Cam switch, Ith=25A, Multi-Step, 6-contacts, Snap-on door mountin

g, Black Basic handle. Black handle and frontplate with standard text are in

cluded. Special engraved frontplates to be ordered as separate items.

Ordering

Minimum Order Quantity: 1 piece

Customs Tariff Number: 85365080

Popular Downloads

Data Sheet, Technical

1SCC302009C0201

Information:

Instructions and Manuals: 1SCC302013F0006

Wiring Diagram: 1SCC302014M0201

Dimensions

Product Net Width: 51 mm

Product Net Height: 51 mm

Product Net Depth / Length: 107 mm

Product Net Weight: 0.14 kg

Technical

(P_e):

Rated Operational Current AC- (500 V) 20 A

22A (I_e): (690 V) 20 A

Rated Operational Current AC- (690 V) Three Phase 5.9 A

23A (I_e): (500 V) Three Phase 8.1 A

(230 V) Three Phase 15 A (400 V) Three Phase 15 A

(400 V) Three Phase 15 A

Rated Operational Power AC-23A (690 V) Three Phase 4.8 kW

(500 V) Three Phase 4.8 kW (230 V) Three Phase 2.6 kW

(400 V) Three Phase 7.5 kW

Conventional Free-air Thermal $q = 40 \degree C 25 A$

Current (Ith):

Conventional Thermal Current	Fully Enclosed 25 A
(I _{the}):	
Rated Continuous Thermal Current:	25 A
Rated Impulse Withstand Voltage (U _{imp}):	4 kV
Rated Insulation Voltage (U _i):	690 V
Rated Operational Voltage:	690 V
Rated Short-time Withstand Current (I _{cw}):	for 1 s 0.3 kA for 3 s 0.173 kA
Power Loss:	1.8 W
Pollution Degree:	3
Handle Type:	Basic handle
Special Functions:	Multistep switch: 3-step, with 0-position: 12 o'clock, step angle 30° , front pl ate 0-1-2-3
Color:	Black
Mounting Type:	Snap-on door mounting
Number of Contacts:	6
Number of Poles:	2
Terminal Type:	Screw Terminals
echnical UL/CSA	
Ampere Rating UL/CSA:	600 V AC 25 A
Certificates and Declarations ((Document Number)
Declaration of Conformity - CE:	1SCC302005D0201
Instructions and Manuals:	1SCC302013F0006

Container Information

Package Level 1 Units:	1 piece
Package Level 1 Width:	70 mm
Package Level 1 Depth / Length:	122 mm
Package Level 1 Height:	70 mm
Package Level 1 Gross Weight:	0.14 kg
Package Level 1 EAN:	6417019565422

Classifications

E-nummer:	3134296
Object Classification Code:	Q
ETIM 5:	EC002611 - Control switch

ETIM 6: EC002611 - Control switch

ETIM 7: EC002611 - Control switch

