# **50lb. Standard Cable Ties**

## pro-**Power**




### **Specifications**

Type : Standard

Material : Nylon 6.6 / Polyamide
Colour : UV Black, Natural
Min. Loop Tensile Strength : 50lb. (222N)
Operating Temperature : -40°F to +185°F
Flammability Rating : UL 94V-2
Plenum Rating : AH-2

### **Diagram**



#### **Dimensions**

Part Number	Bundle Diameter		Length	Thickness	Width	D	E	F
	Min. Inches (mm)	Max. Inches (mm)	Inches (mm)	Inches (mm)	Inches (mm)	Inches (mm)	Inches (mm)	Inches (mm)
PP002215	0.06 (1.57)	1.87 (47.6)	7.562 (192.075)	0.052 (1.32)	0.18 (4.572)	0.3 (7.62)	0.215 (5.461)	0.305 (7.747)
PP002213								
PP002214								
PP002218		3.06 (77.7)	11.25 (285.751)					
PP002219								
PP002217								
PP002221		4	14.35					
PP002220		(101.6)	(364.49)					

www.element14.com www.farnell.com www.newark.com www.cpc.co.uk



## 50lb. Standard Cable Ties



#### **Part Number Table**

Description	Part Number	
50lb. Standard Cable Tie, 7", Nylon 6.6, UV Black, PK100	PP002215	
50lb. Standard Cable Tie, 7", Nylon 6.6, Natural, PK100	PP002213	
50lb. Standard Cable Tie, 7", Nylon 6.6, Natural, PK1000	PP002214	
50lb. Standard Cable Tie, 11", Nylon 6.6, UV Black, PK100	PP002218	
50lb. Standard Cable Tie, 11", Nylon 6.6, UV Black, PK1000	PP002219	
50lb. Standard Cable Tie, 11", Nylon 6.6, Natural, PK100	PP002217	
50lb. Standard Cable Tie, 14", Nylon 6.6, UV Black, PK100	PP002221	
50lb. Standard Cable Tie, 14", Nylon 6.6, Natural, PK100	PP002220	

Important Notice: This data sheet and its contents (the "Information") belong to the members of the Premier Farnell group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. pro-POWER is the registered trademark of the Group. © Premier Farnell Limited 2016.

www.element14.com www.farnell.com www.newark.com www.cpc.co.uk

